

AUTHOR INDEX

- Bagchi, N. and Fawcett, D. M.
Role of sodium ion in active transport of iodide by cultured thyroid cells (318) 235
- Baker, P. F. and Potashner, S. J.
The role of metabolic energy in the transport of glutamate by invertebrate nerve (318) 123
- Barnola, F. V., see Villegas, R. (318) 61
- Becker, C., see Bolis, L. (318) 289
- Bolis, L., Luly, P., Becker, C. and Wilbrandt, W.
An analysis of the apparent parameters of the glucose transport system in the red cell membrane (318) 289
- Camejo, G., see Villegas, R. (318) 61
- Caplan, S. R., see Saito, T. (318) 371
- Cho, K. S. and Proulx, P.
Interactions of acyl carnitines and other lysins with erythrocytes and reconstituted erythrocyte lipoproteins (318) 50
- Clausen, T., see Dahl-Hansen, A. B. (318) 147
- Colbow, K.
Chlorophyll in phospholipid vesicles (318) 4
- Coleman, R., see Michell, R. H. (318) 306
- Conlon, T., see Outhred, R. (318) 446
- Cools, A., see Postma, P. W. (318) 91
- Dahl-Hansen, A. B. and Clausen, T.
The effect of membrane stabilizers and ouabain on the transport of Na^+ and K^+ in rat soleus muscle (318) 147
- Deuticke, B., Kim, M. and Zöllner, C.
The influence of amphotericin B on the permeability of mammalian erythrocytes to nonelectrolytes, anions and cations (318) 345
- Dorling, P. R. and Le Page, R. N.
A rapid yield method for the preparation of rat liver cell plasma membranes (318) 33
- Echols, W. H., see Neihof, R. (318) 23
- Ellory, J. C., see Fortes, P. A. G. (318) 262
- Essig, A., see Saito, T. (318) 371
- Fawcett, D. M., see Bagchi, N. (318) 235
- Feng, H.-W. and Riggs, T. R.
Transport of amino acid into the estrogen-primed uterus. IV. Effects of sulphydryl agents on the uptake in vitro (318) 426
- Finean, J. B., see Michell, R. H. (318) 306
- Fortes, P. A. G., Ellory, J. C. and Lew, V. L.
Suramin: A potent ATPase inhibitor which acts on the inside surface of the sodium pump (318) 262
- Foulkes, E. C. and Gieske, T.
Specificity and metal sensitivity of renal amino acid transport (318) 439
- Fukushima, H., see Nozawa, Y. (318) 335
- Gerhardt, S., see Schnell, K. F. (318) 474
- Gibbes, D. C., see Redwood, W. R. (318) 10
- Gieske, T., see Foulkes, E. C. (318) 439
- Goldman, R. and Kaplan, A.
Rupture of rat liver lysosomes mediated by L-amino acid esters (318) 205
- Hare, J. D., see Lemkin, J. A. (318) 113
- Haydon, D. A., see Hladky, S. B. (318) 464
- Helle, K. B.
Biochemical studies of the chromaffin granule. III. Redistribution of lipid phosphate, dopamine- β -hydroxylase and chromogranin A after freezing and thawing of the isolated granule membranes (318) 167
- Helle, K. B.
Formation in vitro of matrix-like aggregates of chromogranins and phospholipids derived from chromaffin granules of the bovine adrenal medulla (318) 181
- Hladky, S. B. and Haydon, D. A.
Membrane conductance and surface potential (318) 464
- Honegger, P. and Semenza, G.
Multiplicity of carriers for free glucalogues in hamster small intestine (318) 390
- Horton, A. W., Schuff, A. R. and McClure, D. W.
Ionic transport through model membranes. II. Function of cholesterol and steroid hormones (318) 225
- Iida, H., see Nozawa, Y. (318) 335
- Inoue, I., see Ueda, T. (318) 326
- Israel, A., Verjus, M.-A. and Semmel, M.
Isolation and characterization of surface membranes from chorioallantoic cells and chick fibroblasts (318) 155
- Jacquez, J. A.
Sodium dependence of maximum flux, J_M , and of K_m of amino acid transport in Ehrlich ascites cells (318) 411
- Johnstone, R. M., see Tsang, D. (318) 217
- Kamp, H. H., Wirtz, K. W. A. and van Deenen, L. L. M.
Some properties of phosphatidylcholine exchange protein purified from beef liver (318) 313
- Kaplan, A., see Goldman, R. (318) 205
- Kim, M., see Deuticke, B. (318) 345
- Kobatake, Y., see Ueda, T. (318) 326

- Kuiper, P. J. C., see Livne, A. (318) 41
- Kunimoto, T. and Umezawa, H.
Kinetic studies on the inhibition of $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ by diketocoriolin B (318) 78
- Kuznar, J., Schwencke, J. and Magaña-Schwencke, N.
Sarcosine and imino acid uptake in *Saccharomyces chevalieri*. Derepression by nitrogen starvation (318) 273
- Kuznar, J., see Magaña-Schwencke, N. (318) 281
- Larsson, K.
The occurrence of different molecular conformations of diglycerides at the air-water interface (318) 1
- Lemkin, J. A. and Hare, J. D.
Nucleoside transport in normal and polyoma-transformed cells: Kinetic differences following adenosine serum or insulin stimulation (318) 113
- Le Page, R. N., see Dorling, P. R. (318) 33
- Lepke, S., see Schnell, K. F. (318) 474
- Lew, V. L., see Fortes, P. A. G. (318) 262
- Livne, A. and Kuiper, P. J. C.
Unique properties of the camel erythrocyte membrane (318) 41
- Luly, P., see Bolis, L. (318) 289
- McClure, D. W., see Horton, A. W. (318) 225
- Magaña-Schwencke, N., Kuznar, J. and Schwencke, J.
Imino acid transport in yeast. The uptake of sarcosine (318) 281
- Magaña-Schwencke, N., see Kuznar, J. (318) 273
- Matheson, A., see Rosenthal, S. L. (318) 252
- Meisner, H.
Inhibition of metabolite anion uptake in mitochondria by tetraphenylboron (318) 383
- Michell, R. H., Coleman, R. and Finean, J. B.
Hydrolysis of 1,2-diglyceride by membrane-associated lipase activity during phospholipase C treatment of membranes (318) 306
- Neihof, R. and Echols, W. H.
Physicochemical studies of microbial cell walls. I. Comparative electrophoretic behavior of intact cells and isolated cell walls (318) 23
- Nozawa, Y., Fukushima, H. and Iida, H.
Isolation and lipid composition of nuclear membranes from macronuclei of *Tetrahymena pyriformis* (318) 335
- Outhred, R. and Conlon, T.
The volume dependence of the erythrocyte water diffusion permeability (318) 446
- Pangborn, W. A., see Rand, R. P. (318) 299
- Passow, H., see Schnell, K. F. (318) 474
- Peters, R.
The effect of rehydration on the thickness of erythrocyte membranes as observed by energy transfer (318) 469
- Pohl, G. W., Stark, G. and Trissl, H.-W.
Interaction of liposomes with black lipid membranes (318) 478
- Postma, P. W., Cools, A. and Van Dam, K.
The transport of Krebs-cycle intermediates in *Azotobacter vinelandii* under various metabolic conditions (318) 91
- Potashner, S. J., see Baker, P. F. (318) 123
- Price, S.
Pancreatic cell membranes: Extraction of a possible glucoreceptor (318) 459
- Profera, C., see Shrager, P. (318) 141
- Proulx, P., see Cho, K. S. (318) 50
- Radda, G. K. and Smith, D. S.
Human erythrocyte ghosts: Relationship between membrane permeability and binding kinetics of the fluorescent probe 1-anilino-naphthalene-8-sulphonate (318) 197
- Rand, R. P. and Pangborn, W. A.
A structural transition in egg lecithin-cholesterol bilayers (318) 299
- Redwood, W. R., Gibbes, D. C. and Thompson, T. E.
Interaction of a solubilized membrane ATPase with lipid bilayer membranes (318) 10
- Riggs, T. R. and Feng, H.-W. (318) 426
- Rosenthal, S. L. and Matheson, A.
ATPase in isolated membranes of *Bacillus subtilis* (318) 252
- Roufogalis, B. D.
Properties of a $(\text{Mg}^{2+} + \text{Ca}^{2+})$ -dependent ATPase of bovine brain cortex. Effects of detergents, freezing, cations and local anesthetics (318) 360
- Roy-Burman, S., see Von Dippe, P. J. (318) 105
- Saito, T., Essig, A. and Caplan, S. R.
The effect of aldosterone on the energetics of sodium transport in the frog skin (318) 371
- Schnell, K. F., Gerhardt, S., Lepke, S. and Passow, H.
Asymmetric inhibition by phlorizin of halide movements across the red blood cell membrane (318) 474
- Schuff, A. R., see Horton, A. W. (318) 225
- Schwencke, J., see Kuznar, J. (318) 273
- Schwencke, J., see Magaña-Schwencke, N. (318) 281
- Semenza, G., see Honegger, P. (318) 390
- Semmel, M., see Israel, A. (318) 155
- Shrager, P. and Profera, C.

- Inhibition of the receptor for tetrodotoxin in nerve membranes by reagents modifying carboxyl groups (318) 141
- Smith, D. S., see Radda, G. K. (318) 197
- Stark, G., see Pohl, G. W. (318) 478
- Suszkwi, J. B.
Quantitation of acetylcholinesterase and acetylcholine-binding sites in excitable membrane fragments from electric eel (318) 69
- Thompson, T. E., see Redwood, W. R. (318) 10
- Trissl, H.-W., see Pohl, G. W. (318) 478
- Tsang, D. and Johnstone, R. M.
Transport of anions in stored bovine adrenal cortical mitochondria (318) 217
- Ueda, T., Inoue, I. and Kobatake, Y.
Studies of excitable membrane formed on the surface of protoplasmic drops isolated from *Nitella*. II. Tension at the surface of protoplasmic drops (318) 326
- Umezawa, H., see Kunimoto, T. (318) 78
- Van Dam, K., see Postma, P. W. (318) 91
- Van Deenen, L. L. M., see Kamp, H. H. (318) 313
- Verjus, M.-A., see Israel, A. (318) 155
- Villegas, R., Barnola, F. V. and Camejo, G.
Action of proteases and phospholipases on tetrodotoxin binding to axolemma preparations isolated from lobster nerve fibres (318) 61
- Visser, D. W., see Von Dippe, P. J. (318) 105
- Von Dippe, P. J., Roy-Burman, S. and Visser, D. W.
Transport of uridine in *Escherichia coli* B and a showdomycin-resistant mutant (318) 105
- Wilbrandt, W., see Bolis, L. (318) 289
- Wirtz, K. W. A., see Kamp, H. H. (318) 313
- Zöllner, C., see Deuticke, B. (318) 345