

SUBJECT INDEX

- Acetylcholine-binding sites
 Quantitation of acetylcholinesterase and — in excitable membrane fragments from electric eel (Suszkiw) (318) 69
- Acetylcholinesterase
 Quantitation of — and acetylcholine-binding sites in excitable membrane fragments from electric eel (Suszkiw) (318) 69
- Adenosine
 Nucleoside transport in normal and polyoma-transformed cells: Kinetic differences following — and serum or insulin stimulation (Lemkin, Hare) (318) 113
- Air-water interface
 Occurrence of different molecular conformations of diglycerides at the — (Larsson) (318) 1
- Aldosterone
 Effect of — on the energetics of sodium transport in the frog skin (Saito et al.) (318) 371
- L-Amino acid esters
 Rupture of rat liver lysosomes mediated by — (Goldman, Kaplan) (318) 205
- Amino acid transport
 — into the oestrogen-primed uterus. IV. Effects of sulphhydryl agents on the uptake in vitro (Feng, Riggs) (318) 426
- Amino acid transport
 Sodium dependence of maximum flux, J_m , and K_m of — in Ehrlich ascites cells (Jacquez) (318) 411
- Amino acid transport
 Specificity and metal sensitivity of renal — (Foulkes and Gieske) (318) 439
- Amphotericin B
 Influence of — on the permeability of mammalian erythrocytes to nonelectrolytes anions and cations (Deuticke et al.) (318) 345
- Anaesthetics
 Properties of a $(Mg^{2+} + Ca^{2+})$ -dependent ATPase of bovine brain cortex. Effects of detergents, freezing, cations and local — (Roufogalis) (318) 360
- 1-Anilinonaphthalene-8-sulphonate
 Human erythrocyte ghosts: Relationship between membrane permeability and binding kinetics of the fluorescent probe — (Radda, Smith) (318) 197
- Anions
 Influence of amphotericin B on the permeability of mammalian erythrocytes to nonelectrolytes, — and cations (Deuticke et al.) (318) 345
- Anion transport
 — in stored bovine adrenal cortical mitochondria (Tsang, Johnstone) (318) 217
- Anion uptake
 Inhibition of metabolite — in mitochondria by tetraphenylboron (Meisner) (318) 383
- ATPase
 — in isolated membranes of *Bacillus subtilis* (Rosenthal, Matheson) (318) 252
- ATPase
 Interaction of a solubilized membrane — with lipid bilayer membranes (Redwood et al.) (318) 10
- ATPase
 Kinetic studies on the inhibition of $(Na^+ + K^+)$ - — by diketocorinolin B (Kunimoto, Umezawa) (318) 78
- ATPase
 Properties of a $(Mg^{2+} + Ca^{2+})$ -dependent — of bovine brain cortex. Effects of detergents, freezing, cations and local anaesthetics (Roufogalis) (318) 360
- ATPase inhibitor
 Suramin: A potent — which acts on the inside surface of the sodium pump (Fortes et al.) (318) 262
- Axolemma
 Action of proteases and phospholipases on tetrodotoxin binding to — preparations isolated from lobster nerve fibres (318) 61
- Bilayers
 Structural transition in egg cholesterol-lecithin — (Rand, Pangborn) (318) 299
- Carnitines
 Interactions of acyl — and other lysins with erythrocytes and reconstituted erythrocyte lipoproteins (Cho, Proulx) (318) 50
- Carriers
 Multiplicity of — for free glucalogues in hamster small intestine (Honegger, Semenza) (318) 390
- Cations
 Influence of amphotericin B on the permeability of mammalian erythrocytes to nonelectrolytes, anions and — (Deuticke et al.) (318) 345

- Cations
Properties of a ($Mg^{2+} + Ca^{2+}$)-dependent ATPase of bovine brain cortex. Effects of detergents, freezing, — and local anaesthetics (Roufogalis) (318) 360
- Cells
Nucleoside transport in normal and polyoma-transformed —: Kinetic differences following adenosine and serum or insulin stimulation (Lemkin and Hare) (318) 113
- Cell membranes
Pancreatic —: Extraction of a possible glucoreceptor (Price) (318) 459
- Cell walls
Physicochemical studies of microbial —. I. Comparative electrophoretic behavior of intact cells and isolated cell walls (Neihof, Echols) (318) 23
- Chlorophyll
— in phospholipid vesicles (Colbow) (318) 4
- Cholesterol-lecithin bilayers
Structural transition in egg — at 12 °C (Rand, Pangborn) (318) 299
- Chorioallantoic cells
Isolation and characterization of surface membranes from — and chick fibroblasts (Israel et al.) (318) 155
- Chromaffin granule
Biochemical studies of the —. III. Redistribution of lipid phosphate, dopamine- β -hydroxylase and chromogranin A after freezing and thawing of the isolated granule membranes (Helle) (318) 167
- Chromaffin granules
Formation in vitro of matrix-like aggregates of chromogranins and phospholipids derived from — of the bovine adrenal medulla (Helle) (318) 181
- Chromogranin A
Biochemical studies of the chromaffin granule. III. Redistribution of lipid phosphate, dopamine- β -hydroxylase and — after freezing and thawing of the isolated granule membranes (Helle) (318) 167
- Chromogranins
Formation in vitro of matrix-like aggregates of — and phospholipids derived from chromaffin granules of the bovine adrenal medulla (Helle) (318) 181
- Detergents
Properties of a ($Mg^{2+} + Ca^{2+}$)-dependent ATPase of bovine brain cortex. Effects of —, freezing cations and local anaesthetics (Roufogalis) (318) 360
- Diglycerides
Occurrence of different molecular conformations of — at the air-water interface (Larsson) (318) 1
- 1,2-Diglyceride hydrolysis
— by membrane-associated lipase activity during phospholipase C treatment of membranes (Michell et al.) (318) 306
- Diketocoriolin B
Kinetic studies on the inhibition of ($Na^{+} + K^{+}$)-ATPase by — (Kunimoto, Umezawa) (318) 78
- Dopamine- β -hydroxylase
Biochemical studies of the chromaffin granule. III. Redistribution of lipid phosphate, — and chromogranin A after freezing and thawing of the isolated granule membranes (Helle) (318) 167
- Erythrocytes
Interactions of acyl carnitines and other lysins with — and reconstituted erythrocyte lipoproteins (Cho, Proulx) (318) 50
- Erythrocyte
Volume dependence of the — water diffusion permeability (Outhred, Conlon) (318) 446
- Erythrocyte ghosts
Human —: Relationship between membrane permeability and binding kinetics of the fluorescent probe 1-anilidonaphthalene-8-sulphonate (Radda, Smith) (318) 197
- Erythrocyte membrane
Asymmetric inhibition by phlorizin of halide movements across the — (Schnell et al.) (318) 474
- Erythrocyte membranes
Effect of rehydration on the thickness of — as observed by energy transfer (Peters) (318) 469
- Erythrocyte membrane
Unique properties of the camel — (Livne, Kuiper) (318) 41
- Excitable membrane
Quantitation of acetylcholinesterase and acetylcholine-binding sites in — fragments from electric eel (Suszkiw) (318) 69
- Excitable membrane
Studies of — formed on the surface of protoplasmic drops isolated from Nitella. II. Tension at the surface of protoplasmic drops (Ueda et al.) (318) 326
- Glucalogues
Multiplicity of carriers for free — in hamster small intestine (Honegger, Semenza) (318) 390
- Glucoreceptor
Pancreatic cell membranes: Extraction of a possible — (Price) (318) 459

- Glucose transport
 Analysis of the apparent parameters of the — system in the red cell membrane (Bolis et al.) (318) 289
- Glutamate transport
 Role of metabolic energy in — by invertebrate nerve (Baker, Potashner) (318) 123
- Halide fluxes
 Asymmetric inhibition by phlorizin of — across the red blood cell membrane (Schnell et al.) (318) 474
- Imino acid transport
 — in yeast. The uptake of sarcosine (Magaña-Schwencke et al.) (318) 281
- Imino acid uptake
 Sarcosine uptake and — in *Saccharomyces chevalieri*. Derepression by nitrogen starvation (Kuznar et al.) (318) 273
- Insulin
 Nucleoside transport in normal and polyoma-transformed cells: Kinetic differences following adenosine and serum or — stimulation (Lemkin, Hare) (318) 113
- Iodide transport
 Role of sodium ion in active — by cultured thyroid cells (Bagchi, Fawcett) (318) 235
- Ionic transport
 — through model membranes. II. Function of cholesterol and steroid hormones (Horton et al.) (318) 225
- Krebs-cycle intermediate transport
 — in *Azotobacter vinelandii* under various metabolic conditions (Postma et al.) (318) 91
- Lecithin-cholesterol bilayers
 Structural transition in egg — bilayers at 12 °C (Rand, Pangborn) (318) 299
- Lipase
 Hydrolysis of 1,2-diglyceride by membrane-associated — activity during phospholipase C treatment of membranes (Michell et al.) (318) 306
- Lipid bilayer membranes
 Interaction of a solubilized membrane ATPase with — (Redwood et al.) (318) 10
- Lipid composition
 Isolation and — of nuclear membranes from macronuclei of *Tetrahymena pyriformis* (Nozawa et al.) (318) 335
- Lipid membranes
 Interaction of liposomes with black — (Pohl et al.) (318) 478
- Lipoproteins
 Interactions of acyl carnitines and other lysins with erythrocytes and reconstituted erythrocyte — (Cho, Proulx) (318) 50
- Liposomes
 Interaction of — with black lipid membranes (Pohl et al.) (318) 478
- Lysins
 Interactions of acyl carnitines and other — with erythrocytes and reconstituted erythrocyte lipoproteins (Cho, Proulx) (318) 50
- Lysosomes
 Rupture of rat liver — mediated by L-amino acid esters (Goldman, Kaplan) (318) 205
- (Magnesium, calcium)-dependent ATPase
 Properties of a — of bovine brain cortex. Effects of detergents, freezing, cations and local anaesthetics (Roufogalis) (318) 360
- Membranes
 Isolation and characterization of surface — from chorioallantoic cells and chick fibroblasts (Israel et al.) (318) 155
- Membrane ATPase
 Interaction of a solubilized — with lipid bilayer membranes (Redwood et al.) (318) 10
- Membrane conductance
 — and surface potential (Hladky, Haydon) (318) 464
- Membrane permeability
 Human erythrocyte ghosts: Relationship between — and binding kinetics of the fluorescent probe 1-anilinonaphthalene-8-sulphonate (Radda, Smith) (318) 197
- Membrane stabilizers
 Effect of — and ouabain on the transport of Na⁺ and K⁺ in rat soleus muscle (Dahl-Hansen, Clausen) (318) 147
- Mitochondria
 Inhibition of metabolite anion uptake in — by tetraphenylboron (Meisner) (318) 383
- Mitochondria
 Transport of anions in stored bovine adrenal cortical — (Tsang, Johnstone) (318) 217
- Model membranes
 Ionic transport through —. II. Function of cholesterol and steroid hormones (Horton et al.) (318) 225
- Nerve
 The role of metabolic energy in the transport of glutamate by invertebrate — (Baker, Potashner) (318) 123
- Nerve fibres
 Action of proteases and phospholipases on tetrodotoxin binding to axolemma preparations isolated from lobster — (318) 61
- Nerve membranes
 Inhibition of the receptor for tetrodotoxin in — by reagents modifying carboxyl groups (Shrager, Profera) (318) 141

Nonelectrolytes

Influence of amphotericin B on the permeability of mammalian erythrocytes to —, anions and cations (Deuticke et al.) (318) 345

Nuclear membranes

Isolation and lipid composition of — from macronuclei of *Tetrahymena pyriformis* (Nozawa et al.) (318) 335

Nucleoside transport

— in normal and polyoma-transformed cells: Kinetic differences following adenosine and serum or insulin stimulation (Lemkin, Hare) (318) 113

Oestrogen

Transport of amino acids into the —-primed uterus. IV. Effects of sulphydryl agents on the uptake in vitro (Feng, Riggs) (318) 426

Ouabain

Effect of membrane stabilizers and — on the transport of Na^+ and K^+ in rat soleus muscle (Dahl-Hansen, Clausen) (318) 147

Pancreatic cell membranes

—: Extraction of a possible glucoreceptor (Price) (318) 459

Phlorizin

Asymmetric inhibition by — of halide movements across the red blood cell membrane (Schnell et al.) (318) 474

Phosphatidylcholine exchange protein

Some properties of — purified from beef liver (Kamp et al.) (318) 313

Phospholipases

Action of proteases and — on tetrodotoxin binding to axolemma preparations isolated from lobster nerve fibres (Villegas et al.) (318) 61

Phospholipase C

Hydrolysis of 1,2-diglyceride by membrane-associated lipase activity during — treatment of membranes (Michell et al.) (318) 306

Phospholipid vesicles

Chlorophyll in — (Colbow) (318) 4

Plasma membranes

Rapid high yield method for the preparation of rat liver cell — (Dorling, Le Page) (318) 33

Proteases

Action of — and phospholipases on tetrodotoxin binding to axolemma preparations isolated from lobster nerve fibres (Villegas et al.) (318) 61

Protoplasmic drops

Studies of excitable membrane formed on the surface of — isolated from *Nitella*. II. Tension at the surface of protoplasmic drops (Ueda et al.) (318) 326

Sarcosine

Imino acid transport in yeast. The uptake of — (Magaña-Schwencke et al.) (318) 281

Sarcosine uptake

— and imino acid uptake in *Saccharomyces chevalieri*. Derepression by nitrogen starvation (Kuznar et al.) (318) 273

Showdomycin

Transport of uridine in *Escherichia coli* B and a —-resistant mutant (Von Dippe et al.) (318) 105

Sodium ion

Role of — in active transport of iodide by cultured thyroid cells (Bagchi, Fawcett) (318) 235

Sodium pump

Suramin: A potent ATPase inhibitor which acts on the inside surface of the — (Fortes et al.) (318) 262

(Sodium + potassium)-ATPase

Kinetic studies on the inhibition of — by diketocoriolin B (Kunimoto, Umezawa) (318) 78

(Sodium + potassium) transport

Effect of membrane stabilizers and ouabain on — in rat soleus muscle (Dahl-Hansen, Clausen) (318) 147

Sodium transport

Effect of aldosterone on the energetics of — in the frog skin (Saito et al.) (318) 371

Sulphydryl agents

Transport of amino acids into the oestrogen-primed uterus. IV. Effects of — on the uptake in vitro (Feng, Riggs) (318) 426

Suramin

—: A potent ATPase inhibitor which acts on the inside surface of the sodium pump (Fortes et al.) (318) 262

Surface potential

Membrane conductance and — (Hladky, Haydon) (318) 464

Tetrodotoxin

Action of proteases and phospholipases on — binding to axolemma preparations isolated from lobster nerve fibres (Villegas et al.) (318) 61

Tetrodotoxin

Inhibition of the receptor for — in nerve membranes by reagents modifying carboxyl groups (Shrager, Profera) (318) 141

Uridine transport

— in *Escherichia coli* B and a showdomycin-resistant mutant (Von Dippe et al.) (318) 105

Water diffusion permeability

Volume dependence of the erythrocyte — (Outhred, Conlon) (318) 446