

## SUBJECT INDEX

- Acholeplasma laidlawii** cell membranes  
Lipid- and temperature-dependent structural changes in — (James, Branton) (323) 378
- Active transport**  
Coupling between energy conservation and — of serine in *Escherichia coli* (Van Thienen, Postma) (323) 429
- Adenylate cyclase activity**  
Studies on the relationship between — and calcium transport by cardiac sarcotubular membranes (Dhalla et al.) (323) 276
- Air-water interface**  
Cation binding by valinomycin and trinactin at the —: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161
- Amino acid uptake**  
— in the cornea. I. 3-Aminoisobutyric acid uptake in the toad (Friedenthal, Scott) (323) 456
- Aminoisobutyric acid transport**  
Amino transport in the cornea, I. 3 — in the toad (Friedenthal, Scott) (323) 456
- Aminonaphthalene derivatives**  
Spectral analyses of extrinsic fluorescence of the nerve membrane labeled with — (Tasaki et al.) (323) 220
- Anions**  
Role of  $\text{Na}^+$  and — in the triple response of isolated frog skin to norepinephrine (Pinschmidt et al.) (323) 309
- ATP**  
Amino acid stimulation of alkali-metal-independent — cleavage by an Ehrlich cell membrane preparation (Ronquist, Christensen) (323) 337
- ATPase**  
Lipid dependence of activity-temperature relationship of ( $\text{Na}^+$ ,  $\text{K}^+$ )-activated — (Tanaka, Teruya) (323) 584
- ATPase**  
New method for making phospholipid vesicles and the partial reconstitution of the ( $\text{Na}^+$ ,  $\text{K}^+$ )-activated — (Slack et al.) (323) 547
- ATPase**  
Soluble protein activator of ( $\text{Mg}^{2+} + \text{Ca}^{2+}$ )-dependent — in human red cell membranes (Bond, Clough) (323) 592
- Bilayer membranes**  
Theoretical considerations of the asymmetric distribution of charged phospholipid molecules on the inner and outer layers of curved — (Israelachvili) (323) 659
- Binding sites**  
Phlorizin receptors in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity receptors and unspecific — (Glossman, Neville, Jr) (323) 408
- Brain**  
Study on phospholipid exchange proteins present in the soluble fractions of beef liver and — (Harvey et al.) (323) 234
- Brush border membranes**  
Phlorizin receptors in isolated kidney —. Differential enzymatic modification of high-affinity receptors and unspecific binding sites (Glossman, Neville, Jr) (323) 408
- Brush border membrane**  
Proteins and glycoproteins of the human intestinal — (Maestracci et al.) (323) 113
- Brush border membrane**  
Purification of the human intestinal — (Schmitz et al.) (323) 98
- Calcium**  
Control of sodium, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with — and active transport with ouabain (McLaughlin) (323) 285
- $\text{Ca}^{2+}$**   
Interaction of — and  $\text{Mg}^{2+}$  with synaptic plasma membranes (Madeira, Antunes-Madeira) (323) 396
- Calcium binding**  
— by a plasma membrane fraction isolated from rat submandibular glands (Nijjar, Pritchard) (323) 391
- $\text{Ca}^{2+}$  fluxes**  
Quantitation of — in chick calvaria (Scarpace, Neuman) (323) 267
- Calcium transport**  
Studies on the relationship between adenylate cyclase activity and — by cardiac sarcotubular membranes (Dhalla et al.) (323) 276
- Cation binding**  
— by valinomycin and trinactin at the air-water interface: Cooperativity in cation

- binding by valinomycin (Kemp, Wenner) (323) 161
- Cation gradient  
Effect of gramicidin on  $\text{Na}^+$ -dependent accumulation of glycine by pigeon red cells: A test of the — hypothesis (Terry, Vidaver) (323) 441
- Cells  
Cholesterol in mycoplasma membranes. Composition, ultrastructure and biological properties of membranes from *Mycoplasma mycoides* var. *capri* — adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 495
- Cells  
Fusion of mammalian — by unilamellar lipid vesicles: Influence of lipid surface charge, fluidity and cholesterol (Papahadjopoulos et al.) (323) 23
- Cells  
Isolation and characterization of plasma membranes from normal and leukaemic — of mice (Warley, Cook) (323) 55
- Cells  
Preparation and properties of the ( $\text{Na}^+ + \text{K}^+$ )-ATPase- of plasma membranes from Ehrlich ascites — (Colombini, Johnstone) (323) 69
- Cell membranes  
Lipid- and temperature-dependent structural changes in *Acholeplasma laidlawii* — (James, Branton) (323) 378
- Cellular volume  
Regulation of — in rat liver myometrium (Rangachari et al.) (323) 297
- Chloride efflux  
— during light-triggered action potentials in *Acetabularia mediterranea* (Gradmann et al.) (323) 151
- Cholesterol  
— in mycoplasma membranes. Composition, ultrastructure and biological properties of membranes from *Mycoplasma mycoides* var. *capri* cells adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 495
- Cholesterol  
— in mycoplasma membranes. Correlation of enzymic and transport activities with physical state of lipids in membranes of *Mycoplasma mycoides* var. *capri* adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509
- Cholesterol  
Fusion of mammalian cells by unilamellar lipid vesicles: Influence of lipid surface charge, fluidity and — (Papahadjopoulos et al.) (323) 23
- Citrate  
Transport of potassium and sodium with — across the mitochondrial membrane (Gamble, Jr) (323) 240
- Colicin M  
Common receptor protein for phage T5 and — in the outer membrane of *Escherichia coli* B (Braun et al.) (323) 87
- Cytochalasin binding  
Reversible association of cytochalasin B with the human erythrocyte membrane: Inhibition of glucose transport and the stoichiometry of — (Taverna, Langdon) (323) 207
- Daunomycin transport  
Active outward — in resistant Ehrlich ascites tumour cells (Danø) (323) 466
- Enzyme-membrane  
An experimental — oscillator (Naparstek et al.) (323) 643
- Erythrocytes  
Effect of gramicidin on  $\text{Na}^+$ -dependent accumulation of glycine by pigeon —: A test of the cation gradient hypothesis (Terry, Vidaver) (323) 441
- Erythrocytes  
Sodium efflux from human — (Eilam, Stein) (323) 606
- Erythrocytes  
Surface properties of — normal, paroxysmal nocturnal haemoglobinuria and glutathione-treated cells (Atlas et al.) (323) 194
- Erythrocyte membrane  
Asymmetric distribution of phospholipids in the human —. A combined study using phospholipases and freeze-etch electron microscopy (Verkleij et al.) (323) 178
- Erythrocyte membrane  
— alterations due to infection with *Plasmodium berghei* (Weidekamm et al.) (323) 539
- Erythrocyte membranes  
Freeze-etch study of the effects of filipin on liposomes and human — (Tillack, Kinsky) (323) 43
- Erythrocyte membrane  
Reversible association of cytochalasin B with the human —: Inhibition of glucose transport and the stoichiometry of cytochalasin binding (Taverna, Langdon) (323) 207
- Erythrocyte membranes  
Soluble protein of ( $\text{Mg}^{2+} + \text{Ca}^{2+}$ )-dependent ATPase in human — (Bond, Clough) (323) 592
- Excitable membrane  
Studies of — formed on the surface of protoplasmic drops isolated from *Nitella*.

- III. Impedance of the surface membrane (Miyake et al.) (323) 367
- Filipin  
Freeze-etch study of the effects of — on liposomes and human erythrocyte membranes (Tillack, Kinsky) (323) 43
- Glomerular basement membrane  
Action of snake venom haemorrhagic principles on isolated — (Ohsaka et al.) (323) 415
- Glucose transport  
Reversible association of cytochalasin B with the human erythrocyte membrane: Inhibition of — and the stoichiometry of cytochalasin binding (Taverna, Langdon) (323) 207
- Glycine accumulation  
Effect of gramicidin on  $\text{Na}^+$ -dependent — by pigeon red cells: A test of the cation gradient hypothesis (Terry, Vidaver) (323) 441
- Glycoproteins  
Proteins and — of the human intestinal brush border membrane (Maestracci et al.) (323) 113
- Gramicidin  
Effect of — on  $\text{Na}^+$ -dependent accumulation of glycine by pigeon red cells: A test of the cation gradient hypothesis (Terry, Vidaver) (323) 441
- Haemorrhagic principles  
Action of snake venom — on isolated glomerular basement membrane (Ohsaka et al.) (323) 415
- Ionophore  
Proton magnetic resonance detection of —-mediated praseodymium ion transport across phospholipid membranes (Fernández et al.) (323) 600
- Ion transport  
Hydration energy and the — through membranes (Tredgold) (323) 143
- Lecithin  
Far-infrared absorption of the water- — system (Colbow, Clayman) (323) 1
- Lipid  
— and temperature-dependent structural changes in *Acholeplasma laidlawii* cell membranes (James, Branton) (323) 378
- Lipids  
Cholesterol in mycoplasma membranes. Correlation of enzymic and transport activities with physical state of — in membranes of *Mycoplasma mycoides* var. *capri* adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509
- Lipid assemblies  
New method for investigation of — with a lipid pH indicator in monomolecular films (Fromherz) (323) 326
- Lipid dependence  
— of activity-temperature relationship of ( $\text{Na}^+$ ,  $\text{K}^+$ )-activated ATPase (Tanaka, Teruya) (323) 584
- Lipid films  
Capacitance, area and thickness variations in thin — (White, Thompson) (323) 7
- Lipid films  
Surface charge and double layers of thin — formed from neutral lipids (White) (323) 343
- Lipid membranes  
Photoresponse of bimolecular — pigmented with retinal and vitamin A acid (Schadt) (323) 351
- Lipid monolayers  
Surface behaviour of dibenzanthracene with — (Belmonte, Swarbrick) (323) 647
- Lipid vesicles  
Fusion of mammalian cells by unilamellar —: Influence of lipid surface charge, fluidity and cholesterol (Papahadjopoulos et al.) (323) 23
- Liposomes  
Freeze-etch study of the effects of filipin on — and human erythrocyte membranes (Tillack, Kinsky) (323) 43
- Membrane  
Amino acid stimulation of alkali-metal-independent ATP cleavage by an Ehrlich cell — preparation (Ronquist, Christensen) (323) 337
- Membranes  
Phlorizin-receptor interactions in fat cell plasma — (Czech et al.) (323) 639
- Membrane-bound phospholipids  
Differences in susceptibility to phospholipase C of free and — of *Mycoplasma hominis* (Rottem et al.) (323) 520
- Membrane-enzyme  
An experimental — oscillator (Naparstek et al.) (323) 643
- Membrane permeability  
Control of sodium, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell — with calcium and active transport with ouabain (McLaughlin) (323) 285
- $\text{Mg}^{2+}$   
Interaction of  $\text{Ca}^{2+}$  and — with synaptic plasma membranes (Madeira, Antunes-Madeira) (323) 396
- ( $\text{Mg}^{2+} + \text{Ca}^{2+}$ )-dependent ATPase  
Soluble protein activator of — in human red cell membranes (Bond, Clough) (323) 592

## Mitochondrial membrane

Transport of potassium and sodium with citrate across the — (Gamble, Jr) (323) 240

## Monomolecular films

New method for investigation of lipid assemblies with a lipid pH indicator in — (Fromherz) (323) 326

## Muscle intracellular membrane

Effect of taurine on a — (Huxtable, Bressler) (323) 573

## Mycoplasma membranes

Cholesterol in —. Composition, ultrastructure and biological properties of membranes from *Mycoplasma mycoides* var. *capri* cells adapted to grow with low cholesterol concentration (Rottem et al.) (323) 495

## Mycoplasma membranes

Cholesterol in —. Correlation of enzymic and transport activities with physical state of lipids in membranes of *Mycoplasma mycoides* var. *capri* adapted to grow with physical state of lipids in membranes of *Mycoplasma mycoides* var. *capri* adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509

Na<sup>+</sup>

Role of — and anions in the triple response of isolated frog skin to norepinephrine (Pinschmidt et al.) (323) 309

(Na<sup>+</sup>, K<sup>+</sup>)-activated ATPase

Lipid dependence of activity-temperature relationship of — (Tanaka, Teruya) (323) 584

(Na<sup>+</sup>, K<sup>+</sup>)-activated ATPase

New method for making phospholipid vesicles and the partial reconstitution of the — (Slack et al.) (323) 547

(Na<sup>+</sup>-K<sup>+</sup>)-ATPase

Studies on (Na<sup>+</sup>-K<sup>+</sup>)-activated ATPase. XXXIV. Phosphatidylserine not essential for — activity (De Pont et al.) (323) 487

(Na<sup>+</sup>+K<sup>+</sup>)-ATPase

Preparation and properties of the — of plasma membranes from Ehrlich ascites cells (Colombini, Johnstone) (323) 69

Na<sup>+</sup> extrusion

Uncoupled — through the Na<sup>+</sup> pump (Lew et al.) (323) 251

Na<sup>+</sup> pump

Uncoupled extrusion of Na<sup>+</sup> through the — (Lew et al.) (323) 251

## Nerve membrane

Spectral analyses of extrinsic fluorescence of the — labeled with aminonaphthalene derivatives (Tasaki et al.) (323) 220

## Norepinephrine

Role of Na<sup>+</sup> and anions in the triple response of isolated frog skin to — (Pinschmidt et al.) (323) 309

## Nuclear envelope

— isolation in peas (Stavy et al.) (323) 167

## Oil-water interface

Phase changes and mosaic formation in single and mixed phospholipid monolayers at the — (Taylor et al.) (323) 157

## Ouabain

Control of sodium, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with — (McLaughlin) (323) 285

## Outer membrane

Common receptor protein for phage T5 and colicin M in the — of *Escherichia coli* B (Braun et al.) (323) 87

## Oxygen utilization

Control of sodium, potassium and water content and — in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285

## Phage T5

Common receptor protein for — and colicin M in the outer membrane of *Escherichia coli* B (Braun et al.) (323) 87

## Phlorizin receptors

— in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity receptors and unspecific binding sites (Glossman, Neville, Jr) (323) 408

## Phlorizine-receptor

— interactions in fat cell plasma membranes (Czech et al.) (323) 639

## Phosphatidylserine

Studies on (Na<sup>+</sup>-K<sup>+</sup>)-activated ATPase. XXXIV. — not essential for (Na<sup>+</sup>-K<sup>+</sup>)-ATPase activity (De Pont et al.) (323) 487

## Phospholipases

Asymmetric distribution of phospholipids in the human red cell membrane. A combined study using — and freeze-etch electron microscopy (Verkleij et al.) (323) 178

## Phospholipase C

Differences in susceptibility to — of free and membrane-bound phospholipids of *Mycoplasma hominis* (Rottem et al.) (323) 520

## Phospholipid

Phase changes and mosaic formation in single and mixed — monolayers at the oil-water interface (Taylor et al.) (323) 157

**Phospholipids**

Asymmetric distribution of — in the human red cell membrane. A combined study using phospholipases and freeze-etch electron electron microscopy (Verkleij et al.) (323) 178

**Phospholipids**

Differences in susceptibility to phospholipase C of free and membrane-bound — of *Mycoplasma hominis* (Rottem et al.) (323) 520

**Phospholipid**

Theoretical considerations on the asymmetric distribution of charged — molecules on the inner and outer layers of curved bilayer membranes (Israelachvili) (323) 659

**Phospholipid exchange proteins**

Study on — present in the soluble fractions of beef liver and brain (Harvey et al.) (323) 234

**Phospholipid membranes**

Proton magnetic resonance detection of ionophore-mediated praseodymium ion transport across — (Fernández et al.) (323) 600

**Phospholipids vesicles**

New method for making — and the partial reconstitution of the ( $\text{Na}^+$ ,  $\text{K}^+$ )-activated ATPase (Slack et al.) (323) 547

**Photoreceptor membranes**

Biochemical aspects of the visual process. XXII. Amino group modification in bovine rod — (De Grip et al.) (323) 125

**Plasma membrane**

Calcium binding by a — fraction isolated from rat submandibular glands (Nijjar, Pritchard) (323) 391

**Plasma membrane**

Electron microscope autoradiography of labelled yeast — (Schibeci et al.) (323) 532

**Plasma membranes**

Interaction of  $\text{Ca}^{2+}$  and  $\text{Mg}^{2+}$  with synaptic — (Madeira, Antunes-Madeira) (323) 396

**Plasma membranes**

Isolation and characterization of — from normal and leukaemic cells of mice (Warlay, Cook) (323) 55

**Plasma membranes**

Phlorizin-receptor interactions in fat cell — (Czech et al.) (323) 639

**Plasma membranes**

Preparation and properties of the ( $\text{Na}^+$  +  $\text{K}^+$ )-ATPase of — from Ehrlich ascites cells (Colombini, Johnstone) (323) 69

**Plasma membranes**

Specific prostaglandin  $\text{E}_1$  and  $\text{A}_1$  binding

sites in rat adipocyte — (Gorman, Miller) (323) 560

**Platelet membrane**

Effect of thrombin on the — (Steiner) (323) 653

**Potassium content**

Control of sodium content, — and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285

**Potassium transport**

— and sodium transport with citrate across the mitochondrial membrane (Gamble, Jr) (323) 240

**Praseodymium ion transport**

Proton magnetic resonance detection of ionophore-mediated — across phospholipid membranes (Fernández et al.) (323) 600

**Prostaglandin  $\text{A}_1$  binding sites**

Specific prostaglandin  $\text{E}_1$  binding sites and — in rat adipocyte plasma membranes (Gorman, Miller) (323) 560

**Prostaglandin  $\text{E}_1$  binding sites**

Specific — and prostaglandin  $\text{A}_1$  binding sites in rat adipocyte plasma membranes (Gorman, Miller) (323) 560

**Protein**

Common receptor — for phage T5 and colicin M in the outer membrane of *Escherichia coli* B (Braun et al.) (323) 87

**Proteins**

— and glycoproteins of the human intestinal brush border membrane (Maestracci et al.) (323) 113

**Protein activator**

Soluble — of ( $\text{Mg}^{2+}$  +  $\text{Ca}^{2+}$ )-dependent ATPase in human red cell membranes (Bond, Clough) (323) 592

**Proteins**

Study on phospholipid exchange — present in the soluble fractions of beef liver and brain (Harvey et al.) (323) 234

**Protoplasmic drops**

Studies of excitable membrane formed on the surface of — isolated from *Nitella*. III. Impedance of the surface membrane (Miyake et al.) (323) 367

**Receptors**

Phlorizin receptors in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity — and unspecific binding sites (Glossman, Neville, Jr) (323) 408

**Receptor protein**

Common — for phage T5 and colicin M

- in the outer membrane of *Escherichia coli* B (Braun et al.) (323) 87
- Reconstitution**  
 New method for making phospholipid vesicles and the partial — of the ( $\text{Na}^+$ ,  $\text{K}^+$ )-activated ATPase (Slack et al.) (323) 547
- Retinal**  
 Photoresponse of bimolecular membranes pigmented with — and vitamin A acid (Schadt) (323) 351
- Sarcotubular membranes**  
 Studies on the relationship between adenylate cyclase activity and calcium transport by cardiac — (Dhalla et al.) (323) 276
- Serine**  
 Coupling between energy conservation and active transport of — in *Escherichia coli* (Van Thienen, Postma) (323) 429
- Sodium content**  
 Control of —, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285
- Sodium efflux**  
 — from human red blood cells (Eilam, Stein) (323) 606
- Sodium transport**  
 Potassium transport and — with citrate across the mitochondrial membrane (Gamble, Jr) (323) 240
- Taurine**  
 Effect of — on a muscle intracellular membrane (Huxtable, Bressler) (323) 573
- Thrombin**  
 Effect of — on the platelet membrane (Steiner) (323) 653
- Transport**  
 Cholesterol in mycoplasma membranes. Correlation of enzymic and — activities with physical state of lipids in membranes of *Mycoplasma mycoides* var. *capri* adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509
- Transport-deficient mutant**  
 Characteristics of a — (nap) of *Neurospora crassa* (Rao, DeBusk) (323) 619
- Trinactin**  
 Cation binding by valinomycin and — at the air-water interface: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161
- Tumour cells**  
 Active outward transport of daunomycin in resistant Ehrlich ascites — (Danø) (323) 466
- Valinomycin**  
 Cation binding by — and trinactin at the air-water interface: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161
- Visual process**  
 Biochemical aspects of the —. XXII. Amino group modification in bovine rod photoreceptor membranes (De Grip et al.) (323) 125
- Vitamin A**  
 Photoresponse of bimolecular lipid membranes pigmented with retinal and — acid (Schadt) (323) 351
- Water content**  
 Control of sodium content, potassium content and — and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285