

AUTHOR INDEX

- Aaronson, S., see Pattni, N. J. (373) 347
- Aleksandrowicz, Z., see Świerczyński, J. (373) 66
- Aprille, J. R., Lefkowitz, R. J. and Warshaw, J. B.
³H-Norepinephrine binding and lipolysis
 by isolated fat cells (373) 502
- Aust, S. D., see Welton, A. F. (373) 197
- Babior, B. M., see Schneider, R. P. (373) 58
- Barnola, F. V., see Chacko, G. K. (373) 308
- Barton, P. G., see Horak, H. (373) 471
- Baulieu, E.-E., see Robel, P. (373) 1
- Bhakdi, S., Knüfermann, H., Fischer, H. and
 Wallach, D. F. H.
 Interaction between erythrocyte membrane
 proteins and complement components. II.
 The identification and peptide composition
 of complement components C3 and C4
 desorbed from erythrocyte membranes (373)
 295
- Bhakdi, S., see Bjerrum, O. J. (373) 44
- Billmire, E., see Pattni, N. J. (373) 347
- Bjerrum, O. J., Bhakdi, S., Knüfermann, H. and
 Bøg-Hansen, T. C.
 Immuno-electrophoretic heterogeneity and
 cross-reactions of individual "spectrin"
 components isolated by preparative sodium
 dodecylsulfate-polyacrylamide gel electro-
 phoresis (373) 44
- Blondeau, J.-P., see Robel, P. (373) 1
- Bøg-Hansen, T. C., see Bjerrum, O. J. (373)
 44
- Brisson, D. L., see Izutsu, K. T. (373) 361
- Broquet, P., see Morelis, R. (373) 10
- Burrill, P. H., Sattelmeyer, P. A. and Lerner, J.
 Effect of theophylline and Na⁺ on methio-
 nine influx in Na⁺-depleted intestine (373)
 265
- Carlsen, S. A., see See, Y. P. (373) 242
- Chacko, G. K., Barnola, F. V., Villegas, R. and
 Goldman, D. E.
 The binding of tetrodotoxin to axonal
 membrane fraction isolated from garfish
 olfactory nerve (373) 308
- Cheeseman, C. I. and Parsons, D. S.
 Intestinal absorption of peptides: peptide
 uptake by small intestine of *Rana pipiens*
 (373) 523
- Chin, J. H., see Trudell, J. R. (373) 141
- Chin, J. H., see Trudell, J. R. (373) 436
- Cohen, E. N., see Trudell, J. R. (373) 141
- Cohen, E. N., see Trudell, J. R. (373) 436
- Coster, H. G. L. and Smith, J. R.
 The molecular organisation of bimolecular
 lipid membranes: A study of the low fre-
 quency Maxwell-Wagner impedance dis-
 persion (373) 151
- Cupp, J., see Sands, J. A. (373) 277
- Davis, M. T. B. and Silbert, D. F.
 Changes in cell permeability following a
 marked reduction of saturated fatty acid
 content of *Escherichia coli* K₁₂ (373) 224
- De Kruyff, B., see Verkleij, A. J. (373) 495
- Donaldson, Jr, R. M., see Schneider, R. P. (373)
 58
- Dunn, M. J., see Green, J. R. (373) 51
- Dybing, E.
 Cycloheximide inhibition of hypoxanthine
 transport in cultured cells (373) 100
- Eanes, E. D., see Gottlieb, M. H. (373) 519
- Elford, B. C. and Solomon, A. K.
 Factors influencing sodium transport in
 dog red cells (373) 253
- Entlicher, G., see Pospisilová, J. (373) 444
- Fischer, H., see Wunderlich, F. (373) 34
- Fischer, H., see Bhakdi, S. (373) 295
- Flückiger, R., see Zwaal, R. F. A. (373) 416
- Gary-Bobo, C. M., see Rigaud, J. L. (373) 211
- Goldman, D. E., see Chacko, G. K. (373) 308
- Gottlieb, M. H. and Eanes, E. D.
 On phase transitions in erythrocyte mem-
 branes and extracted lipids (373) 519
- Green, J. R., Dunn, M. J., Spooner, R. L. and
 Maddy, A. H.
 The immunological heterogeneity of the
 proteins extracted from *Bos taurus* erythro-
 cyte membranes by EDTA (373) 51
- Haskovec, C., see Pospisilová, J. (373) 444
- Hemmaplardh, D. and Morgan, E. H.
 The mechanism of iron exchange between
 synthetic iron chelators and rabbit reticulo-
 cytes (373) 84
- Holman, G. D., see Naftalin, R. J. (373) 453
- Horak, H. and Barton, P. G.
 Effects of α , β -methylene-adenosine-5'-di-
 phosphate on blood platelet aggregation
 (373) 471
- Horton, A. W. and Schuff, A. R.
 Ionic transport through model membranes.
 III. Contrasting effects of testosterone and
 5- α -dihydrotestosterone. Dependence on
 temperature and bound water (373) 76
- Izutsu, K. T., Siegel, I. A. and Brisson, D. L.
 The effect of ionic strength on a Mg²⁺-
 ATPase and its relevance to the determina-
 tion of (Na⁺ + K⁺)-ATPase (373) 361

- Ji, T. H., see Slutzky, G. M. (373) 337
- Jungi, B., see Kramer, R. (373) 404
- Kanter, R. K., see Kleinzeller, A. (373) 397
- Keana, J. F. W. and Stämpfli, R.
Effect of several "specific" chemical reagents on the Na^+ , K^+ and leakage currents in voltage-clamped single nodes of Ranvier (373) 18
- Keith, A., see Sands, J. A. (373) 277
- Kleinzeller, A., Tam, I., Kanter, R. K. and McAvoy, E. M.
The structural requirement for $\text{C}_1\text{-OH}$ for the active transport of D-mannose and 2-deoxy-D-hexoses by renal tubular cells (373) 397
- Knüfermann, H., see Bjerrum, O. J. (373) 44
- Knüfermann, H., see Bhakdi, S. (373) 295
- Kobatake, Y., see Ueda, T. (373) 286
- Kocourek, J., see Pospisilová, J. (373) 444
- Kramer, R., Jungi, B. and Zahler, P.
Some characteristics of a phospholipase A_2 from sheep red cell membranes (373) 404
- Lefkowitz, R. J., see Aprille, J. R. (373) 502
- Lerner, J., see Burrill, P. H. (373) 265
- Levitt, D. G.
A new theory of transport for cell membrane pores. I. General theory and application to red cell (373) 115
- Levitt, D. G. and Subramanian, G.
A new theory of transport for cell membrane pores. II. Exact results and computer simulation (molecular dynamics) (373) 132
- Lieb, W. R. and Stein, W. D.
Testing and characterizing the simple pore (373) 165
- Lieb, W. R. and Stein, W. D.
Testing and characterizing the simple carrier (373) 178
- Ling, V., see See, Y. P. (373) 242
- Louisot, P., see Morelis, R. (363) 10
- Løvtrup, S., see Mild, K. H. (373) 383
- Lowendorf, H. S., Slayman, C. L. and Slayman, C. W.
Phosphate transport in *Neurospora*. Kinetic characterization of a constitutive, low-affinity transport system (373) 369
- Maddy, A. H., see Green, J. R. (373) 51
- McAvoy, E. M., see Kleinzeller, A. (373) 397
- Mild, K. H. and Løvtrup, S.
Diffusion and permeation of water in the frog egg. I. The effect of temperature (373) 383
- Morelis, R., Broquet, P. and Louisot, P.
Glycoprotein biosynthesis in liver mitochondria. II. Mitochondrial localization of mannosyltransferase (373) 10
- Morgan, E. H., see Hemmaphys, D. (373) 84
- Moser, S., see Zwaal, R. F. A. (373) 416
- Muratsugu, M., see Ueda, T. (373) 286
- Naftalin, R. J. and Holman, G. D.
The role of Na as a determinant of the asymmetric permeability of rabbit ileal brush-border to D-galactose (373) 453
- Neher, E.
Asymmetric membranes resulting from fusion of two black lipid bilayers (373) 327
- Ockman, N.
Reflection spectra from monolayers of amphotericin B and amphotericin B-cholesterol spread on water (373) 481
- Parsons, D. S., see Cheeseman, C. I. (373) 523
- Patni, N. J., Billmire, E. and Aaronson, S.
Isolation of the *Ochromonas* plasma membrane and identification of several membrane enzymes (373) 347
- Payan, D. G., see Trudell, J. R. (373) 141
- Payan, D. G., see Trudell, J. R. (373) 436
- Pospisilová, J., Haskovec, C., Entlicher, G. and Kocourek, J.
Studies on phytohemagglutinins. XXII. Isolation and characterization of a lymphocyte receptor for concanavalin A (373) 444
- Rigaud, J. L., Gary-Bobo, C. M. and Taupin, C.
Effect of chemical modifiers of passive permeability on the conformation of spin-labelled erythrocyte membranes (373) 211
- Riordan, J. R. and Slavik, M.
Interactions of lectins with membrane glycoproteins effects of concanavalin A 5' nucleotidase (373) 356
- Robel, P., Blondeau, J.-P. and Baulieu, E.-E.
Androgen receptors in rat ventral prostate microsomes (373) 1
- Robinson, J. W. L., see Sepúlveda, F. V. (373) 527
- Sands, J. A., Cupp, J., Keith, A. and Snipes, W.
Temperature sensitivity of the assembly process of the enveloped bacteriophage Q^ϕ (373) 277
- Sattelmeyer, P. A., see Burrill, P. H. (373) 265
- Schneider, R. P., Donaldson, Jr, R. M. and Babior, B. M.
Evidence for the solubilization of the intestinal intrinsic factor receptor by sonication of ileal brush borders (373) 58
- Schuff, A. R., see Horton, A. W. (373) 76
- See, Y. P., Carlsen, S. A., Till, J. E. and Ling, V.
Increased drug permeability in Chinese hamster ovary cells in the presence of cyanide (373) 242
- Sepúlveda, F. V. and Robinson, J. W. L.
Harmaline, a potent inhibitor of sodium-dependent transport (373) 527
- Shafer, P. T.

- The interaction of polyamino acids with lipid monolayers (373) 425
- Shore, B. and Shore, V.
The interaction of concanavalin A with sheep erythrocytes (373) 313
- Shore, V., see Shore, B. (373) 313
- Siegel, I. A., see Izutsu, K. T. (373) 361
- Silbert, D. F., see Davis, M. T. B. (373) 224
- Slavik, M., see Riordan, J. R. (373) 356
- Slayman, C. L., see Lowendorf, H. S. (373) 369
- Slayman, C. W., see Lowendorf, H. S. (373) 369
- Slutzky, G. M. and Ji, T. H.
The dissimilar nature of two forms of the major human erythrocyte membrane glycoprotein (373) 337
- Smith, J. R., see Coster, H. G. L. (373) 151
- Snipes, W., see Sands, J. A. (373) 277
- Solomon, A. K.
Apparent viscosity of human red cell membranes (373) 145
- Solomon, A. K., see Elford, B. C. (373) 253
- Speth, V., see Wunderlich, F. (373) 34
- Spooner, R. L., see Green, J. R. (373) 51
- Stämpfli, R., see Keana, J. F. W. (373) 18
- Stein, W. D., see Lieb, W. R. (373) 165
- Stein, W. D., see Lieb, W. R. (373) 178
- Subramanian, G., see Levitt, D. G. (373) 132
- Swierczynski, J. and Aleksandrowicz, Z.
Inhibition of anion transport across the mitochondrial membrane by amytal (373) 66
- Takenawa, T. and Tsumita, T.
myo-Inositol transport in plasma membrane of rat kidney (373) 106
- Takenawa, T. and Tsumita, T.
Properties of scyllitol transport in rat kidney slices (373) 490
- Tam, I., see Kleinzeller, A. (373) 397
- Taupin, C., see Rigaud, J. L. (373) 211
- Till, J. E., see See, Y. P. (373) 242
- Trudell, J. R., Payan, D. G., Chin, J. H. and Cohen, E. N.
The effect of pressure on the phase diagram of mixed dipalmitoyl-dimyristoylphosphatidylcholine bilayers (373) 141
- Trudell, J. R., Payan, D. G., Chin, J. H. and Cohen, E. N.
Pressure-induced elevation of phase transition temperature in dipalmitoylphosphatidylcholine bilayers: An electron spin resonance measurement of the enthalpy of phase transition (373) 436
- Tsumita, T., see Takenawa, T. (373) 106
- Tsumita, T., see Takenawa, T. (373) 490
- Ueda, T., Muratsugu, M. and Kobatake, Y.
Roles of Ca^{2+} phospholipids and proteins in the excitable membrane of protoplasmic droplet isolated from *Nitella* (373) 286
- Van Deenen, L. L. M., see Verkleij, A. J. (373) 495
- Verkleij, A. J., Ververgaert, P. H. H. Th., De Kruijff, B. and Van Deenen, L. L. M.
The distribution of cholesterol in bilayers of phosphatidylcholines as visualized by freeze fracturing (373) 495
- Ververgaert, P. H. J. Th., see Verkleij, A. J. (373) 495
- Villegas, R., see Chacko, G. K. (373) 308
- Wallach, D. F. H., see Wunderlich, F. (373) 34
- Wallach, D. F. H., see Bhakdi, S. (373) 295
- Warshaw, J. B., see Aprille, J. R. (373) 502
- Welton, A. F. and Aust, S. D.
The effects of 3-methylcholanthrene and phenobarbital induction on the structure of the rat liver endoplasmic reticulum (373) 197
- Wunderlich, F., Wallach, D. F. H., Speth, V. and Fischer, H.
Differential effects of temperature on the nuclear and plasma membranes of lymphoid cells: A study by freeze-etch electron microscopy (373) 34
- Zahler, P., see Kramer, R. (373) 404
- Zahler, P., see Zwaal, R. F. A. (373) 416
- Zwaal, R. F. A., Flückiger, R., Moser, S. and Zahler, P.
Lecithinase activities at the external surface of ruminant erythrocyte membranes (373) 416