

AUTHOR INDEX

- Albers, R. W., see Swann, A. C. (382) 437
- Aleksandrowicz, Z. and Świerczyński, J.
The inhibition by bromothymol blue of anion translocation across the mitochondrial membrane (382) 92
- Arbuthnott, J. P., see Smyth, C. J. (382) 479
- Balshin, M., see Cabantchik, Z. I. (382) 621
- Baron, C. and Thompson, T. E.
Solubilization of bacterial membrane proteins using alkyl glucosides and dioctanoyl phosphatidylcholine (382) 276
- Bazin, H., see Smith, W. I. (382) 506
- Benz, R. and Stark, G.
Kinetics of macrotetrolide-induced ion transport across lipid bilayer membranes (382) 27
- Bonting, S. L., see Hansen, T. (382) 590
- Boulouis, D., see Monteil, H. (382) 465
- Boyer, P. D., see Yuthavong, Y. (382) 116
- Bramley, T. A., see Coleman, R. (382) 565
- Bray, T. M., Sandberg, H. E. and Carlson, J. R.
An EPR study of the structural perturbations induced by 3-methylindole in the protein and lipid regions of erythrocyte membranes (382) 534
- Bunch, J. M., see Holden, J. T. (382) 657
- Breuer, W., see Cabantchik, Z. I. (382) 621
- Cabantchik, Z. I., Balshin, M., Breuer, W., Markus, H. and Rothstein, A.
A comparison of intact human red blood cells and resealed and leaky ghosts with respect to their interactions with surface labelling agents and proteolytic enzymes (382) 621
- Cadenhead, D. A., Kellner, B. M. J. and Müller-Landau, F.
A comparison of a spin-label and a fluorescent cell membrane probe using pure and mixed monomolecular films (382) 253
- Carlson, J. R., see Bray, T. M. (382) 534
- Carraway, K. L., Colton, D. G., Shin, B. C. and Triplett, R. B.
Species variability in the modification of erythrocyte surface proteins by enzymatic probes (382) 181
- Cavaggioni, A., see Chabre, M. (382) 336
- Chabre, M.
X-ray diffraction studies of retinal rods. I. Structure of the disc membrane, effect of illumination (382) 322
- Chabre, M. and Cavaggioni, A.
X-ray diffraction studies of retinal rods. II. Light effect on the osmotic properties (382) 336
- Chan, S. I., see Lichtenberg, D. (382) 10
- Cleve, H., see Fujita, S. (382) 172
- Coleman, R. and Bramley, T. A.
Hydrolysis of erythrocyte membrane phospholipids by a preparation of phospholipase C from *Clostridium welchii*. Deactivation of (Ca^{2+}, Mg^{2+}) -ATPase and its reactivation by added lipids (382) 565
- Colton, D. G., see Carraway, K. L. (382) 181
- Cordua, A., see Tillmann, W. (382) 157
- Coster, H. G. L.
Electromechanical stresses and the effect of pH on membrane structure (382) 142
- Coster, H. G. L. and Zimmermann, U.
Dielectric breakdown in the membranes of *Valonia utricularis*. The role of energy dissipation (382) 410
- Cowden, M., see Hui, S. W. (382) 265
- Crane, R. K., see Dugas, M. C. (382) 576
- Crane, R. K., see Maestracci, D. (382) 147
- D'Angelo, G., see Masiak, S. J. (382) 83
- De Gier, J., see Mandersloot, J. G. (382) 22
- Dietrich, W., see Nicolau, C. (382) 311
- Dugas, M. C., Ramaswamy, K. and Crane, R. K.
An analysis of the D-glucose influx kinetics of in vitro hamster jejunum, based on considerations of the mass-transfer coefficient (382) 576
- Dunnand, M. J., see Green, J. R. (382) 457
- Easton, J. A., see Holden, J. T. (382) 657
- Ehrenberg, A., see Israelachvili, J. (382) 125
- Ehrström, M., see Israelachvili, J. (382) 125
- Ekholm, J. E., see Luthra, M. G. (382) 634
- Emilio, M. G. and Menano, H.P.
Excretion of hydrogen ion by the isolated amphibian skin. Effects of antidiuretic hormone and amiloride (382) 344
- Feigenson, G. W., see Lichtenberg, D. (382) 10
- Feldman, N., see Yuthavong, Y. (382) 116
- Freer, J. H., see Smyth, C. J. (382) 479
- Fujita, S. and Cleve, H.
Isolation and partial characterization of two minor glycoproteins from human erythrocyte membranes (382) 172
- Garnett, H. M. and Kemp, R. B.
 $(Ca^{2+} + Mg^{2+})$ -activated ATPases in the plasma membrane of mouse liver cells (382) 526
- Garrett, R. J. B. and Redman, C. M.
Localization of enzymes involved in poly-

- phosphoinositide metabolism on the cytoplasmic surface of the human erythrocyte membrane (382) 58
- Gazitt, Y., Ohad, I. and Loyter, A.
Changes in phospholipid susceptibility toward phospholipases induced by ATP depletion in avian and amphibian erythrocyte membranes (382) 65
- Gill, III, T. J., see Smith, W. I. (382) 506
- Ginsburg, H. and Ram, D.
Zero-trans and equilibrium-exchange efflux and infinite-trans uptake of galactose by human erythrocytes (382) 369
- Ginsburg, H. and Stein, W. D.
Zero-trans and infinite-cis uptake of galactose in human erythrocytes (382) 353
- Girardet, J.-L., see Lichtenberg, D. (382) 10
- Göran Eriksson, L. E., see Israelachvili, J. (382) 125
- Gorczyca, L. E., see Lippert, J. L. (382) 51
- Gräslund, A., see Israelachvili, J. (382) 125
- Green, J. R., Dunnand, M. J. and Maddy, A. H.
The interaction between sodium dodecylsulphate solubilized human ghosts and antisera to human serum lipoproteins. A non-immune precipitation effect of sodium dodecylsulphate (382) 457
- Hanahan, D. J., see Luthra, M. G. (382) 634
- Hansen, T., Slegers, J. F. G. and Bonting, S. L.
Gastric acid secretion in the lizard. Ionic requirements and effects of inhibitors (382) 590
- Hauser, H., see Oldani, D. (382) 1
- Hayashi, H., Plishker, G. A., Vaughan, L. and Penniston, J.T.
Energy-dependent endocytosis in erythrocyte ghosts. IV. Effects of Ca^{2+} , $\text{Na}^+ + \text{K}^+$, and 5'-adenylylimidodiphosphate (382) 218
- Hedges, T., see Meastracci, D. (382) 147
- Hendricks, J., see Schmidt-Ullrich, R. (382) 295
- Holden, J. T., Easton, J. A. and Bunch, J. M.
Heterogeneous elevation of amino acid transport rates in pantothenate- and lipid-deficient *Lactobacillus plantarum* (382) 657
- Holman, G. D. and Naftalin, R. J.
Galactose transport across the serosal border of rabbit ileum and its role in intracellular accumulation (382) 230
- Horvat, A., Li, E. and Katsoyannis, P. G.
Cellular binding sites for insulin in rat liver (382) 609
- Hui, S. W., Cowden, M., Papahadjopoulos, D. and Parsons, D. F.
Electron diffraction study of hydrated phospholipid single bilayers. Effects of temperature, hydration and surface pressure of the "precursor" monolayer (382) 265
- Israelachvili, J., Sjösten, J., Göran Eriksson, L. E., Ehrström, M., Gräslund, A. and Ehrenberg, A.
ESR spectral analysis of the molecular motion of spin labels in lipid bilayers and membranes based on a model in terms of two angular motional parameters and rotational correlation times (382) 125
- Iversen, J., see Robinovitch, M. R. (382) 260
- Izutsu, K. T. and Siegel, I. A.
Bicarbonate ion-ATPase in rat liver cell fractions (382) 193
- Jessee, Jr, F., see Watlington, C. O. (382) 204
- Kainosho, M., see Lichtenberg, D. (382) 10
- Kaplan, M. W. and Klein, M. P.
Modification of optical responses associated with the action potential of lobster giant axons (382) 106
- Katsoyannis, P. G., see Horvat, A. (382) 609
- Kauffman, D. L., see Robinovitch, M. R. (382) 260
- Keller, P. J., see Robinovitch, M. R. (382) 260
- Kellner, B. M. J., see Cadenhead, D. A. (382) 253
- Kemp, R. B., see Garnett, H. M. (382) 526
- Kim, H. D., see Luthra, M. G. (382) 634
- Kimberg, D. V., see Walling, M. W. (382) 213
- Klein, M. P., see Kaplan, M. W. (382) 106
- Kroon, P. A., see Lichtenberg, D. (382) 10
- Ladoulis, C. T., see Smith, W. I. (382) 506
- Lea, E. J. A. and Rich, G.T.
The effects of the membrane-penetrating polypeptide segment of the human erythrocyte MN-glycoprotein on the permeability of model lipid membranes (382) 41
- Leibach, F. H., see Pillion, D. J. (382) 246
- Lesko, L. and Marinetti, G. V.
Hormone action at the membrane level. IV. Epinephrine binding to rat liver plasma membranes and rat epididymal fat cells (382) 419
- Li, E., see Horvat, A. (382) 609
- Lichtenberg, D., Petersen, N. O., Girardet, J.-L., Kainosho, M., Kroon, P. A., Seiter, C. H. A., Feigenson, G. W. and Chan, S. I.
The interpretation of proton magnetic resonance linewidths for lecithin dispersions. Effect of particle size and chain packing (382) 10
- Lippert, J. L., Gorczyca, L. E. and Meiklejohn, G.
A laser Raman spectroscopic investigation of phospholipid and protein configurations in hemoglobin-free erythrocyte ghosts (382) 51
- Loyter, A., see Gazitt, Y. (382) 65
- Luthra, M. G., Ekholm, J. E., Kim, H. D. and Hanahan, D. J.

- Effects of Tris and histidine on human erythrocytes and conditions influencing their mode of action (382) 634
- Machold, O.
On the molecular nature of chloroplast thylakoid membranes (382) 494
- Maddy, A. H., see Green, J. R. (382) 457
- Maestracci, D., Preiser, H., Hedges, T., Schmitz, J. and Crane, R. K.
Enzymes of the human intestinal brush border membrane. Identification after gel electrophoretic separation (382) 147
- Mandersloot, J. G., Reman, F. C., Van Deenen, L. L. M. and De Gier, J.
Barrier properties of lecithin/lysolecithin mixtures (382) 22
- Marinetti, G. V., see Lesko, L. (382) 419
- Markus, H., see Cabantchik, Z. I. (382) 621
- Masiak, S. J. and D'Angelo, G.
Effects of N-acetylimidazole on human erythrocyte ATPase activity. Evidence for a tyrosyl residue at the ATP binding site of the $(\text{Na}^+ + \text{K}^+)$ -dependent ATPase (382) 83
- Meiklejohn, G., see Lippert, J. L. (382) 51
- Melnick, J. L., see Nicolau, C. (382) 311
- Menano, H. P., see Emilio, M. G. (382) 344
- Misra, D. N., see Smith, W. I. (382) 506
- Monteil, H., Roussel, G. and Boulouis, D.
Membrane ATPase of *Proteus* L-forms. Solubilization and molecular properties (382) 465
- Moore, L. E., Tufts, M. and Soroka, M.
Light scattering spectroscopy of the squid axon membrane (382) 286
- Müller-Landau, F., see Cadenhead, D. A. (382) 253
- Naftalin, R. J., see Holman, G. D. (382) 230
- Neville, M. C.
Amino acid accumulation in frog muscle. II. Are cycloleucine fluxes consistent with an adsorption model for concentrative uptake of amino acid? (382) 393
- Nichols, B. W., see Oldani, D. (382) 1
- Nicolau, C., Dietrich, W., Steiner, S. and Melnick, J. L.
 ^1H and ^{13}C nuclear magnetic resonance spectra of the lipids in normal and SV 40 virus-transformed hamster embryo fibroblast membranes (382) 311
- Ohad, I., see Gazitt, Y. (382) 65
- Oldani, D., Hauser, H., Nichols, B. W. and Phillips, M. C.
Monolayer characteristics of some glycolipids at the air-water interface (382) 1
- Oldendorf, W. H., see Pardridge, W. M. (382) 377
- Papahadjopoulos, D., see Hui, S. W. (382) 265
- Pardridge, W. M. and Oldendorf, W. H.
Kinetics of blood-brain barrier transport of hexoses (382) 377
- Parsons, D. F., see Hui, S. W. (382) 265
- Penniston, J. T., see Hayashi, H. (382) 218
- Petersen, N. O., see Lichtenberg, D. (382) 10
- Phillips, M. C., see Oldani, D. (382) 1
- Pillion, D. J. and Leibach, F. H.
The effect of diamide and glutathione on the uptake of α -methyl-D-glucoside by slices of rat kidney cortex (382) 246
- Plishker, G. A., see Hayashi, H. (382) 218
- Preiser, H., see Maestracci, D. (382) 147
- Ram, D., see Ginsburg, H. (382) 369
- Ramaswamy, K., see Dugas, M. C. (382) 576
- Redman, C. M., see Garrett, R. J. B. (382) 58
- Reman, F. C., see Mandersloot, J. G. (382) 22
- Rich, G. T., see Lea, E. J. A. (382) 41
- Robinovitch, M. R., Keller, P. J., Iversen, J. and Kauffmann, D. L.
Demonstration of a class of proteins loosely associated with secretory granule membranes (382) 260
- Rothstein, A., see Cabantchik, Z. I. (382) 621
- Roussel, G., see Monteil, H. (382) 465
- Sandberg, H. E., see Bray, T. M. (382) 534
- Schmidt-Ullrich, R., Wallach, D. F. H. and Hendricks, J.
Concanavalin A-reactive protein of rabbit thymocyte plasma membranes. Analysis by crossed immune electrophoresis and sodium dodecylsulfate/polyacrylamide gel electrophoresis (382) 295
- Schmitz, J., see Maestracci, D. (382) 147
- Schramm, M., see Wallach, D. (382) 552
- Schroter, W., see Tillman, W. (382) 157
- Seiter, C. H. A., see Lichtenberg, D. (382) 10
- Shin, B. C., see Carraway, K. L. (382) 181
- Siegel, I. A., see Izutsu, K. T. (382) 193
- Sjösten, J., see Israelachvili, J. (382) 125
- Slegers, J. F. G., see Hansen, T. (382) 590
- Smith, W. I., Ladoulis, C. T., Misra, D. N., Gill, III, T. J. and Bazin, H.
Lymphocyte plasma membranes. III. Composition of lymphocyte plasma membranes from normal and immunized rats (382) 506
- Smyth, C. J., Freer, J. H. and Arbuthnott, J. P.
Interaction of Clostridium perfringens θ -haemolysin, a contaminant of commercial phospholipase C, with erythrocyte ghost membranes and lipid dispersions. A morphological study (382) 479
- Soroka, M., see Moore, L. E. (382) 286
- Stark, G., see Benz, R. (382) 27
- Stein, W. D., see Ginsburg, H. (382) 353
- Steiner, S., see Nicolau, C. (382) 311
- Swann, A. C. and Albers, R. W.

- Sodium+potassium-activated ATPase of mammalian brain. Regulation of phosphatase activity (382) 437
- Świerczyński, J., see Aleksandrowicz, Z. (382) 92
- Tessler, R., see Wallach, D. (382) 552
- Thompson, T. E., see Baron, C. (382) 276
- Tillmann, W., Cordua, A. and Schroter, W.
Organization of enzymes of glycolysis and of glutathione metabolism in human red cell membranes (382) 157
- Triplett, R. B., see Carraway, K. L. (382) 181
- Tufts, M., see Moore, L. E. (382) 286
- van Deenen, L. L. M., see Mandersloot, J. G. (382) 22
- Vaughan, L., see Hayashi, H. (382) 218
- Verma, S. P. and Wallach, D. F. H.
Evidence for constrained lipid mobility in the erythrocyte ghost. A spin label study (382) 73
- Verma, S. P., see Wallach, D. F. H. (382) 542
- Wallach, D., Tessler, R. and Schramm, M.
The proteins of the content of the secretory granules of the rat parotid gland (382) 552
- Wallach, D. F. H. and Verma, S. P.
Raman and resonance-Raman scattering by erythrocyte ghosts (382) 542
- Wallach, D. F. H., see Schmidt-Ullrich, R. (382) 295
- Wallach, D. F. H., see Verma, S. P. (382) 73
- Walling, M. W. and Kimberg, D. V.
Active secretion of calcium, sodium and chloride by adult rat duodenum in vitro (382) 213
- Watlington, C. O. and Jessee, Jr, F.
Net Cl^- flux in short-circuited skin of *Rana pipiens*. Ouabain sensitivity and $\text{Na}^+ + \text{K}^+$ dependence (382) 204
- Yuthavong, Y., Feldman, N. and Boyer, P. D.
Some chemical characteristics of dimethyl-suberimide and its effect on sarcoplasmic reticulum vesicles (382) 116
- Zimmermann, U., see Coster, H. G. L. (382) 410