

AUTHOR INDEX

- Appel, S.H., see Smith, P.B. (466) 109
 Akamatsu, Y., see Uehara, K. (466) 393
 Akutsu, H., see Uehara, K. (466) 393
 Arnold, B., see Weltzien, H.U. (466) 411
- Bijvelt, J., see Verkleij, A. (466) 269
 Billington, D., Coleman, R. and Lusak, Y.A.
 Topographical dissection of sheep erythrocyte membrane phospholipids by taurocholate and glycocholate (466) 526
 Bjerrum, O.J., see Nielsen, C.S. (466) 496
 Bonting, S.L., see van Amelsvoort, J.M.M. (466) 283
 Borst-Pauwels, G.W.F.H. and Peters, P.H.J.
 Effect of the medium pH and the cell pH upon the kinetical parameters of phosphate uptake by yeast (466) 488
 Bowman, R.J. and Levitt, D.G.
 Polyol permeability of the human red cell. Interpretation of glucose transport in terms of a pore (466) 68
 Bragg, P.D., see Reithmeier, R.A.F. (466) 245
 Bruni, A., see Palatini, P. (466) 1
- Chesney, R.W. and Jax, D.K.
 Heterogeneity of the β -amino-preferring transport system in rat kidney cortex. Differential influence of glutathione oxidation (466) 84
 Coleman, R., see Billington, D. (466) 526
 Csaky, T.Z. and Galluci, E.
 Seasonal variation in the active transporting ability and in the membrane ATPase activity of the frog intestinal epithelium (466) 521
- Dabbeni-Sala, F., see Palatini, P. (466) 1
 Demel, R.A., Kalsbeek, R. Wirtz, K.W.A. and van Deenen, L.L.M.
 The protein-mediated net transfer of phosphatidylinositol in model systems (466) 10
 De Pont, J.J.H.H.M., see van Amelsvoort, J.M.M. (466) 283
 Doriaux, M., see Laurent, G. (466) 123
- Elsbach, P., see Weiss, J. (466) 23
 Enomoto, K.-I. and Sato, R.
 Asymmetric binding of cytochrome b_5 to the membrane of human erythrocyte ghosts (466) 136
 Everly, J.L., see Quarles, R.H. (466) 176
- Fairfield, S., see Harrison III, R.W. (466) 357
 Fesenko, E.E., Novoselov, V.I., Pervukhin, G.Ya. and Fesenko, N.K.
 Molecular mechanisms of odor-sensing. II. Studies of fractions from frog olfactory tissue scraping capable of sensitizing artificial lipid membranes to action of odorants (466) 347
 Fesenko, N.K., see Fesenko, E.E. (466) 347
 Friedberg, I.
 Phosphate transport in *Micrococcus lysodeikticus* (466) 451
- Galey, W.R., see Owen, J.D. (466) 517
 Gallucci, E., see Csaky, T.Z. (466) 521
 George, J.N. see Käser-Glanzmann, R. (466) 429
 Gordon, L.M. and Sauerheber, R.D.
 Studies on spin-labelled egg lecithin dispersions (466) 34
 Gottlieb, M.H.
 The reactivity of human erythrocyte membrane cholesterol with a cholesterol oxidase (466) 422
- Harrison, III, R.W., Fairfield, S. and Orth, D.N.
 The effect of cell membrane alteration on glucocorticoid uptake by the AtT-20/D-1 target cell (466) 357
 Hildebrand, J., see Laurent, G. (466) 123
- Jakábová, M., see Käser-Glanzmann, R. (466) 429
 Jax, D.K., see Chesney, R.W. (466) 84
 Jørgensen, P.L.
 Purification and characterization of ($\text{Na}^+ + \text{K}^+$)-ATPase. VI. Differential tryptic modification of catalytic functions of the purified enzyme in presence of NaCl and KCl (466) 97
 Jilka, R.J. and Martonosi, A.N.
 The effect of calcium ion transport ATPase upon the passive calcium ion permeability of phospholipid vesicles (466) 57

- Kalsbeek, R., see Demel, R.A. (466) 10
- Kantor, H.L., Mabrey, S., Prestegard, J.H. and Sturtevant, J.M.
A colorimetric examination of stable and fusing lipid bilayer vesicles (466) 402
- Käser-Glanzmann, R., Jakábová, M., George, J.N. and Lüscher, E.F.
Stimulation of calcium uptake into platelet membrane vesicles by adenosine 3',5'-cyclic monophosphate and protein kinase (466) 429
- Khorana, H.G., see Wildenauer, D. (466) 315
- Kulpa, Jr., C.F., see Pazoles, C.J. (466) 160
- Kyogoku, Y., see Uehara, K. (466) 393
- Laurent, G., Doriaux, M. and Hildebrand, J.
Isolation of plasma membranes from murine ependymoblastoma and subcellular distribution of amphotericin B in this tumor (466) 123
- Lee, J.W. and Vidaver, G.A.
A method demonstrating the heterogeneity of pigeon red cell membrane vesicles based on their glycine transport activity (466) 441
- Levitt, D.G., see Bowman, R.J. (466) 68
- Liang, C.T. and Sacktor, B.
Preparation of renal cortex basal-lateral and brush border membranes. Localization of adenylate cyclase and guanylate cyclase activities (466) 474
- Lugtenberg, B., see van Alphen, L. (466) 257
- Lugtenberg, B., see Verkleij, A. (466) 269
- Luna, E.J. and McConnell, H.M.
The intermediate monoclinic phase of phosphatidylcholines (466) 381
- Lusak, Y.A., see Billington, D. (466) 526
- Lüscher, E.F., see Käser-Glanzmann, R. (466) 429
- Mabrey, S., see Kantor, H.L. (466) 402
- McConnell, H.M., see Luna, E.J. (466) 381
- McGrath, A.E., Morgan, C.G. and Radda, G.K.
Positron lifetimes in phospholipid dispersions (466) 367
- McIntosh, T.J., Waldbillig, R.C. and Robertson, J.D.
The molecular organization of asymmetric lipid bilayers and lipid-peptide complexes (466) 209
- Maeda, N., see Shiga, T. (466) 231
- Maier, H., see van Dijk, W. (466) 187
- Mandersloot, J.G., see Palatini, P. (466) 1
- Martonosi, A.N., see Jilka, R.J. (466) 57
- Melchoir, D.L. and Steim, J.M.
Control of fatty acid composition of *Acholeplasma laidlawii* membranes (466) 148
- Miller, R.G. and Torreyson, P.
Crystalline patterns of myelin lipids visualized by freeze fracture (466) 325
- Morgan, C.G., see McGrath, A.E. (466) 367
- Mozhayeva, G.N., Naumov, A.P., Negulyaev, Yu.A. and Nosyreva, E.D.
The permeability of aconitine-modified sodium channels to univalent cations in myelinated nerve (466) 461
- Naumov, A.P., see Mozhayeva, G.N. (466) 461
- Negulyaev, Yu.A., see Mozhayeva, G.N. (466) 461
- Nielsen, C.S. and Bjerrum, O.J.
Crossed immunoelectrophoresis of bovine milk fat globule membrane proteins solubilized with non-ionic detergent (466) 496
- Nosyreva, E.D., see Mozhayeva, G.N. (466) 461
- Novoselov, V.I., see Fesenko, E.E. (466) 347
- Ohta, T., Okuda, S. and Takahashi, H.
Relationship between phospholipid compositions and transport activities of amino acids in *Escherichia coli* membrane vesicles (466) 44
- Okuda, S., see Ohta, T. (466) 44
- Orth, D.N., see Harrison, III, R.W. (466) 357
- Owen, J.D. and Galey, W.R.
Computer stimulation of urea permeability in human red cells (466) 517
- Palatini, P., Dabbeni-Sala, F., Pitotti, A., Bruni, A. and Mandersloot, J.G.
Activation of ($\text{Na}^+ + \text{K}^+$)-dependent ATPase by lipid vesicles of negative phospholipids (466) 1
- Pazoles, C.J. and Kulpa, Jr., C.F.
Biosynthesis and structure of lipopolysaccharide in an outer membrane defective mutant of *Escherichia coli* (466) 160
- Pervukhin, G.Ya., see Fesenko, E.E. (466) 347
- Peters, P.H.J., see Borst-Pauwels, G.W.F.H. (466) 488
- Pitotti, A., see Palatini, P. (466) 1
- Prestegard, J.H., see Kantor, H.L. (466) 402
- Pritchard, E.T., see Spearment, T.N. (466) 198
- Quarles, R.H. and Everly, J.L.
Glycopeptide fractions prepared from

- purified central and peripheral rat myelin (466) 176
- Radda, G.K., see McGrath, A.E. (466) 367
- Reithmeier, R.A.F. and Bragg, P.D.
Cross-linking of the proteins in the outer membrane of *Escherichia coli* (466) 245
- Reuther, R., see Weltzien, H.U. (466) 411
- Rilfors, L., see Wieslander, A. (466) 336
- Robertson, J.D., see McIntosh, T.J. (466) 209
- Sacktor, B., see Liang, C.T. (466) 474
- Saleemuddin, M., see Schneeweiss, F. (466) 373
- Sato, R., see Enomoto, K.-I. (466) 136
- Sauerheber, R.D., see Gordon, L.M. (466) 34
- Schneeweiss, F., Zimmermann, U. and Saleemuddin, M.
Preparation of uniform haemoglobin-free human erythrocyte ghosts in isotonic solution (466) 373
- Shiga, T., Suda, T. and Maeda, N.
Spin label studies on the human erythrocyte membrane. Two sites and two phases for fatty acid spin labels (466) 231
- Smith, P.B. and Appel, S.H.
Isolation and characterization of the surface membranes of fast and slow mammalian skeletal muscle (466) 109
- Spearmen, T.N. and Pritchard, E.T.
Potassium release from submandibular salivary gland in vitro (466) 198
- Steim, J.M., see Melchoir, D.L. (466) 148
- Sturtevant, J.M., see Kantor, H.L. (466) 402
- Suda, T., see Shiga, T. (466) 231
- Takahashi, H., see Ohta, T. (466) 44
- Torreyson, P., see Miller, R.G. (466) 325
- Uehara, K., Akutsu, H., Kyogoku, Y. and Akamatsu, Y.
Phase transitions of phospholipid bilayers from an unsaturated fatty acid auxotroph of *Escherichia coli* (466) 393
- Van Alphen, L., Lugtenberg, B., van Boxtel, and Verhoef, K.
Architecture of the outer membrane of *Escherichia coli* K12. I. Action of phospholipase A₂ and C on wild type strains and outer membrane mutants (466) 257
- Van Alphen, L., see Verkleij, A. (466) 269
- Van Amelsvoort, J.M.M., de Pont, J.J.H.H.M. and Bonting, S.L.
Is there a plasma membrane-located anion-sensitive ATPase? (466) 283
- Van Boxtel, R., see van Alphen, L. (466) 257
- Van Deenen, L.L.M., see Demel, R.A. (466) 10
- VandenBurgh, H.H.
Separation of plasma membrane markers by glycerol-induced blistering of muscle cells (466) 302
- Van den Eijnden, D.H., see van Dijk, W. (466) 187
- Van Dijk, W., Maier, H. and van den Eijnden, D.H.
CMP-N-acetylneuraminic acid hydrolase, an ectoenzyme distributed unevenly over the hepatocyte surface (466) 187
- Verhoef, K., see van Alphen, L. (466) 257
- Verkleij, A., van Alphen, L., Bijvelt, J. and Lugtenberg, B.
Architecture of the outer membrane of *Escherichia coli* K12. II. Freeze fracture morphology of wild type and mutant strains (466) 269
- Vidaver, G.A., see Lee, J.W. (466) 441
- Waldbillig, R.C., see McIntosh, T.J. (466) 209
- Weiss, J. and Elsbach, P.
The use of a phospholipase A-less *Escherichia coli* mutants to establish the action of granulocyte phospholipase A on bacterial phospholipids during killing by a highly purified granulocyte fraction (466) 23
- Weltzien, H.U., Arnold, B. and Reuther, R.
Quantitative studies on lysolecithin mediated hemolysis. Use of ether-deoxy lysolecithin analogs with varying aliphatic chain-lengths (466) 411
- Wieslander, A. and Rilfors, L.
Qualitative and quantitative variations of membrane lipid species in *Alcholeplasma laidlawii* A (466) 336
- Wildenauer, D. and Khorana, H.G.
The preparation of lipid-depleted bacteriorhodopsin (466) 315
- Wirtz, K.W.A., see Demel, R.A. (466) 10
- Zimmermann, U., see Schneeweiss, F. (466) 373