

AUTHOR INDEX

- Akera, T. and Cheng, V.-J.K.
A simple method for the determination of affinity and binding site concentration in receptor binding studies (470) 412
- Alpers, D.H., see Seetharam, B. (470) 424
- Banerjee, S.P., Sharma, V.K. and Kung, L.S.
 β -Adrenergic receptors in innervated and denervated skeletal muscle (470) 123
- Benz, R., see Janko, K. (470) 8
- Bhakdi-Lehnen, B., see Bhakdi, S. (470) 35
- Bhakdi, S., Bhakdi-Lehnen, B. and Bjerrum, O.J.
Detection of amphiphilic proteins and peptides in complex mixtures. Charge-shift crossed immunoelectrophoresis and two-dimensional charge-shift electrophoresis (470) 35
- Bjerrum, O.J., see Bhakdi, S. (470) 35
- Blayney, L., Thomas, H., Muir, J. and Henderson, A.
Critical reevaluation of murexide technique in the measurement of calcium transport by cardiac sarcoplasmic reticulum (470) 128
- Boekhout, M., see van Heerikhuizen, H. (470) 453
- Born, G.V.R., see Feinberg, H. (470) 317
- Borochoy, H., Zahler, P., Wilbrandt, W. and Shinitzky, M.
The effect of phosphatidylcholine to sphingomyelin mole ratio on the dynamic properties of sheep erythrocyte membrane (470) 382
- Borst-Pauwels, G.W.F.H., see Roomans, G.M. (470) 84
- Bulat, P., see Snyder, L.M. (470) 290
- Butterfield, D.A.
Electron spin resonance investigations of membrane proteins in erythrocytes in muscle diseases. Duchenne and myotonic muscular dystrophy and congenital myotonia (470) 1
- Caputo, C., see DiPolo, R. (470) 389
- Carafoli, E., see Caroni, P. (470) 437
- Caroni, P., Gazzotti, P., Vuilleumier, P., Simon, W. and Carafoli, E.
 Ca^{2+} transport mediated by a synthetic neutral Ca^{2+} -ionophore in biological membranes (470) 437
- Cheng, V.-J.K., see Akera, T. (470) 412
- Cheung, J.Y., Regen, D.M., Schworer, M.E., Whitfield, C.F. and Morgan, H.E.
Anaerobic stimulation of sugar transport in avian erythrocytes (470) 212
- Chrzesczyk, A., Wishnia, A. and Springer, Jr., C.S.
The intrinsic structural asymmetry of highly curved phospholipid bilayer membranes (470) 161
- Cossins, A.R.
Adaptation of biological membranes to temperature. The effect of temperature acclimation of goldfish upon the viscosity of synaptosomal membranes (470) 395
- Dahl, G., see Gratzl, M. (470) 45
- Dawson, R.M.C., see Higgins, J.A. (470) 342
- Day, E.P., Ho, J.T., Kunze, Jr., R.K. and Sun, S.T.
Dynamic light scattering study of calcium-induced fusion in phospholipid vesicles (470) 503
- DeBusk, A.G., see Rao, T.K. (470) 475
- De Gier, J., see Mombers, C. (470) 152
- De Gier, J., see van Dijk, P.W.M. (470) 58
- De Kruijff, B., see Lancée-Hermkens, A.M.W. (470) 141
- Demel, R.A., see Read, B.D. (470) 325
- DiPolo, R. and Caputo, C.
The effect of ATP on calcium efflux in dialyzed barnacle muscle fibres (470) 389
- Edelstein, L., see Snyder, L.M. (470) 290
- Eger, R. and Rifkin, D.B.
The preparation and use of pyridoxal [^{32}P]phosphate as a labeling reagent for proteins on the outer surface of membranes (470) 70
- Ermishkin, L.N., Kasumov, Kh.M. and Potseloyev, V.M.
Properties of Amphotericin B channels in a lipid bilayer (470) 357
- Eto, S., see Ikehara, Y. (470) 202

- Feinberg, H., Sandler, W.C., Scorer, M., Le Breton, G.C., Grossman, B. and Born, G.V.R.
Movement of sodium into human platelets induced by ADP (470) 317
- Finin, V.S., see Konev, S.V. (470) 230
- Fisher, L.E. and Koch, G.
Partial characterization and proposed mode of action of inhibitory HeLa cell surface polypeptides (470) 113
- Fisher, M.M., see Waite, M. (470) 134
- Fortier, N.L., see Snyder, L.M. (470) 290
- Gazzotti, P., see Caroni, P. (470) 437
- Geyer, R.P., see Mulligan, J.J. (470) 92
- Ghosh, S.K. and Koenig, E.
Isolation of non-myelin plasma membranes unique to white matter (470) 104
- Gratzl, M., Dahl, G., Russell, J.T. and Thorn, N.A.
Fusion of neurohypophyseal membranes in vitro (470) 45
- Grosse, R., see Vogel, F. (470) 497
- Grossman, B., see Feinberg, H. (470) 317
- Haydon, D.A., Hendry, B.M., Levinson, S.R. and Requena, J.
Anaesthesia by the n-alkanes. A comparative study of nerve impulse blockage and the properties of black lipid bilayer membranes (470) 17
- Henderson, A., see Blayney, L. (470) 128
- Hendry, B.M., see Haydon, D.A. (470) 17
- Higgins, J.A. and Dawson, R.M.C.
Asymmetry of the phospholipid bilayer of rat liver endoplasmic reticulum (470) 342
- Ho, J.T., see Day, E.P. (470) 503
- Hoshiko, T., see Valenzano, D.P. (470) 273
- Ikehara, Y., Takahashi, K., Mansho, K., Eto, S. and Kato, K.
Contrast manifestation of alkaline phosphatase and 5'-nucleotidase in plasma membranes isolated from rat liver and ascites hepatoma (470) 202
- Irving, C.S. and Lapidot, A.
The dynamic structure of the Escherichia coli cell envelope as probed by ^{15}N nuclear magnetic resonance spectroscopy (470) 251
- Israelachvili, J.N., Mitchell, D.J. and Ninham, B.W.
Theory of self-assembly of lipid bilayers and vesicles (470) 185
- Iyer, R.
Plasmid mediated alterations in composition and structure of envelopes of Escherichia coli B/r (470) 258
- Janko, K. and Benz, R.
Properties of lipid bilayer membranes made from lipids containing phytanic acid (470) 8
- Kaper, A.J., see van Dijck, P.W.M. (470) 58
- Karvaly, B. and Loshchilova, E.
Comments on the quantitative interpretation of biomembrane structure by Raman spectroscopy (470) 492
- Kasumov, Kh.M., see Ermishkin, L.N. (470) 357
- Kato, K., see Ikehara, Y. (470) 202
- Kirillov, V.A., see Konev, S.V. (470) 230
- Koch, G., see Fisher, L.E. (470) 113
- Koenig, E., see Ghosh, S.K. (470) 104
- Kojima, K., see Sato, C. (470) 446
- Konev, S.V., Volotovskii, I.D., Finin, V.S., Kulikov, A.V., Kirillov, V.A. and Zaichkin, E.I.
The structural transitions of erythrocyte membranes induced by cyclic AMP (470) 230
- Kotyk, A. and Stružinský, R.
Effect of high substrate concentrations on active transport parameters (470) 484
- Kulikov, A.V., see Konev, S.V. (470) 230
- Kung, L.S., see Banerjee, S.P. (470) 123
- Kunze, Jr., R.K., see Day, E.P. (470) 503
- Lagaly, G., Weiss, A. and Stuke, E.
Effect of double-bonds on bimolecular films in membrane models (470) 331
- Lancée-Hermkens, A.M.W. and de Kruijff, B.
 ^{14}C NMR measurements of unsonicated phosphatidylcholine bilayers of different fatty acid and sterol composition (470) 141
- Lapidot, A., see Irving, C.S. (470) 251
- Le Breton, G.C., see Feinberg, H. (470) 317
- Levinson, S.R., see Haydon, D.A. (470) 17
- Liu, S.C., see Snyder, L.M. (470) 290
- Loshchilova, E., see Karvaly, B. (470) 492
- Luna, E.J. and McConnell, H.M.
Lateral phase separations in binary mixtures of phospholipids having different charges and different crystalline structures (470) 303
- Lynch, R.D., see Mulligan, J.J. (470) 92
- Maghrabi, R.El., see Waite, M. (470) 134

- Mannella, C.A. and Parsons, D.F.
Small-angle X-ray scattering from mitochondria (470) 242
- Mansho, K., see Ikehara, Y. (470) 202
- McConnell, H.M., see Luna, E.J. (470) 303
- Meyer, H.W., see Vogel, F. (470) 497
- Mitchell, D.J., see Israelachvili, J.N. (470) 185
- Mombers, C., van Dijck, P.W.M., van Deenen, L.L.M., de Gier, J. and Verkleij, A.J.
The interaction of spectrin-actin and synthetic phospholipids (470) 152
- Moog, F., see Seetharam, B. (470) 424
- Morgan, H.E., see Cheung, J.Y. (470) 212
- Muir, J., see Blayney, L. (470) 128
- Mulligan, J.J., Lynch, R.D., Schneeberger, E.E. and Geyer, R.P.
Utilization of exogenous linolenic and oleic acids for plasma membrane phosphoglyceride synthesis in L-fibroblasts (470) 92
- Ninham, B.W., see Israelachvili, J.N. (470) 185
- Nishizawa, K., see Sato, C. (470) 446
- Oonk, H.A.J., see van Dijck, P.W.M. (470) 58
- Palek, J., see Snyder, L.M. (470) 290
- Parsons, D.F., see Mannella, C.A. (470) 242
- Potseluyev, V.M., see Ermishkin, L.N. (470) 357
- Rao, T.K. and DeBusk, A.G.
An inducible acetate transport system in *Neurospora crassa* conidia (470) 475
- Read, B.D., Demel, R.A., Wiegandt, H. and van Deenen, L.L.M.
Specific interaction of concanavalin A with glycolipid monolayers (470) 325
- Regen, D.M., see Cheung, J.Y. (470) 212
- Renoij, W. and van Golde, L.M.G.
The transposition of molecular classes of phosphatidylcholine across the rat erythrocyte membrane and their exchange between the red cell membrane and plasma lipoproteins (470) 465
- Repke, K.R.H., see Vogel, F. (470) 497
- Requena, J., see Haydon, D.A. (470) 17
- Rifkin, D.B., see Eger, R. (470) 70
- Roomans, G.M. and Borst-Pauwels, G.W.F.H.
Interaction of phosphate with monovalent cation uptake in yeast (470) 84
- Russell, J.T., see Gratzl, M. (470) 45
- Sandler, W.C., see Feinberg, H. (470) 317
- Sato, C., Kojima, K. and Nishizawa, K.
Translocation of hyaluronic acid in cell surface of cultured mammalian cells after X-irradiation and its recovery by added adenosine triphosphate (470) 446
- Schneeberger, E.E., see Mulligan, J.J. (470) 92
- Schworer, M.E., see Cheung, J.Y. (470) 212
- Scorer, M., see Feinberg, H. (470) 317
- Seetharam, B., Yeh, K.-Y., Moog, F. and Alpers, D.H.
Development of intestinal brush border membrane proteins in the rat (470) 424
- Sharma, V.K., see Banerjee, S.P. (470) 123
- Shinitzky, M., see Borochoy, H. (470) 382
- Simon, W., see Caroni, P. (470) 437
- Sisson, P., see Waite, M. (470) 134
- Smith, R.
Non-covalent cross-linking of lipid bilayers by myelin basic protein. A possible role in myelin formation (470) 170
- Snyder, L.M., Liu, S.C., Palek, J., Bulat, P., Edelstein, L., Srivastava, S.K. and Fortier, N.L.
Partition of catalase and its peroxidase activities in human red cell membrane. Effect of ATP depletion (470) 290
- Springer, Jr., C.S., see Chruszcz, A. (470) 161
- Srivastava, S.K., see Snyder, L.M. (470) 290
- Stružinský, R., see Kotyk, A. (470) 484
- Stuke, E., see Lagaly, G. (470) 331
- Sun, S.T., see Day, E.P. (470) 503
- Takahashi, K., see Ikehara, Y. (470) 202
- Thomas, H., see Blayney, L. (470) 128
- Thorn, N.A., see Gratzl, M. (470) 45
- Trudell, J.R.
The membrane volume occupied by anesthetic molecules. A reinterpretation of the erythrocyte expansion data (470) 509
- Valenzano, D.P. and Hoshiko, T.
Potassium reaccumulation by isolated frog epidermis (470) 273
- Van Deenen, L.L.M., see Mombers, C. (470) 152
- Van Deenen, L.L.M., see Read, B.D. (470) 325
- Van Dijck, P.W.M., see Mombers, C. (470) 152
- Van Dijck, P.W.M., Kaper, A.J., Oonk, H.A.J. and de Gier, J.
Miscibility properties of binary phosphatidylcholine mixtures. A calorimetric study (470) 58

- Van Golde, L.M.G., see Renooij, W. (470) 465
- Van Heerikhuizen, H., Boekhout, M. and Witholt, B.
Proline transport activity in *Escherichia coli* membrane vesicles of different buoyant densities (470) 453
- Verkleij, A.J., see Mommers, C. (470) 152
- Vogel, F., Meyer, H.W., Grosse, R. and Repke, K.R.H.
Electron microscopic visualization of the arrangement of the two protein components of $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ (470) 497
- Volotovskii, I.D., see Konev, S.V. (470) 230
- Vuilleumier, P., see Caroni, P. (470) 437
- Waite, M., Sisson, P., Maghrabi, R.El., Yousef, I.M. and Fisher, M.M.
Monoacylglycerol acyltransferase activity in the rat liver plasmalemma fractions (470) 134
- Weiss, A., see Lagaly, G. (470) 331
- Whitfield, C.F., see Cheung, J.Y. (470) 212
- Wiegandt, H., see Read, B.D. (470) 325
- Wilbrandt, W., see Borochoy, H. (470) 382
- Wishnia, A., see Chrzesczyk, A. (470) 161
- Witholt, B., see van Heerikhuizen, H. (470) 453
- Wright, G.H.
Changes in plasma membrane enzyme activities during liver regeneration in the rat (470) 368
- Yeh, K.-Y., see Seetharam, B. (470) 424
- Yousef, I.M., see Waite, M. (470) 134
- Zahler, P., see Borochoy, H. (470) 382
- Zaichkin, E.I., see Konev, S.V. (470) 230