

AUTHOR INDEX

- Akera, T., see Choi, Y.R. (508) 313
- Al-Awqati, Q., see Dawson, D.C. (508) 413
- Allan, D. and Michell, R.H.
A calcium-activated polyphosphoinositide phosphodiesterase in the plasma membrane of human and rabbit erythrocyte (508) 277
- Andersen, B.L., Tarpley, H.L. and Regen, D.M.
Characterization of β -hydroxybutyrate transport in rat erythrocytes and thymocytes (508) 525
- Batzri, S. and Gardner, J.D.
Potassium transport in dispersed mucosal cells from guinea pig stomach (508) 328
- Beckerdite-Quagliata, S., see Vos, M.M. (508) 165
- Bickel, W.S., see Bryant, H.J. (508) 147
- Billecocq, A., see Mateu, L. (508) 109
- Boekhout, M., see Witholt, B. (508) 296
- Bonting, S.L., see de Pont, J.J.H.H.M. (508) 464
- Boyd, G.S., see Craig, I.F. (508) 418
- Brand, L., see Easter, J.H. (508) 27
- Branton, P.E. and Landry-Magnan, J.
Plasma membrane protein kinase activity in normal and Rous sarcoma virus-transformed chick embryo fibroblasts (508) 246
- Bryant, H.J., Kilkson, R., Gruener, R. and Bickel, W.S.
Interpretation of light scattering associated with prolonged neural activity and temperature changes (508) 147
- Caron, F., see Mateu, L. (508) 109
- Casey, R.P., Hollemans, M. and Tager, J.M.
The permeability of the lysosomal membrane to small ions (508) 15
- Chapman, D., see Vigo, C. (508) 1
- Choi, Y.R. and Akera, T.
Membrane ($\text{Na}^+ + \text{K}^+$)-ATPase of canine brain, heart and kidney. Tissue-dependent differences in kinetic properties and the influence of purification procedures (508) 313
- Craig, I.F., Boyd, G.S. and Suckling, K.E.
Optimum interaction of sterol side chains with phosphatidylcholine (508) 418
- Davies, M., Stewart-Tull, D.E.S. and Jackson, D.M.
The binding of lipopolysaccharide from *Escherichia coli* to mammalian cell membranes and its effect on liposomes (508) 260
- Dawson, D.C. and Al-Awqati, Q.
Induction of reverse flow of Na^+ through the active transport pathway in toad urinary bladder (508) 413
- DeBusk, A.G., see Sullivan, J.L. (508) 389
- Degani, H.
NMR kinetic studies of the ionophore X-537A-mediated transport of manganous ions across phospholipid bilayers (508) 364
- De Gier, J., see Mandersloot, J.G. (508) 478
- De Kruijff, B., see van Zoelen, E.J.J. (508) 97
- Dennis, E.A., see Robson, R.J. (508) 513
- De Pont, J.J.H.H.M., Prooijen-van Eeden, A. and Bonting, S.L.
Role of negatively charged phospholipids in highly purified ($\text{Na}^+ + \text{K}^+$)-ATPase from rabbit kidney outer medulla. Studies on ($\text{Na}^+ + \text{K}^+$)-activated ATPase, XXXIX (508) 464
- DeToma, R.P., see Easter, J.H. (508) 27
- Easter, J.H., DeToma, R.P. and Brand, L.
Fluorescence measurements of environmental relaxation at the lipid-water interface region of bilayer membranes (508) 27
- Ehrenberg, A., see Shimoyama, Y. (508) 213
- Elsbach, P., see Vos, M.M. (508) 165
- Engelman, D.M., see Wallace, B.A. (508) 431
- Eriksson, L.C.
Preparation of liver microsomes with high recovery of endoplasmic reticulum and a low grade of contamination (508) 155
- Finean, J.B., see Low, M.G. (508) 565

- Forte, J.G., see Lee, H.C. (508) 339
- Gardner, J.D., see Batzri, S. (508) 328
- Gogstad, G. and Helgeland, L.
A study of intracellular transport of secretory glycoproteins in rat liver (508) 551
- Goni, F.M., see Vigo, C. (508) 1
- Göran Eriksson, L.E., see Shimoyama, Y. (508) 213
- Grinstein, S. and Rothstein, A.
Chemically-induced cation permeability in red cell membrane vesicles. The sidedness of the response and the proteins involved (508) 236
- Gruener, R., see Bryant, H.J. (508) 147
- Guyer, W., see Hauser, H. (508) 450
- Hauser, H., Guyer, W., Levine, B., Skrabal, P. and Williams, R.J.P.
The conformation of the polar group of lysophosphatidylcholine in H₂O; conformational changes induced by polyvalent cations (508) 450
- Helgeland, L., see Gogstad, G. (508) 551
- Hilf, R., see Hissin, P.J. (508) 401
- Hissin, P.J. and Hilf, R.
Characteristics of proline transport into R3230AC mammary tumor cells (508) 401
- Hollemans, M., see Casey, R.P. (508) 15
- Holman, G.D.
Cyclic AMP transport in human erythrocyte ghosts (508) 174
- Jackson, D.M., see Stewart-Tull, D.E.S. (508) 260
- Kambara, T., see Yasaka, T. (508) 306
- Keljo, D.J., Kleinzeller, A., Murer, H. and Kinne, R.
Is hexokinase present in the basal lateral membranes of rat kidney proximal tubular epithelial cells? (508) 500
- Kilkson, R., see Bryant, H.J. (508) 147
- Kinne, R., see Keljo, D.J. (508) 500
- Kleinzeller, A., see Keljo, D.J. (508) 500
- Knauf, P.A., see Shami, Y. (508) 357
- Konings, W.N. and Rosenberg, H.
Phosphate transport in membrane vesicles from *Escherichia coli* (508) 370
- Koyama, A.H., Maeda, T., Toyama, S., Ohnishi, S., Uetake, H. and Toyama, S.
Interaction between Sendai virus and KB cell lines with altered cell fusion ability: a study employing electron spin resonance (508) 130
- Kronquist, K.E., see Ronzio, R.A. (508) 65
- Kruuv, J., see McKersie, B.D. (508) 197
- Lamprecht, W., see Tümmler, B. (508) 122
- Landry-Magnan, J., see Branton, P.E. (508) 246
- Lee, H.C. and Forte, J.G.
A study of H⁺ transport in gastric microsomal vesicles using fluorescent probes (508) 339
- Lepock, J.R., see McKersie, B.D. (508) 197
- Levine, B., see Hauser, H. (508) 450
- Lewis, D.S., see Ronzio, R.A. (508) 65
- Light, N.D. and Tanner, M.J.A.
Erythrocyte membrane proteins. Sequential accumulation in the membrane during reticulocyte maturation (508) 571
- Low, M.G. and Finean, J.B.
Specific release of plasma membrane enzymes by a phosphatidylinositol-specific phospholipase C (508) 565
- Luzzati, V., see Mateu, L. (508) 109
- Maass, G., see Tümmler, B. (508) 122
- MacDonald, R.J., see Ronzio, R.A. (508) 65
- Maeda, T., see Koyama, A.H. (508) 130
- Maeda, T., see Tida, H. (508) 55
- Mandersloot, J.G., Roelofsen, B. and de Gier, J.
Phosphatidylinositol as the endogenous activator of (Na⁺ + K⁺)-ATPase in microsomes of rabbit kidney (508) 478
- Marchesi, V.T., see Schulte, T.H. (508) 425
- Mateu, L., Caron, F., Luzzati, V. and Billecocq, A.
The influence of protein-lipid interactions on the order-disorder conformational transitions of the hydrocarbon chain (508) 109
- McKersie, B.D., Lepock, J.R., Kruuv, J. and Thompson, J.E.
The effects of cotyledon senescence on the composition and physical properties of membrane lipid (508) 197
- Michell, R.H., see Allan, D. (508) 277
- Mohrlok, S.H., see Ronzio, R.A. (508) 65
- Mug-Opstelten, D. and Witholt, B.
Preferential release of new outer membrane fragments by exponentially growing *Escherichia coli* (508) 287
- Müller, W., see Tümmler, B. (508) 122
- Murer, H., see Keljo, D.J. (508) 500
- Nozawa, Y., see Tida, H. (508) 55
- O'Donnell, J.J., see Ronzio, R.A. (508) 65
- Ohki, K., see Tida, H. (508) 55
- Ohnishi, S., see Koyama, A.H. (508) 130
- Ohnishi, S.-I., see Tida, H. (508) 55

- Op den Kapm, J.A.F., see Vos, M.M. (508) 165
- Pateman, J.A., see Scott, D.M. (508) 379
- Prooijen-van Eeden, A., see de Pont, J.J.H.H.M. (508) 464
- Prujansky, A., Ravid, A. and Sharon, N.
Cooperatively of lectin binding to lymphocytes, and its relevance to mitogenic stimulation (508) 137
- Quinn, P.J., see Vigo, C. (508) 1
- Ravid, A., see Prujansky, A. (508) 137
- Regen, D.M., see Andersen, B.L. (508) 525
- Regen, D.M. and Tarpley, H.L.
Effects of pH on β -hydroxybutyrate transport in rat erythrocytes and thymocytes (508) 539
- Regts, J., see Wilschut, J.C. (508) 185
- Robson, R.J. and Dennis, E.A.
Characterization of mixed micelles of phospholipids of various classes and a synthetic homogeneous analogue of the nonionic detergent Triton X-100 containing nine oxyethylene groups (508) 513
- Roelofsen, B., see Mandersloot, J.G. (508) 478
- Ronzio, R.A., Kronquist, K.E., Lewis, D.S., MacDonald, R.J., Mohrlök, S.H. and O'Donnell, J.J.
Glycoprotein synthesis in the adult rat pancreas. IV. Subcellular distribution of membrane glycoproteins (508) 65
- Rosenberg, H., see Konings, W.N. (508) 370
- Rothstein, A., see Grinstein, S. (508) 236
- Rothstein, A., see Shami, Y. (508) 357
- Santos, E., Villanueva, J.R. and Sentandreu, R.
The plasma membrane of *Saccharomyces cerevisiae*. Isolation and some properties (508) 39
- Scherphof, G., see Wilschut, J.C. (508) 185
- Schulte, T.H. and Marchesi, V.T.
Self-association of human erythrocyte glycoporphin A. Appearance of low mobility bands on sodium dodecyl sulfate gels (508) 425
- Scott, D.M. and Pateman, J.A.
The acidic amino acid transport system of the baby hamster kidney cell line BHK21-C13 (508) 379
- Sentandreu, R., see Santos, E. (508) 39
- Shami, Y., Rothstein, A. and Knauf, P.A.
Identification of the Cl^- transport site of human red blood cells by a kinetic analysis of the inhibitory effects of a chemical probe (508) 357
- Sharon, N., see Prujansky, A. (508) 137
- Shimoyama, Y., Göran Eriksson, L.E. and Ehrenberg, A.
Molecular motion and order in oriented lipid multilayer membranes evaluated by simulations of spin label ESR spectra. Effects of temperature, cholesterol and magnetic field (508) 213
- Skrabal, P., see Hauser, H. (508) 450
- Standring, R. and Williams, A.F.
Glycoproteins and antigens of membrane prepared from rat thymocytes after lysis by shearing or with the detergent Tween-40 (508) 85
- Stewart-Tull, D.E.S., see Davies, M. (508) 260
- Suckling, K.E., see Craig, I.F. (508) 418
- Sullivan, J.L. and DeBusk, A.G.
Transport of L-methionine in human diploid fibroblast strain WI38 (508) 389
- Sweadner, K.J.
Purification from brain of an intrinsic membrane protein fraction enriched in $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ (508) 486
- Tager, J.M., see Casey, R.P. (508) 15
- Tanner, M.J.A., see Light, N.D. (508) 571
- Tarpley, H.L., see Andersen, B.L. (508) 525
- Tarpley, H.L., see Regen, D.M. (508) 539
- Thompson, J.E., see McKersie, B.D. (508) 197
- Tida, H., Maeda, T., Ohki, K., Nozawa, Y. and Ohnishi, S.-I.
Transfer of phosphatidylcholine between different membranes in *Tetrahymena* as studied by spin labeling (508) 55
- Toyama, S., see Koyama, A.H. (508) 130
- Tümmeler, B., Maass, G., Müller, W. and Lamprecht, W.
Open chain crown-type polyethers and pyridinophane cryptands act as ionophores upon frog motor nerve and isolated rat heart cells (508) 122
- Uetake, H., see Koyama, A.H. (508) 130
- Van Deenen, L.L.M., see van Zoelen, E.J.J. (508) 97
- Van Zoelen, E.J.J., de Kruijff, B. and van Deenen, L.L.M.
Protein-mediated transbilayer movement of lysophosphatidylcholine in glycoporphin-containing vesicles (508) 97
- Vigo, C., Goni, F.M., Quinn, P.J. and Chapman, D.

- The modulation of membrane fluidity by hydrogenation processes. II. Homogeneous catalysis and model biomembranes (508) 1
- Villanueva, J.R., see Santos, E. (508) 39
- Vos, M.M., Op den Kamp, J.A.F., Beckerdite-Quagliata, S. and Elsbach, P.
Acylation of monoacylglycerophosphoethanolamine in the inner and outer membranes of the envelope of an *Escherichia coli* K12 strain and its phospholipase A-deficient mutant (508) 165
- Wallace, B.A. and Engelman, D.M.
The planar distributions of surface proteins and intramembrane particles in *Acholeplasma laidlawii* are differentially affected by the physical state of membrane lipids (508) 431
- Westenberg, H., see Wilschut, J.C. (508) 185
- Williams, A.F., see Standring, R. (508) 85
- Williams, R.J.P., see Hauser, H. (508) 450
- Wilschut, J.C., Regts, J., Westenberg, H. and Scherphof, G.
Action of phospholipase A₂ on phosphatidylcholine bilayers. Effects of the phase transition, bilayer curvature and structural defects (508) 185
- Witholt, B. and Boekhout, M.
The effect of osmotic shock on the accessibility of the murein layer of exponentially growing *Escherichia coli* to lysozyme (508) 296
- Witholt, B., see Mug-Opstelten, D. (508) 287
- Yasaka, T. and Kambara, T.
Effect of concanavalin A and its succinylated derivative on the oxidative metabolism of guinea pig peritoneal macrophages (508) 306