

AUTHOR INDEX

- Alberts, A.W., see Doi, O. (509) 239
- Amano, T., see Kawasaki, Y. (509) 440
- Arnold, B., Richter, G. and Weltzien, H.U.
Relation of cytolytic activity of an ether-deoxy lysophosphatidylcholine analog to available membrane surface. Comparison of normal and tumor cells from mice (509) 251
- Bales, B.L. and Leon, V.
Magnetic resonance studies of eukaryotic cells. III. Spin labeled fatty acids in the plasma membrane (509) 90
- Barenholz, Y., see Cohen, R. (509) 181
- Baskin, R.J., see Yeh, Y. (509) 78
- Basu, M.K., see Colacicco, G. (509) 230
- Benedetti, E.L., see Olive, J. (509) 129
- Billah, M.M., see Shukla, S.D. (509) 48
- Billington, D. and Coleman, R.
Effects of bile salts on human erythrocytes. Plasma membrane vesiculation, phospholipid solubilization and their possible relationships to bile secretion (509) 33
- Blumenthal, R., see Weinstein, J.N. (509) 272
- Bonting, S.L., see Olive, J. (509) 129
- Bonting, S.L., see van Breugel, P.J.G.M. (509) 136
- Brodsky, W.A., see Ehrenspeck, G. (509) 390
- Cassin S., see Gerencser, G.A. (509) 159
- Chan, S.I., see Petersen, N.O. (509) 111
- Cohen, R. and Barenholz, Y.
Correlation between the thermotropic behaviour of sphingomyelin liposomes and sphingomyelin hydrolysis by sphingomyelinase of *Staphylococcus aureus* (509) 181
- Colacicco, G. and Basu, M.K.
Surface potentials and ion sorption of dimyristoyl-, dipalmitoyl- and distearoyl phosphatidylcholine films on NaCl and CaCl₂ solutions (509) 230
- Coleman, R., see Billington, D. (509) 33
- Coleman, R., see Shukla, S.D. (509) 48
- de Laat, S.W., van der Saag, P.T., Nelemans, S.A. and Shinitzky, M.
Microviscosity changes during differentiation of neuroblastoma cells (509) 188
- Daemen, F.J.M., see Olive, J. (509) 129
- Daemen, F.J.M., see van Breugel, P.J.G.M. (509) 136
- Davis, D.G., see Gisin, B.F. (509) 201
- Dawes, E.A., see Stephenson, M.C. (509) 519
- de Kruijff, B., van Zoelen, E.J.J. and van Deenen, L.L.M.
Glycophorin facilitates the transbilayer movement of phosphatidylcholine in vesicles (509) 537
- Deuticke, B., see Haest, C.W.M. (509) 21
- Dinno, M.A. and Huang, K.C.
Short circuit current in tight and leaky epithelia (509) 318
- Doi, F., see Doi, O. (509) 239
- Doi, O., Doi, F., Schroeder, F., Alberts, A.W. and Vagelos, P.R.
Manipulation of fatty acid composition of membrane phospholipid and its effects on cell growth in mouse LM cells (509) 239
- Dornand, J., Reminiac, C. and Mani, J.-C.
Studies of (Na⁺ + K⁺)-sensitive ATPase activity in pig lymphocytes. Effects of concanavalin A (509) 194
- Dose, K., see Schmitt, M. (509) 410
- Dousa, T.P., see Scott, R.E. (509) 499
- Durham, J., see Ehrenspeck, G. (509) 390
- Ehrenspeck, G., Durham, J. and Brodsky, W.A.
Amiloride-induced stimulation of HCO₃⁻ reabsorption in turtle bladder (509) 390
- Fendler, J.H., see Kano, K. (509) 289
- Finean, J.B., see Shukla, S.D. (509) 48
- Flashner, M.S., see Robinson, J.D. (509) 419
- Foder, B., see Scharff, O. (509) 67

- Galla, H.-J., see Hartmann, W. (509) 474
- García-Sancho, J. and Sanchez, A.
Use of salicylic acid to measure the apparent intracellular pH in the Ehrlich ascites-tumor cell and *Escherichia coli* (509) 148
- Gerencser, G.A., Tyler, T. and Cassin, S.
Sodium transport by isolated bullfrog small intestine. Effect of prostaglandin E_1 (509) 159
- Geurts, P.H.M., see van Breugel, P.J.G.M. (509) 136
- Gisin, B.F., Ting-Beall, H.P., Davis, D.G., Grell, E. and Tosteson, D.C.
Selective ion binding and membrane activity of synthetic cyclopeptides (509) 201
- Glass, J., see Nunez, M.T. (509) 170
- Gleeson, J., see Jain, M.K. (509) 1
- Grell, E., see Gisin, B.F. (509) 201
- Guillet, E. and Kimmich, G.
Differential effects of erythrocyte lysates on spectra of potential-sensing carbocyanine dyes (509) 385
- Heast, C.W.M., Plasa, G., Kamp, D. and Deuticke, B.
Spectrin as a stabilizer of the phospholipid asymmetry in the human erythrocyte membrane (509) 21
- Hammerman, M. and Sacktor, B.
Transport of β -alanine in renal brush border membrane vesicles (509) 338
- Hartmann, W. and Galla, H.-J.
Binding of polylysine to charged bilayer membranes. Molecular organization of a lipid-peptide complex (509) 474
- Henkart, P.A., see Weinstein, J.N. (509) 272
- Herschkowitz, N.N., see Steck, A.J. (509) 397
- Hori, R., Kagimoto, Y., Kamiya, K. and Inui, K.-I.
Effects of free fatty acids as membrane components on permeability of drugs across bilayer lipid membranes. A mechanism for intestinal absorption of acidic drugs (509) 510
- Huang, K.C., see Dinno, M.A. (509) 318
- Hwang, S.-B., Korenbrot, J.I. and Stoeckenius, W.
Transient photovoltages in purple membrane multilayers. Charge displacement in bacteriorhodopsin and its photo-intermediates (509) 300
- Inui, K.-I., see Hori, R. (509) 510
- Jain, M.K., Gleeson, J., Upreti, A. and Upreti, G.C.
Intrinsic perturbing activity of alkaloids in lipid bilayers (509) 1
- Johnson, R.M. and Kirkwood, D.H.
Loss of resealing ability in erythrocyte membranes. Effect of divalent cations and spectrin release (509) 58
- Johnstone, R.M., see Pershadsingh, H.A. (509) 360
- Jones, M.N. and Nickson, J.K.
Electrical properties and glucose permeability of bilayer lipid membranes on incorporation of erythrocyte membrane extracts (509) 260
- Kagimoto, Y., see Hori, R. (509) 510
- Kamiya, K., see Hori, R. (509) 510
- Kamp, D., see Haest, C.W.M. (509) 21
- Kano, K. and Fendler, J.H.
Pyranine as a sensitive pH probe for liposome interiors and surfaces. pH gradients across phospholipid vesicles (509) 289
- Kawai, M., see Kawasaki, Y. (509) 440
- Kawasaki, Y., Wakayama, N., Koike, T., Kawai, M. and Amano, T.
A change in membrane microviscosity of mouse neuroblastoma cells in association with morphological differentiation (509) 440
- Kessler, M., Tannenbaum, V. and Tannenbaum, C.
A simple apparatus for performing short-time (1–2 seconds) uptake measurements in small volumes: its application to D-glucose transport studies in brush border vesicles from rabbit jejunum and ileum (509) 348
- Kicha, L.P., see Yang, C.S. (509) 326
- Kimmich, G., see Guillet, E. (509) 385
- Kirkwood, D.H., see Johnson, R.M. (509) 58
- Koike, T.
Neurite formation and membrane changes of mouse neuroblastoma cells induced by valinomycin (509) 429
- Koike, T., see Kawasaki, Y. (509) 440
- Korenbrot, J.I., see Hwang, S.-B. (509) 300
- Laris, P.C., see Pershadsingh, H.A. (509) 360
- Leon, V., see Bales, B.L. (509) 90

- Luna, E.J. and McConnell, H.M.
Multiple phase equilibria in binary mixtures of phospholipids (509) 462
- Mani, J.-C., see Dornand, J. (509) 194
- Marin, G.K., see Robinson, J.D. (509) 419
- McConnell, H.M., see Luna, E.J. (509) 462
- Michell, R.H., see Shukla, S.D. (509) 48
- Midgley, M., see Stephenson, M.C. (509) 519
- Milikowski, C., see Rubin, R.W. (509) 100
- Nelemans, S.A., see de Laat, S.W. (509) 188
- Nickson, J.K., see Jones, M.N. (509) 260
- Nunez, M.T., Glass, J. and Robinson, S.H.
Mobilization of iron from plasma membrane of the murine reticulocyte. The role of ferritin (509) 170
- Oelze, J.
Proteins exposed at the surface of chromatophores of *Rhodospirillum rubrum*. The orientation of isolated chromatophores (509) 450
- Olive, J., Benedetti, E.L., van Breugel, P.J.G.M., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects of the visual process. XXXVII. Evidence for lateral aggregation of rhodopsin molecules in phospholipase C-treated bovine photoreceptor membranes (509) 129
- Pershad Singh, H.A., Johnstone, R.M. and Laris, P.C.
Influence of (DL)-propranolol and Ca^{2+} on membrane potential and amino acid transport in Ehrlich ascites tumor cells (509) 360
- Petersen, N.O. and Chan, S.I.
The effects of the thermal prephase transition and salts on the coagulation and flocculation of phosphatidylcholine bilayer vesicles (509) 111
- Plasa, G., see Haest, C.W.M. (509) 21
- Reminiac, C., see Dornand, J. (509) 194
- Richter, G., see Arnold, B. (509) 251
- Rittinghaus, K., see Schmitt, M. (509) 410
- Robinson, J.D., Flashner, M.S. and Marin, G.K.
Inhibition of the $(\text{Na}^+ + \text{K}^+)$ -dependent ATPase by inorganic phosphate (509) 419
- Robinson, R.L. and Strickholm, A.
Oxidised cholesterol bilayers. Dependence of electrical properties on degree of oxidation and aging (509) 9
- Robinson, S.H., see Nunez, M.T. (509) 170
- Rothman, S.S.
Chymotrypsinogen · inositol phosphatide complexes and the transport of digestive enzyme across membrane (509) 374
- Rubin, R.W. and Milikowski, C.
Over two hundred polypeptides resolved from the human erythrocyte membrane (509) 100
- Sacktor, B., see Hammerman, M. (509) 338
- Sanchez, A., see García-Sancho, J. (509) 148
- Schaefer, R., see Steck, A.J. (509) 397
- Scharff, O. and Foder, B.
Reversible shift between two states of Ca^{2+} -ATPase in human erythrocytes mediated by Ca^{2+} and a membrane-bound activator (509) 67
- Scheurich, P., see Schmitt, M. (509) 410
- Schmitt, M., Rittinghaus, K., Scheurich, P., Schwulera, U. and Dose, K.
Immunological properties of membrane-bound adenosine triphosphatase. Immunological identification of rutamycin-sensitive $\text{F}_0 \cdot \text{F}_1$ ATPase from *Micrococcus luteus* ATCC 4698 established by crossed immunoelectrophoresis (509) 410
- Schroeder, F., see Doi, O. (509) 239
- Schwulera, U., see Schmitt, M. (509) 410
- Scott, R.E. and Dousa, T.P.
Plasma membrane cyclic AMP-dependent protein phosphorylation system in L_6 myoblasts (509) 499
- Selser, J.C., see Yeh, Y. (509) 78
- Sharrow, S.O., see Weinstein, J.N. (509) 272
- Shinitzky, M., see de Laat, S.W. (509) 188
- Shukla, S.D., Billah, M.M., Coleman, R., Finean, J.B. and Michell, R.H.
Modulation of the organization of erythrocyte membrane phospholipids by cytoplasmic ATP. The susceptibility of isoionic human erythrocyte ghosts to attack by detergents and phospholipase C (509) 48
- Siegrist, P., see Steck, A.J. (509) 397

- Stephenson, M.C., Midgley, M. and Dawes, E.A.
Transport of α -aminoisobutyrate by cells and membrane vesicles of *Pseudomonas fluorescens* (509) 519
- Steck, A.J., Siegrist, P., Zahler, P., Herschkowitz, N.N. and Schaefer, R.
Preparation of membrane vesicles from isolated myelin. Studies on functional and structural properties (509) 397
- Stoeckenius, W., see Hwang, S.-B. (509) 300
- Strickhart, F.S., see Yang, C.S. (509) 326
- Strickholm, A., see Robinson, R.L. (509) 9
- Tannenbaum, C., see Kessler, M. (509) 348
- Tannenbaum, V., see Kessler, M. (509) 348
- Ting-Beall, H.P., see Gisin, B.F. (509) 201
- Tosteson, D.C., see Gisin, B.F. (509) 201
- Tyler, T., see Gerencser, G.A. (509) 159
- Upreti, A., see Jain, M.K. (509) 1
- Upreti, G.C., see Jain, M.K. (509) 1
- Vagelos, P.R., see Doi, O. (509) 239
- van Breugel, P.J.G.M., Geurts, P.H.M., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects of the visual process. XXXVIII. Effects of lateral aggregation on rhodopsin in phospholipase-C treated photoreceptor membranes (509) 136
- van Breugel, P.J.G.M., see Olive, J. (509) 129
- van Deenen, L.L.M., see de Kruijff, B. (509) 537
- van der Saag, P.T., see de Laat, S.W. (509) 188
- van Zoelen, E.J.J., see de Kruijff, B. (509) 537
- Wakayama, N., see Kawasaki, Y. (509) 440
- Weinstein, J.N., Blumenthal, R., Sharrow, S.O. and Henkart, P.A.
Antibody-mediated targeting of liposomes. Binding to lymphocytes does not ensure incorporation of vesicle contents into the cells (509) 272
- Weller, M.
Protein-bound histidine, as well as protein-bound serine, residues are sites of phosphorylation in the synaptic plasma membrane (509) 491
- Weltzien, H.U., see Arnold, B. (509) 251
- Yang, C.S., Strickhart, F.S. and Kicha, L.P.
Interaction between NADPH-cytochrome P-450 reductase and hepatic microsomes (509) 326
- Yeh, Y., Selser, J.C. and Baskin, R.J.
Dynamic light scattering characterization of detergent-free delipidated ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase from sarcoplasmic reticulum (509) 78
- Zahler, P., see Steck, A.J. (509) 397
- Zeiske, W.
The stimulation of Na^+ uptake in frog skin by uranyl ions (509) 218