AUTHOR INDEX

Adorante, J.S., see Macey, R.I. (512) 284

Alexander, S.S., Jr., Livingstone, L.R., Yates, L.D. and Sage, H.J.
The binding of lectins to components of plasma membranes from porcine submaxillary lymph node lymphocytes (512) 350

Allen, K.E., see Bowman, B.J. (512) 13

Andersson, G.N., Torndal, U.-B. and Eriksson, L.C.
Sequential preparation of rat liver microsomal and Golgi membranes (512) 539

Antonioli, J.-A., Joseph, C. and Robinson, J.W.L.
Kinetics of the absorption of amino acids by the rat intestine in vivo (512) 172

Appelkvist, E.-L., Bergman, A. and Dallner, G.
Incorporation of galactose from UDP-galactose into microsomal and Golgi membranes of rat liver (512) 111

Ashley, C.C. and Campbell, A.K.
Free-calcium and tension responses in single barnacle muscle fibres following the application of L-glutamate (512) 429

Au, T., see Godin, D.V. (512) 388

Avramovic-Zikic, O. and Colbow, K.
Turbidity changes of lipid vesicles near the phase transition temperature as an indication of fusion (512) 97

Bach, D., see Goldman, R. (512) 254

Bartholomew, J.C., see Becker, J.F. (512) 136

Bater, A.J., see Coakley, W.T. (512) 318

Becker, J.F., Meehan, T. and Bartholomew, J.C.
Fatty acid requirements and temperature dependence of monooxygenase activity in rat liver microsomes (512) 136

Benoit, V., see Gratecos, D. (512) 508

Bergman, A., see Appelkvist, E.-L. (512) 111

Bergman, A. and Dallner, G.
Incorporation of N-acetylglucosamine from UDP-N-acetylglucosamine into proteins and lipid intermediates in microsomal and Golgi membranes from rat liver (512) 123

Blankemeyer, J.T., see Kidder, G.W., III. (512) 192

Blume, A., Dreher, R. and Poralla, K.
The influence of branched-chain and ω-alicyclic fatty acids on the transition temperature of Bacillus subtilis lipids (512) 489

Boehler, B.A., De Gier, J. and Van Deenen, L.L.M.
The effect of gramicidin A on the temperature dependence of water permeation through liposomal membranes prepared from phosphatidylcholines with different chain lengths (512) 480

Bøhmer, T., see Mølstad, P. (512) 557

Bonting, S.L., see Van Amelsvoort, J.M.M. (512) 296

Bootman, M., see Laris, P.C. (512) 397

Bowman, B.J., Mainzer, S.E., Allen, K.E. and Slayman, C.W.
Effects of inhibitors on the plasma membrane and mitochondrial adenosine triphosphatases of Neurospora crassa (512) 13

Brandts, J.F., Taverna, R.D., Sadasivan, E. and Lysko, K.A.
Calorimetric studies of the structural transitions of the human erythrocyte membrane. Studies of the B and C transitions (512) 566

Brandts, J.F., see Snow, J.W. (512) 579

Campbell, A.K., see Ashley, C.C. (512) 429

Caron, M., Picard, J. and Kern, P.
Involvement of glycoconjugates in insulin-receptor interactions. Studies in liver plasma membranes of control and diabetic mice (512) 29

Christensen, H.N. and Handlogten, M.E.
Cellular uptake of lithium via amino acid transport system A (512) 598

Coakley, W.T., Bater, A.J. and Deeley, J.O.-T.
Vesicle production on heated and stressed erythrocytes (512) 318

Colbow, K., see Avramovic-Zikic, O. (512) 97

Coleman, R., see Shukla, S.D. (512) 341
Cronan, J.E., Jr., see Jackson, M.B. (512) 472

Dallner, G., see Appelkvist, E.-L. (512) 111
Dallner, G., see Bergman, A. (512) 123
De Gier, J., see Van Dijck, P.W.M. (512) 84
De Gier, J., see Boehler, B.A. (512) 480
Deeley, J.O.-T., see Coakley, W.T. (512) 318
De Kruijff, B., see Van Dijck, P.W.M. (512) 84
De Leij, L., Kingma, J. and Witholt, B.
Insertion of newly synthesized proteins into the outer membrane of Escherichia coli (512) 365
De Pont, J.J.H.H.M., see Van Amelsvoort, J.M.M. (512) 296
Dreher, R., see Blume, A. (512) 489

Elias, S.R., see Levitt, D.G. (512) 436
Eriksson, L.C., see Andersson, G.N. (512) 539

Fabiani, C., see Scibona, G. (512) 41
Facchinetti, T., see Goldman, R. (512) 254
Fanelli, G.M., Jr., see Shum, W.K. (512) 593
Fiechter, A., see Schneider, H. (512) 495
Finean, J.B., see Shukla, S.D. (512) 341
Fontell, K., see Wieslander, Å. (512) 241
Fuhrmann, G.F., see Schneider, H. (512) 495

Gárdos, G., see Szász, I. (512) 331
Garnett, M.E., see Godin, D.V. (512) 388
George, J.N., see Käser-Glanzmann, R. (512) 1
Godin, D.V., Au, T. and Garnett, M.E.
Acetylcholinesterase: a probe for the study of antiarrhythmic drug-membrane interactions (512) 388
Goldfine, H., Harley, J.B. and Wyke, J.A.
Effects of inhibitors of lipid synthesis on the replication of Rous sarcoma virus. A specific effect of cerulenin on the processing of major non-glycosylated viral structural proteins (512) 229
Goldman, R., Facchinetti, T., Bach, D., Raz, A. and Shinitzky, M.
A differential interaction of daunomycin, adriamycin and their derivatives with human erythrocytes and phospholipid bilayers (512) 254
Götze, H. and Rothman, S.S.
Amylase transport across ileal epithelium in vitro (512) 214
Gratecos, D., Knibiehler, M., Benoit, V. and Séméríva, M.
Plasma membranes from rat intestinal epithelial cells at different stages of maturation. I. Preparation and characterization of plasma membrane subfractions originating from crypt cells and from villous cells (512) 508
Gutowicz, J. and Modrzycka, T.
Binding of glyceraldehyde-3-phosphate dehydrogenase to phospholipid liposomes (512) 105

Haeusler, G., see Thorens, S. (512) 415
Handlogten, M.E., see Christensen, H.N. (512) 598
Harley, J.B., see Goldfine, H. (512) 229
Hautman, J.M., see Levitt, D.G. (512) 436
Hovig, T., see Mølstad, P. (512) 557
Hwang, K.J. and Wase, A.W.
Application of a new surface labeling reagent, EDTA derivative, on erythrocytes and platelets (512) 54

Jackson, M.B. and Cronan, J.E., Jr.
An estimate of the minimum amount of fluid lipid required for the growth of Escherichia coli (512) 472
Jakábová, M., see Käser-Glanzmann, R. (512) 1
Jansen, J.W.C.M., see Van Amelsvoort, J.M.M. (512) 296
Johnstone, R.M.
The basic asymmetry of Na^+-dependent glycine transport in Ehrlich cells (512) 199
Johnstone, R.M., see Laris, P.C. (512) 397
Johnstone, R.M.
The hyperpolarizing and depolarizing effects of 2,4-dinitrophenol on Ehrlich cells (512) 550
Joseph, C., see Antonioli, J.-A. (512) 172

Käser-Glanzmann, R., Jakábová, M., George, J.N. and Lüscher, E.F.
Further characterization of calcium-accumulating vesicles from human blood platelets (512) 1
Kern, P., see Caron, M. (512) 29
Kidder, G.W., III. and Blankemeyer, J.T.
Cytochromes and gastric acid secretion. A re-evaluation of mucosal acidification experiments (512) 192
Kingma, J., see De Leij, L. (512) 365
Knibiehler, M., see Gratecos, D. (512) 508
Kono, T., see Vega, F.V. (512) 221

Laris, P.C., Bootman, M., Pershadsingh, H.A. and Johnstone, R.M.

The influence of cellular amino acids and the $Na^+:K^+$ pump on the membrane potential of the Ehrlich ascites tumor cell (512) 397
Levitt, D.G., Elias, S.R. and Hautman, J.M.
Number of water molecules coupled to the transport of sodium, potassium and hydrogen ions via gramicidin, nonactin or valinomycin (512) 436
Lin, G.S.B. and Macey, R.I.
Shape and stability changes in human erythrocyte membranes induced by metal cations (512) 270
Lindblom, G., see Wieslander, Å. (512) 241
Littauer, U.Z., see Zisapel, N. (512) 156
Livingstone, L.R., see Alexander, S.S., Jr. (512) 350
Louw, A.I. and Visser, L.
The synergism of cardiotoxin and phospholipase A_2 in hemolysis (512) 163
Low, P.S., see Snow, J.W. (512) 579
Lüscher, E.F., see Käser-Glanzmann, R. (512) 1
Lüschow, U. and Schulz-Harder, J.
Bilayer-gel membranes. Formation and some properties (512) 377
Lysko, K.A., see Brandts, J.F. (512) 566

Macey, R.I., Adorante, J.S. and Orme, F.W.
Erythrocyte membrane potentials determined by hydrogen ion distribution (512) 284
Macey, R.I., see Lin, G.S.B. (512) 270
Mainzer, S.E., see Bowman, B.J. (512) 13
Meehan, T., see Becker, J.F. (512) 136
Michell, R.H., see Shukla, S.D. (512) 341
Milo-Goldzweig, I., see Segal, R. (512) 224
Milsmann, M.H.W., Schwendener, R.A. and Weder, H.-G.
The preparation of large single bilayer liposomes by a fast and controlled dialysis (512) 147
Modrzycka, T., see Gutowicz, J. (512) 105
Mølstad, P., Bøhmer, T. and Hovig, T.
Carnitine-induced uptake of L-carnitine into cells from an established cell line from human heart (CCL 27) (512) 557

Orme, F.W., see Macey, R.I. (512) 284

Pershadsingh, H.A., see Laris, P.C. (512) 397
Picard, J., see Caron, M. (512) 29
Pizzichini, M., see Scibona, G. (512) 41
Poralla, K., see Blume, A. (512) 489

Raz, A., see Goldman, R. (512) 254
Reiber, H.
Cholesterol-lipid interactions in membranes. The saturation concentration of cholesterol in bilayers of various lipids (512) 72
Requena, J.
Effect of magnesium on calcium efflux in dialyzed squid axon (512) 452
Robinson, J.W.L., see Antonioli, J.-A. (512) 172
Rothman, S.S., see Götze, H. (512) 214

Sadasivan, E., see Brandts, J.F. (512) 566
Sage, H.J., see Alexander, S.S., Jr. (512) 350
Sakagami, T., see Sasaki, T. (512) 461
Sarkadi, B., see Szàsz, I. (512) 331
Sasaki, T. and Sakagami, T.
A new assay system of phospholipid exchange activities using concanavalin A in the separation of donor and acceptor liposomes (512) 461
Scharff, O.
Stimulating effects of monovalent cations on activator-dissociated and activator-associated states of Ca^{2+}-ATPase in human erythrocytes (512) 309
Schneider, H., Fiechter, A. and Fuhrmann, G.F.
Plasma membranes from Candida tropicalis grown on glucose or hexadecane. I. Isolation, identification and purification (512) 495
Schubert, A., see Szász, I. (512) 331
Schulz-Harder, J., see Lüschow, U. (512) 377
Schwendener, R.A., see Milsmann, M.H.W. (512) 147
Scibona, G., Scuppa, B., Fabiani, C. and Pizzichini, M.
Non-isothermal potential of phospholipid bilayer films. Influence of cholesterol and macrocyclic carrier effects (512) 41
Scuppa, B., see Scibona, G. (512) 41
Segal, R. and Milo-Goldzweig, I.
The susceptibility of cholesterol-depleted erythrocytes to saponin and sapogenin hemolysis (512) 223
Séméria, M., see Gratecos, D. (512) 508
Shinitzky, M., see Goldman, R. (512) 254
Shukla, S.D., Coleman, R., Finean, J.B. and Michell, R.H.
The use of phospholipase C to detect structural changes in the membranes of human erythrocytes aged by storage (512) 341
Shum, W.K. and Fanelli, G.M., Jr.
Does intracellular sodium regulate sodium transport across the mucosal surface of frog skin? (512) 593

Slayman, C.W., see Bowman, B.J. (512) 13
Smolen, J.E. and Weissmann, G.
Mg^{2+}-ATPase as a membrane ecto-enzyme of human granulocytes. Inhibitors, activators and response to phagocytosis (512) 525
Snow, J.W., Brandts, J.F. and Low, P.S.
The effects of anion transport inhibitors on structural transitions in erythrocyte membranes (512) 579
Szász, I., Sarkadi, B., Schubert, A. and Gárdos, G.
Effects of lanthanum on calcium-dependent phenomena in human red cells (512) 331

Taverna, R.D., see Brandts, J.F. (512) 566
Thorens, S. and Haeusler, G.
Effects of adenosine 3′ : 5′-monophosphate and guanosine 3′ : 5′-monophosphate on calcium uptake and phosphorylation in membrane fractions of vascular smooth muscle (512) 415
Torndal, U.-B., see Andersson, G.N. (512) 539

Ulmius, J., see Wieslander, Å. (512) 241

Van Amelsvoort, J.M.M., Jansen, J.W.C.M., De Pont, J.J.H.H.M. and Bonting, S.L.
Is there a plasma membrane-located anion-sensitive ATPase? IV. Distribution of the enzyme in rat pancreas (512) 296
Van Deenen, L.L.M., see Boehler, B.A. (512) 480
Van Deenen, L.L.M., see Van Dijck, P.W.M. (512) 84
Van Dijck, P.W.M., De Kruijff, B., Verkleij, A.J., Van Deenen, L.L.M. and De Gier, J.
Comparative studies on the effects of pH and Ca^{2+} on bilayers of various negatively charged phospholipids and their mixtures with phosphatidylcholine (512) 84
Vega, F.V. and Kono, T.
Effects of insulin on the uptake of D-galactose by isolated rat epididymal fat cells (512) 221
Verkleij, A.J., see Van Dijck, P.W.M. (512) 84
Visser, L., see Louw, A.I. (512) 163

Wase, A.W., see Hwang, K.J. (512) 54
Weder, H.-G., see Milsmann, M.H.W. (512) 147
Wieslander, Å., Ulmius, J., Lindblom, G. and Fontell, K.
Water binding and phase structures for different Acholeplasma laidlawii membrane lipids studied by deutron nuclear magnetic resonance and X-ray diffraction (512) 241
Weismann, G., see Smolen, J.E. (512) 525
Witholt, B., see De Leij, L. (512) 365
Wyke, J.A., see Goldfine, H. (512) 229

Yates, L.D., see Alexander, S.S., Jr. (512) 350

Zisapel, N. and Littauer, U.Z.
A cationic hydroxysuccinimide ester. A reagent for labeling exterior membrane proteins (512) 156