

## AUTHOR INDEX

- Aberlin, M.E., see Dembo, M. (552) 201
- Åkerlund, H.-E., Andersson, B., Persson, A. and Albertsson, P.-Å.  
Isoelectric points of spinach thylakoid membrane surfaces as determined by cross partition (552) 238
- Albertsson, P.-Å., see Åkerlund, H.-E. (552) 238
- Apell, H.-J., Bamberg, E. and Läuger, P.  
Effects of surface charge on the conductance of the gramicidin channel (552) 369
- Arita, H., see Sugita, K. (552) 404
- Amar, A., Rottem, S. and Razin, S.  
Is the vertical disposition of mycoplasma membrane proteins affected by membrane fluidity? (552) 457
- Andersson, B., see Åkerlund, H.-E. (552) 238
- Asakura, T., see Lau, P.-W. (552) 499
- Bächi, T., see Lutz, H.U. (552) 262
- Baldwin, J.M., see Baldwin, S.A. (552) 183
- Baldwin, S.A., Baldwin, J.M., Gorga, F.R. and Lienhard, G.E.  
Purification of the cytochalasin B binding component of the human erythrocyte monosaccharide transport system (552) 183
- Bamberg, E., see Apell, H.-J. (552) 369
- Banaszak, L.J., see Harder, M.E. (552) 89
- Besson, F., Peypoux, F. and Michel, G.  
Interactions between bacterial membranes and peptidolipids. Lysis of *Micrococcus luteus* protoplasts by derivatives of peptidolipidic antibiotics from *Bacillus subtilis* (552) 558
- Boroske, E., see Trahms, L. (552) 189
- Burkart, T., see Jutzi, H. (552) 413
- Clin, B., see De Bony, J. (552) 531
- Corry, P.M., see Goldin, E.M. (552) 120
- Cox, M., Guzzo, J., Shook, A., Huber, G. and Singer, I.  
Effects of tetracyclines on aldosterone- and insulin-mediated  $\text{Na}^+$  transport in the toad urinary bladder (552) 162
- Cullis, P.R. and Verkleij, A.J.  
Modulation of membrane structure by  $\text{Ca}^{2+}$  and dibucaine as detected by  $^{31}\text{P}$  NMR (552) 546
- Daemen, F.J.M., see Schnetkamp, P.P.M. (552) 379
- Dembo, M., Glushko, V., Aberlin, M.E. and Sonenberg, M.  
A method for measuring membrane microviscosity using pyrene excimer formation. Application to human erythrocyte ghosts (552) 201
- De Bony, J., Dufourcq, J. and Clin, B.  
Lipid-protein interactions: NMR study of melittin and its binding to lysophosphatidylcholine (552) 531
- DiCorleto, P.E. and Zilversmit, D.B.  
Exchangeability and rate of flip-flop of phosphatidylcholine in large unilamellar vesicles, cholate dialysis vesicles and cytochrome oxidase vesicles (552) 114
- Dolde, J., see Vogel, K.G. (552) 194
- Dos Reis, G.A., Persechini, P.M., Ribeiro, J.M.C. and Oliveira-Castro, G.M.  
Electrophysiology of phagocytic membranes. II. Membrane potential and induction of slow hyperpolarization in activated macrophages (552) 331
- Dratz, E.A., see Farnsworth, C.C. (552) 281
- Dratz, E.A., see Miljanich, G.P. (552) 294
- Dufourcq, J., see De Bony, J. (552) 531
- Düzgünes, N., see Ohki, S. (552) 438
- Eguchi, G., see Tokutomi, S. (552) 78
- Farnsworth, C.C., Stone, W.L. and Dratz, E.A.  
Effects of vitamin E and selenium deficiency on the fatty acid composition of rat retinal tissue (552) 281
- Fasman, G.D., see Imae, T. (552) 103
- Ferreira, K.T.G. and Svensson, W.M.  
The use of  $^{60}\text{Co}$ -EDTA as an extracellular marker in frog skin (552) 178
- Ferreira, K.T.G., Guerreiro, M.M. and Svensson, W.M.  
The mechanism of action of  $\text{Cu}^{2+}$  on the frog skin (552) 341

- Freudling, C. and Gradmann, D.  
Cable properties and compartmentation in *Acetabularia* (552) 358
- Fry, M., see Gonen, A. (552) 307
- Galla, H.J., see Luisetta, J. (552) 519
- Glushko, V., see Dembo, M. (552) 201
- Goldin, E.M., Corry, P.M. and Granatek, C.H.  
Quantitation of antibody binding to cell surface antigens by X-ray fluorescence spectrometry (552) 120
- Gonen, A., Weisman-Shomer, P. and Fry, M.  
Cell adhesion and acquisition of detergent resistance by the cytoskeleton of cultured chick fibroblasts (552) 307
- Gorga, F.R., see Baldwin, S.A. (552) 183
- Gould, M.K., see Narahara, H.T. (552) 247
- Gradmann, D., see Freudling, C. (552) 358
- Granatek, C.H., see Goldin, E.M. (552) 120
- Grathwohl, C., Newman, G.E., Phizackerley, P.J.R. and Twon, M.-H.  
Structural studies on lamellated osmophilic bodies isolated from pig lung. <sup>31</sup>P NMR results and water content (552) 509
- Green, J.D., see Narahara, H.T. (552) 247
- Guerreiro, M.M., see Ferreira, K.T.G. (552) 341
- Guzzo, J., see Cox, M. (552) 162
- Harder, M.E. and Banaszak, L.J.  
Small angle X-ray scattering from the inner and outer membranes from *Escherichia coli* (552) 89
- Hardy, M.A.  
Roles of Na<sup>+</sup> and Ca<sup>2+</sup> in the inhibition by low pH of the hydrosmotic response to serosal hypertonicity in toad bladder (552) 169
- Harkness, J.E. and White, R.D.  
An ultrasonic study of the thermotropic transition of dipalmitoyl phosphatidylcholine (552) 450
- Herring, F.G. and Weeks, G.  
Analysis of *Dictyostelium discoideum* plasma membrane fluidity by electron spin resonance (552) 66
- Herschkowitz, N.N., see Jutzi, H. (552) 413
- Holohan, P.D., see Kinsella, J.L. (552) 468
- Huber, G., see Cox, M. (552) 162
- Hung, C., see Lau, P.-W. (552) 499
- Ikehara, Y., see Oda, K. (552) 212
- Ikehara, Y., see Oda, K. (552) 225
- Imae, T., Fasman, G.D. and Tashjian, Jr., A.H.  
Quenching of intrinsic tryptophan fluorescence in membranes of rat pituitary cells (552) 103
- Ishikawa, T., see Oda, K. (552) 212
- Jackson, C.M., see Pickard, W.F. (552) 1
- Jackson, C.M., see Sehgal, K.C. (552) 11
- Joiner, C.H. and Lauf, P.K.  
Temperature dependence of active K<sup>+</sup> transport in cation dimorphic sheep erythrocytes (552) 540
- Junge, W., see Kaupp, U.B. (552) 390
- Jutzi, H., Siegrist, H.P., Burkart, T., Wiesmann, U. and Herschkowitz, N.N.  
Diminished cerebroside-sulfotransferase activity in the Jimpy mouse mutant due to altered lipid composition in microsomal membranes (552) 413
- Kanai, K., see Kusaka, I. (552) 492
- Kasai, R., see Nozawa, Y. (552) 38
- Kato, K., see Oda, K. (552) 212
- Kato, K., see Oda, K. (552) 225
- Kaupp, U.B., Schnetkamp, P.P.M. and Junge, W.  
Light-induced calcium release in isolated intact cattle rod outer segments upon photoexcitation of rhodopsin (552) 390
- Kawanami, J.-I., see Sugita, K. (552) 404
- Kent, R.A., see Narahara, H.T. (552) 247
- Kessler, M., see Siliprandi, L. (552) 129
- Kinsella, J.L., Holohan, P.D., Pessah, N.I. and Ross, C.R.  
Isolation of luminal and antiluminal membranes from dog kidney cortex (552) 468
- Klomp makers, A.A., see Schnetkamp, P.P.M. (552) 379
- Krulwich, T.A., see Mandel, K.G. (552) 478
- Kusaka, I. and Kanai, K.  
Characterization of glutamate transport system in hydrophobic protein (H protein) of *Bacillus subtilis* (552) 492
- Lau, P.-W., Hung, C., Minakata, K., Schwartz, E. and Asakura, T.  
Spin-label studies of membrane-associated denatured hemoglobin in normal and sickle cells (552) 499
- Lauf, P.K., see Joiner, C.H. (552) 540
- Läuger, P.  
A channel mechanism for electrogenic ion pumps (552) 143
- Läuger, P., see Apell, H.-J. (552) 369
- Lee, A.G., see Rogers, J. (552) 23
- Lienhard, G.E., see Baldwin, S.A. (552) 183
- Luisetti, J., Möhwald, H. and Galla, H.J.  
Monitoring the location profile of fluoro-

- phores in phosphatidylcholine bilayers by the use of paramagnetic quenching (552) 519
- Lutz, H.U., Von Däniken, A., Semenza, G. and Bächli, T.  
Glycophorin-enriched vesicles obtained by a selective extraction of human erythrocyte membranes with non-ionic detergent (552) 262
- Mandel, K.G. and Krulwich, T.A.  
D-Gluconate transport in *Arthrobacter*  
Metabolic trapping of a protonated solute (552) 478
- Martin, T., see Puskin, J.S. (552) 53
- Mateu, L., see Padrón, R. (552) 535
- Michel, G., see Besson, F. (552) 558
- Miljanich, G.P., Sklar, L.A., White, D.L. and Dratz, E.A.  
Disaturated and dipolyunsaturated phospholipids in the bovine retinal rod outer segment disk membrane (552) 294
- Miller, N.E. and Yin, J.A.  
Effects of microtubule-disruptive and membrane-stabilizing agents on low density lipoprotein metabolism by cultured human fibroblasts (552) 428
- Minakata, K., see Lau, P.-W. (552) 499
- Möhwald, H., see Luisetti, J. (552) 519
- Montecucco, C., Pozzan, T. and Rink, T.  
Dicarbocyanine fluorescent probes of membrane potential block lymphocyte capping, deplete cellular ATP and inhibit respiration of isolated mitochondria (552) 552
- Nagel, W.  
Inhibition of potassium conductance by barium in frog skin epithelium (552) 346
- Narahara, H.T., Vogrin, V.G., Green, J.D., Kent, R.A. and Gould, M.K.  
Isolation of plasma membrane vesicles, derived from transverse tubules, by selective homogenization of subcellular fractions of frog skeletal muscle in isotonic media (552) 247
- Neuhaus, F.C., see Weppner, W.A. (552) 418
- Newman, G.E., see Grathwohl, C. (552) 509
- Nozawa, Y., Kasai, R. and Sekiya, T.  
Modification of membrane lipids. Phenethyl alcohol-induced alteration of lipid composition in *Tetrahymena* membranes (552) 38
- Oda, K., Ikehara, Y. and Kato, K.  
Isolation of Golgi fractions from colchicine-treated rat liver. II. Electrophoretic characterization (552) 225
- Oda, K., Ikehara, Y., Ishikawa, T. and Kato, K.  
Isolation of Golgi fractions from colchicine-treated rat liver. I. Morphological and enzymic characterization (552) 212
- Ohki, S. and Düzgünes, N.  
Divalent cation-induced interaction of phospholipid vesicle and monolayer membranes (552) 438
- Ohnishi, S.I., see Tokutomi, S. (552) 78
- Oliveira-Castro, G.M., see Dos Reis, G.A. (552) 331
- Padrón, R., Mateu, L. and Requena, J.  
A dynamic X-ray diffraction study of anesthesia action. Thickening of the myelin membrane by n-pentane (552) 535
- Persechini, P.M., see Dos Reis, G.A. (552) 331
- Persson, A., see Åkerlund, H.-E. (552) 238
- Pessah, N.I., see Kinsella, J.L. (552) 468
- Peypoux, F., see Besson, F. (552) 558
- Phizackerley, P.J.R., see Grathwohl, C. (552) 509
- Pickard, W.F., Sehgal, K.C. and Jackson, C.M.  
Measurement of phospholipid monolayer surface potentials at a hydrocarbon-electrolyte interface (552) 1
- Pickard, W.F., see Sehgal, K.C. (552) 11
- Pozzan, T., see Montecucco, C. (552) 552
- Puskin, J.S. and Martin, T.  
Divalent cation binding to phospholipid vesicles. Dependence on temperature and lipid fluidity (552) 53
- Razin, S., see Amar, A. (552) 457
- Requena, J., see Padrón, R. (552) 535
- Ribeiro, J.M.C., see Dos Reis, G.A. (552) 331
- Rink, T., see Montecucco, C. (552) 552
- Rodriguez-Navarro, A. and Sancho, E.D.  
Cation exchanges of yeast in the absence of magnesium (552) 322
- Rogers, J., Lee, A.G. and Wilton, D.C.  
The organization of cholesterol and ergosterol in lipid bilayers based on studies using non-perturbing fluorescent sterol probes (552) 23
- Ross, C.R., see Kinsella, J.L. (552) 468
- Rottem, S., see Amar, A. (552) 457
- Sancho, E.D., see Rodriguez-Navarro, A. (552) 322

- Sato, K., see Sugita, K. (552) 404
- Schnetkamp, P.P.M., Klompmakers, A.A. and Daemen, F.J.M.  
The isolation of stable cattle rod outer segments with an intact plasma membrane (552) 379
- Schnetkamp, P.P.M., see Kaupp, U.B. (552) 390
- Schwartz, E., see Lau, P.-W. (552) 499
- Sehgal, K.C., Pickard, W.F. and Jackson, C.M.  
Phospholipid monolayers at the hydrocarbon-electrolyte interface. The interrelation of film potential and film pressure (552) 11
- Sekiya, K.C., see Pickard, W.F. (552) 1
- Sekiya, T., see Nozawa, Y. (552) 38
- Semenza, G., see Lutz, H.U. (552) 262
- Semenza, G., see Siliprandi, L. (552) 129
- Shook, A., see Cox, M. (552) 162
- Siegrist, H.P., see Jutzi, H. (552) 413
- Siliprandi, L., Vanni, P., Kessler, M. and Semenza, G.  
 $\text{Na}^+$ -dependent, electroneutral L-ascorbate transport across brush border membrane vesicles from guinea pig small intestine (552) 129
- Singer, I., see Cox, M. (552) 162
- Sklar, L.A., see Miljanich, G.P. (552) 294
- Sonenberg, M., see Dembo, M. (552) 201
- Stone, W.L., see Farnsworth, C.C. (552) 281
- Sugita, K., Arita, H., Sato, K. and Kawamura, J.-I.  
Studies on antiviral glycosides. II. Mode of action for virucidal effects on Sendai virus (552) 404
- Svensson, W.M., see Ferreira, K.T.G. (552) 178
- Svensson, W.M., see Ferreira, K.T.G. (552) 341
- Tashjian, Jr., A.H., see Imae, T. (552) 103
- Tokutomi, S., Eguchi, G. and Ohnishi, S.I.  
Disappearance of calcium-induced phase separation in phosphatidylserine-phosphatidylcholine membranes caused by protonation and by electric current (552) 78
- Town, M.H., see Garthwohl, C. (552) 509
- Trahms, L. and Boroske, E.  
Pulse NMR study of phase transitions in dipalmitoyl phosphatidylcholine multilayer systems (552) 189
- Vanni, P., see Siliprandi, L. (552) 129
- Verkleij, A.J., see Cullis, P.R. (552) 546
- Vogel, K.G. and Dolde, J.  
Cell-surface glycosaminoglycans are not released from human diploid fibroblasts by non-enzymatic methods (552) 194
- Vogrin, V.G., see Narahara, H.T. (552) 247
- Von Däniken, A., see Lutz, H.U. (552) 262
- Weeks, G., see Herring, F.G. (552) 66
- Weisman-Shomer, P., see Gonen, A. (552) 307
- Weppner, W.A. and Neuhaus, F.C.  
Initial membrane reaction in peptidoglycan synthesis. Interaction of lipid with phospho-N-acetylmuramyl-pentapeptide translocase (552) 418
- White, D.L., see Miljanich, G.P. (552) 294
- White, R.D., see Harkness, J.E. (552) 450
- Wiesmann, U., see Jutzi, H. (552) 413
- Wilton, D.C., see Rogers, J. (552) 23
- Yin, J.A., see Miller, N.E. (552) 428
- Zilversmit, D.B., see DiCorleto, P.E. (552) 114