

AUTHOR INDEX

- Akera, T., see Yamamoto, S. (555) 270
- Amiell, J., see Hare, F. (555) 388
- Anner, B.M., see Jørgensen, P.L. (555) 485
- Balaban, R.S. and Mandel, L.J.
Comparison of the effects of increased intracellular calcium and anti-diuretic hormone on active Na^+ transport in frog skin. A study with the calcium ionophore A 23187 (555) 1
- Baldini, P., see Luly, P. (555) 366
- Barratt, M.D. and Weaver, A.C.
The interaction of 3,3',4'-5-tetrachlorosalicylanilide with phosphatidylcholine bilayers (555) 337
- Bergeron, J.J.M.
Golgi fractions from livers of control and ethanol-intoxicated rats. Enzymic and morphologic properties following rapid isolation (555) 493
- Bers, D.M.
Isolation and characterization of cardiac sarcolemma (555) 131
- Bierbaum, T.J., Bouma, S.R. and Huestis, W.H.
A mechanism of erythrocyte lysis by lysophosphatidylcholine (555) 102
- Bouma, S.R., see Bierbaum, T.J. (555) 102
- Brain, A.P.R., see Furtado, D. (555) 352
- Brody, T.M., see Yamamoto, S. (555) 270
- Calhoun, W.I. and Shipley, G.G.
Fatty acid composition and thermal behavior of natural sphingomyelins (555) 436
- Chan, S.I., see Lindsey, H. (555) 147
- Chapman, D., see Restall, C.J. (555) 119
- Chasis, J.A., see Marchesi, S.L. (555) 442
- Cook, P., see Zade-Oppen, A.M.M. (555) 285
- Corchs, J.L., Serrani, R.E. and Palchick, M.
Effects of bilirubin on potassium ($^{86}\text{Rb}^+$) influx and ionic content in Ehrlich ascites cells (555) 512
- Crane, F.L., see Schilling, E.E. (555) 504
- Cullis, P.R., see Verkleij, A.J. (555) 358
- Dalton, T.
Selective destruction of 5-hydroxytryptamine receptors by neuraminidase (555) 362
- De Gier, J., see De Kruijff, B. (555) 200
- De Kruijff, B., Van den Besselaar, A.M.H.P., Van den Bosch, H. and Van Deenen, L.L.M.
Inside-outside distribution and diffusion of phosphatidylcholine in rat sarcoplasmic reticulum as determined by ^{13}C NMR and phosphatidylcholine exchange protein (555) 181
- De Kruijff, B., Verkleij, A.J., Van Echteld, C.J.A., Gerritsen, W.J., Mombers, C., Noordam, P.C. and De Gier, J.
The occurrence of lipidic particles in lipid bilayers as seen by ^{31}P NMR and freeze-fracture electron-microscopy (555) 200
- De Kruijff, B., see Van den Besselaar, A.M.H.P. (555) 193
- Drake, A.F. and Hider, R.C.
The structure of melittin in lipid bilayer membranes (555) 371
- Eaton, D.C., see Wills, N.K. (555) 519
- Van Echteld, C.J.A., see De Kruijff, B. (555) 200
- Eibl, H., see Harlos, K. (555) 409
- Elgamal, M., see Tredgold, R.H. (555) 381
- Fernando, M.A., see Thompson, J.E. (555) 472
- Ferreira, K.T.G.
The relationship of K^+ efflux at the inner surface of the isolated frog skin epithelium to the short circuit current (555) 13
- Forbush, B. III. and Hoffman, J.F.
Direct photoaffinity labeling of the primary region of the ouabain binding site of $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ with $[^3\text{H}]\text{ouabain}$, $[^3\text{H}]\text{digitoxin}$, and $[^3\text{H}]\text{digitoxigenin}$ (555) 299
- Foster, D.M., Jacquez, J.A., Lieb, W.R. and Stein, W.D.
A high affinity site for sugar transport at

- the inner face of the human erythrocyte membrane? (555) 349
- Furtado, D., Williams, W.P., Brain, A.P.R. and Quinn, P.J.
Phase separations in membranes of *Anacystis nidulans* grown at different temperatures (555) 352
- Gaitan, E., see Pace, C.S. (555) 111
- Gerritsen, W.J., Verkleij, A.J. and Van Deenen, L.L.M.
The lateral distribution of intramembrane particles in the erythrocyte membrane and recombinant vesicles (555) 26
- Gerritsen, W.J., see De Kruijff, B. (555) 200
- Gerritsen, W.J., see Verkleij, A.J. (555) 358
- Goldenberg, H., see Schilling, E.E. (555) 504
- Gross, Z. and Rottem, S.
Lipid distribution in *Acholeplasma laidlawii* membrane. A study using the lactoperoxidase-mediated iodination (555) 547
- Gurd, J.W.
Molecular and biosynthetic heterogeneity of fucosyl glycoproteins associated with rat brain synaptic junctions (555) 221
- Hare, F., Amiel, J. and Lussan, C.
Is an average viscosity tenable in lipid bilayers and membranes? A comparison of semi-empirical equivalent viscosities given by unbound probes: A nitroxide and a fluorophore (555) 388
- Harlos, K., Strümpel, J. and Eibl, H.
Influence of pH on phosphatidic acid multilayers. A rippled structure at high pH values (555) 409
- Haug, A., see Janoff, A.S. (555) 56
- Hider, R.C., see Drake, A.F. (555) 371
- Höfer, M., see Von Hedenström, M. (555) 169
- Hoffman, J.F., see Forbush, B. III. (555) 299
- Huestis, W.H., see Bierbaum, T.J. (555) 102
- Hui, S.W. and Strozewski, C.M.
Electron diffraction studies of human erythrocyte membrane and its lipid extracts. Effects of hydration, temperature and hydrolysis (555) 417
- Iacobazzi, V., see Palmieri, F. (555) 531
- Ifshin, M.S., see Wills, N.K. (555) 519
- Incerpi, S., see Luly, P. (555) 366
- Iqbal, Z. and Weidekamm, E.
Pre-resonance Raman spectra and conformations of nystatin in powder, solution and phospholipid-cholesterol multilayers (555) 426
- Jacquez, J.A., see Foster, D.M. (555) 349
- Janoff, A.S., Haug, A. and McGroarty, E.J.
Relationship of growth temperature and thermotropic lipid phase changes in cytoplasmic and outer membranes from *Escherichia coli* K12 (555) 56
- Jayakumar, A., see Singh, M. (555) 42
- Jørgensen, P.L. and Anner, B.M.
Purification and characterization of $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$. VIII. Altered $\text{Na}^+:\text{K}^+$ transport ratio in vesicles reconstituted with purified $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ that has been selectively modified with trypsin in presence of NaCl (555) 485
- Komor, E., Schwab, W.G.W. and Tanner, W.
The effect of intracellular pH on the rate of hexose uptake in *Chlorella* (555) 524
- LaBelle, E.F.
Effect of cholesterol on the valinomycin-mediated uptake of rubidium into erythrocytes and phospholipid vesicles (555) 259
- Lee, J.W., see Ting, A. (555) 239
- Leunissen-Bijvelt, J., see Verkleij, A.J. (555) 358
- Lewis, S.A., see Wills, N.K. (555) 519
- Lieb, W.R., see Foster, D.M. (555) 349
- Lindsey, H., Petersen, N.O. and Chan, S.I.
Physicochemical characterization of 1,2-diphytanoyl-sn-glycero-3-phosphocholine in model membrane systems (555) 147
- Luly, P., Baldini, P., Incerpi, S. and Tria, E.
Hypoglycemic drugs increase liver plasma membrane microviscosity in vitro (555) 366
- Lussan, C., see Hare, F. (555) 388
- Mallon, D.E., see Niederman, R.A. (555) 210
- Mandel, L.J., see Balaban, R.S. (555) 1
- Marchesi, S.L. and Chasis, J.A.
Isolation of human platelet glycoproteins (555) 442
- Mayer, M.M., see Shin, M.L. (555) 79
- McElhaney, R.N., see Silvius, J.R. (555) 175
- McGroarty, E.J., see Janoff, A.S. (555) 56
- Mehl, E., see Reddington, M. (555) 230
- Michaels, D.W.
Membrane damage by a toxin from the sea anemone *Stoichactis helianthus*. I. Formation of transmembrane channels in lipid bilayers (555) 67
- Michaels, D.W., see Shin, M.L. (555) 79
- Mombers, C., see De Kruijff, B. (555) 200

- Mombers, C., see Verkleij, A.J. (555) 358
 Morré, D.J., see Schilling, E.E. (555) 504
- Naquira, D., see Schneeweis, F. (555) 460
 Niederman, R.A., Mallon, D.E. and Parks, L.C.
 Membranes of *Rhodopseudomonas sphaeroides*. VI. Isolation of a fraction enriched in newly synthesized bacteriochlorophyll *a*-protein complexes (555) 210
 Noordam, P.C., see De Kruijff, B. (555) 200
- Pace, C.S. and Gaitan, E.
 The differential effect of thyrotropin on the electrical responses of thyroid cells in monolayer cultures of varying duration (555) 111
 Palchick, M., see Corchs, J.L. (555) 512
 Palmieri, F., Stipani, I. and Iacobazzi, V.
 The transport of L-cysteinylsulfinate in rat liver mitochondria (555) 531
 Parks, L.C., see Niederman, R.A. (555) 210
 Pasternak, J., see Thompson, J.E. (555) 472
 Percival, M.P., see Restall, C.J. (555) 119
 Petersen, N.O., see Lindsey, H. (555) 147
 Pooler, J.P. and Valenzano, D.P.
 Titration of sodium channel sites of hydrogen ion block and sensitized photochemical modification of lobster axons (555) 307
 Prasad, R., see Singh, M. (555) 42
- Quinn, P.J., see Furtado, D. (555) 352
 Quinn, P.J., see Restall, C.J. (555) 119
- Read, B.D., see Silvius, J.R. (555) 175
 Reddington, M. and Mehl, E.
 Synaptic membrane proteins as substrates for cyclic AMP-stimulated protein phosphorylation in various regions of rat brain (555) 230
 Restall, C.J., Williams, P., Percival, M.P., Quinn, P.J. and Chapman, D.
 The modulation of membrane fluidity by hydrogenation processes. III. The hydrogenation of biomembranes of spinach chloroplasts and a study of the effect of this on photosynthetic electron transport (555) 119
 Rosenheck, K., see Schneeweiss, F. (555) 460
 Rottem, S., see Gross, Z. (555) 547
- Schilling, E.E., Goldenberg, H., Morré, D.J. and Crane, F.L.
 Distribution of insulin receptors among mouse liver endomembranes (555) 504
 Schindler, H.
 Exchange and interactions between lipid layers at the surface of a liposome solution (555) 316
 Schneeweis, F., Naquira, D., Rosenheck, K. and Schneider, A.S.
 Cholinergic stimulants and excess potassium ion increase the fluidity of plasma membranes isolated from adrenal chromaffin cells (555) 460
 Schneider, A.S., see Schneeweiss, F. (555) 460
 Schooler, J.M., Jr., see Zade-Oppen, A.M.M. (555) 285
 Schwab, W.G.W., see Komor, E. (555) 524
 Sepúlveda, F.V., see Smith, M.W. (555) 374
 Serrani, R.E., see Corchs, J.L. (555) 512
 Shin, M.L., Michaels, D.W. and Mayer, M.M.
 Membrane damage by a toxin from the sea anemone *Stoichactis helianthus*. II. Effect of membrane lipid composition in a liposome system (555) 79
 Shipley, G.G., see Calhoun, W.I. (555) 436
 Silvius, J.R., Read, B.D. and McElhaney, R.N.
 Thermotropic phase transitions of phosphatidylcholines with odd-numbered *n*-acyl chains (555) 175
 Singh, M., Jayakumar, A. and Prasad, R.
 The effect of altered ergosterol content on the transport of various amino acids in *Candida albicans* (555) 42
 Smith, M.W. and Sepúlveda, F.V.
 Sodium dependence of neutral amino acid uptake into rabbit ileum (555) 374
 Stein, W.D., see Foster, D.M. (555) 349
 Stipani, I., see Palmieri, F. (555) 531
 Strozewski, C.M., see Hui, S.W. (555) 417
 Strümpel, J., see Harlos, K. (555) 409
- Tanner, W., see Komor, E. (555) 524
 Teissie, J.
 Fluorescence temperature jump relaxations of dansylphosphatidylethanolamine in aqueous dispersions of dipalmitoylphosphatidylcholine during the gel to liquid-crystal transition (555) 552
 Thompson, J.E., Fernando, M.A. and Pasternak, J.
 Induction of gel-phase lipid in plasma membrane of chick intestinal cells after coccidial infection (555) 472
 Ting, A., Lee, J.W. and Vidaver, G.A.
 Calcium transport by pigeon erythrocyte membrane vesicles (555) 239
 Tosteson, D.C., see Zade-Oppen, A.M.M. (555) 285

- Tredgold, R.H. and Elgamal, M.
A study of the incorporation of cytochrome oxidase into planar synthetic membranes (555) 381
- Tria, E., see Luly, P. (555) 366
- Valenzeno, D.P., see Pooler, J.P. (555) 307
- Van Deenen, L.L.M., see De Kruijff, B. (555) 181
- Van Deenen, L.L.M., see Gerritsen, W.J. (555) 26
- Van Deenen, L.L.M., see Van den Besselaar, A.M.H.P. (555) 193
- Van den Besselaar, A.M.H.P., De Kruijff, B., Van den Bosch, H. and Van Deenen, L.L.M.
Transverse distribution and movement of lysophosphatidylcholine in sarcoplasmic reticulum membranes as determined by ^{13}C NMR and lysophospholipase (555) 193
- Van den Besselaar, A.M.H.P., see De Kruijff, B. (555) 181
- Van den Bosch, H., see De Kruijff, B. (555) 181
- Van den Bosch, H., see Van den Besselaar, A.M.H.P. (555) 193
- Van Dijk, P.W.M.
Negatively charged phospholipids and their position in the cholesterol affinity sequence (555) 89
- Verkleij, A.J., see Gerritsen, W.J. (555) 26
- Verkleij, A.J., see De Kruijff, B. (555) 200
- Verkleij, A.J., Mombers, C., Gerritsen, W.J., Leunissen-Bijvelt, J. and Cullis, P.R.
Fusion of phospholipid vesicles in association with the appearance of lipidic particles as visualized by freeze fracturing (555) 358
- Vidaver, G.A. see Ting, A. (555) 239
- Vidaver, G.A., see Yeung, W.K. (555) 249
- Von Hedeström, M. and Höfer, M.
The effect of nystatin on active transport in *Rhodotorula glutinis* (gracilis) is restricted to the plasma membrane (555) 169
- Weaver, A.C., see Barratt, M.D. (555) 337
- Weidekamm, E., see Iqbal, Z. (555) 426
- Weisman, G., see Yeung, W.K. (555) 249
- Williams, P., see Restall, C.J. (555) 119
- Williams, W.P., see Furtado, D. (555) 352
- Wills, N.K., Eaton, D.C., Lewis, S.A. and Ifshin, M.S.
Current-voltage relationship of the basolateral membrane of a tight epithelium (555) 519
- Yamamoto, S., Akera, T., Brody, T.M.
Sodium influx rate and ouabain-sensitive rubidium uptake in isolated guinea pig atria (555) 270
- Yeung, W.K., Weisman, G. and Vidaver, G.A.
Active Ca^{2+} transport by vesicles reconstituted from Triton X-100-solubilized pigeon erythrocyte membrane (555) 249
- Zade-Oppen, A.M.M., Schooler, J.M., Jr., Cook, P. and Tosteson, D.C.
Effect of membrane potential and internal pH on active sodium-potassium transport and on ATP content in high potassium sheep erythrocytes (555) 285