

AUTHOR INDEX

- Atkins, G.L.
Simulation studies on the kinetics of intestinal absorption (596) 426
- Bach, D. and Sela, B.-A.
A differential scanning calorimetry study of the interaction of gangliosides with peanut lectin, serotonin and daunomycin (596) 186
- Bader, H., see Wierichs, R. (596) 325
- Baldini, P., see Leoni, S. (596) 451
- Ballas, S.K., see Kansu, E. (596) 18
- Bangham, A.D., see Nichols, J.W. (596) 393
- Ben-Chetrit, E., see Kahane, I. (596) 10
- Bienvenue, A., see Davoust, J. (596) 28
- Bindsløv, N., see Eldrup, E. (596) 152
- Black, B.L., Jarrett, L. and McDonald, J.M.
Relationship between calcium ion transport and $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase activity in adipocyte endoplasmic reticulum (596) 359
- Bloemendal, H., see Ramaekers, F.C.S. (596) 57
- Blostein, R., see Drapeau, P. (596) 372
- Boheim, G., see Hanke, W. (596) 456
- Borst-Pauwels, G.W.F.H., see Derks, W.J.G. (596) 381
- Brendzel, A.M. and Miller, I.F.
Liposome filtration. Dependence on transition temperature (596) 129
- Brown, D., Grosso, A. and De Sousa, R.C.
Isoproterenol-induced intramembrane particle aggregation and water flux in toad epidermis (596) 158
- Burgess, L.W., see Schwartz, S.E. (596) 404
- Cameron, D.G., Casal, H.L., Gudgin, E.F. and Mantsch, H.H.
The gel phase of dipalmitoyl phosphatidylcholine. An infrared characterization of the acyl chain packing (596) 463
- Caplan, S.R., see Corcia, A. (596) 264
- Casal, H.L., see Cameron, D.G. (596) 463
- Cheney, M., see Schwartz, S.E. (596) 404
- Cherry, R.J., Müller, U., Holenstein, C. and Heyn, M.P.
Lateral segregation of proteins induced by cholesterol in bacteriorhodopsin-phospholipid vesicles (596) 145
- Chiovetti, R., Jr., see Fountain, M.W. (596) 420
- Conti Devirgiliis, L., see Leoni, S. (596) 451
- Corcia, A., Lahav, J. and Caplan, S.R.
Effect of ouabain on electrical conductance of frog skin. Evidence against recycling of sodium (596) 264
- Cresswell, R.C., see Rees, T.A.V. (596) 141
- Cunningham, E.B., see Varghese, S. (596) 468
- Curtain, C.C., Looney, F.D. and Smelstorius, J.A.
Lipid domain formation and ligand-induced lymphocyte membrane changes (596) 43
- Dambach, G., see Friedmann, N. (596) 180
- Davoust, J., Bienvenue, A., Fellman, P. and Devaux, P.F.
Boundary lipids and protein mobility in rhodopsin-phosphatidylcholine vesicles. Effect of lipid phase transitions (596) 28
- Deamer, D.W., see Nichols, J.W. (596) 393
- DeGrip, W.J., see Rothschild, K.J. (596) 338
- De Kruijff, B., see Van Meer, G. (596) 1
- Demediuk, P., see Moscatelli, E.A. (596) 331
- Derks, W.J.G. and Borst-Pauwels, G.W.F.H.
Interactions of monovalent cations with Rb^+ and Na^+ uptake in yeast (596) 381
- De Sousa, R.C., see Brown, D. (596) 158
- Detriche, G., see Heitz, F. (596) 137
- Devaux, P.F., see Davoust, J. (596) 28
- Dolly, J.O., see Spokes, J.W. (596) 81
- Drapeau, P. and Blostein, R.
Sodium and potassium interactions with Na^+ -ATPase of inside-out membrane vesicles from high- K^+ and low- K^+ sheep red cells (596) 372
- Earhart, C.F., see Fletcher, G. (596) 210
- Eaton, B.M., see Yudilevich, D.L. (596) 315
- Eldrup, E., Møllgård, K. and Bindsløv, N.
Possible epithelial sodium channels visual-

- ized by freeze-fracture (596) 152
 El Mashak, E.M. and Tocanne, J.F.
 Polymyxin B-phosphatidylglycerol interactions. A monolayer (π , ΔV) study (596) 165
- Fellman, P., see Davoust, J. (596) 28
 Fisher, D., see Raymond, F.D. (596) 445
 Fletcher, G. and Earhart, C.F.
 Alterations in the cell envelope of *Escherichia coli* late in bacteriophage T4 infection (596) 210
- Fountain, M.W., Chiovetti, R., Jr., Kercret, H., Parrish, D.O. and Segrest, J.P.
 Liposome-cell interactions. A rapid assay for cells in suspension culture (596) 420
- Friedberg, I., see Peleg, E. (596) 118
 Friedmann, N. and Dambach, G.
 Antagonistic effect of insulin on glucagon-evoked hyperpolarization. A correlation between changes in membrane potential and gluconeogenesis (596) 180
- Fudyma, G., see Katz, A.M. (596) 94
- Galla, H.-J. and Luisetti, J.
 Lateral and transversal diffusion and phase transitions in erythrocyte membranes. An excimer fluorescence study (596) 108
- Garrahan, P.J., see Rega, A.F. (596) 487
 Giordana, B., see Hanozet, G.M. (596) 81
 Grosso, A., see Brown, D. (596) 158
 Gudgin, E.F., see Cameron, D.G. (596) 463
 Gutknecht, J., see Simon, S.A. (596) 338
- Hanke, W. and Boheim, G.
 The lowest conductance state of the alamethicin pore (596) 456
- Hanozet, G.M., Giordana, B. and Sacchi, V.F.
 K^+ -dependent phenylalanine uptake in membrane vesicles isolated from the midgut of *Philosamia cynthia* larvae (596) 481
- Hayashi, K., Yamada, K., Ohe, K., Miyoshi, A. and Kawasaki, T.
 Block of acid secretion by amytal and its partial reversal by menadione with ascorbate in the gastric mucosa of the guinea-pig (596) 414
- Heitz, F., Lotz, B., Detriche, G. and Spach, G.
 Poly(DTrp-LLeu), poly(DPhe-LLeu) and poly(DVal-LVal-DVal-LAla) as model polymers for the elucidation of the gramicidin A conformation (596) 137
- Heyn, M.P., see Cherry, R.J. (596) 145
 Hill, M.W., see Nichols, J.W. (596) 393
 Holenstein, C., see Cherry, R.J. (596) 145
- Incerpi, S., see Leoni, S. (596) 451
- Jarrett, L., see Black, B.L. (596) 359
 Johnston, D. and Melnykovich, G.
 Effects of dexamethasone on the fluorescence polarization of diphenylhexatriene in HeLa cells (596) 320
- Kahane, I., Ben-Chetrit, E., Shifter, A. and Rachmilewitz, E.A.
 The erythrocyte membranes in β -thalassemia. Lower sialic acid levels in glycophorin (596) 10
- Kansu, E., Krasnow, S.H. and Ballas, S.K.
 Spectrin loss during in vitro red cell lysis (596) 18
- Katz, A.M., Louis, C.F., Repke, D.I., Fudyma, G., Nash-Adler, P.A. Kupsaw, R. and Shigekawa, M.
 Time-dependent changes of calcium influx and efflux rates in rabbit skeletal muscle sarcoplasmic reticulum (596) 94
- Kawasaki, T., see Hayashi, K. (596) 414
 Kercret, H., see Fountain, M.W. (596) 420
 Kimmich, G.A. and Randles, J.
 Evidence for an intestinal Na^+ : sugar transport coupling stoichiometry of 2.0 (596) 439
- Krasnow, S.H., see Kansu, E. (596) 18
 Kupsaw, R., see Katz, A.M. (596) 94
 Lahav, J., see Corcia, A. (596) 264
- Leoni, S., Spagnuolo, S., Conti Devirgiliis, L., Baldini, P., Incerpi, S. and Luly, P.
 Effect of colchicine on rat liver plasma membrane (596) 451
- Looney, F.D., see Curtain, C.C. (596) 43
 Lotz, B., see Heitz, F. (596) 137
 Louis, C.F., see Katz, A.M. (596) 94
 Low, M.G. and Zilversmit, D.B.
 Phosphatidylinositol distribution and translocation in sonicated vesicles. A study with exchange protein and phospholipase C (596) 223
- Luisetti, J., see Galla, H.-J. (596) 108
 Luly, P., see Leoni, S. (596) 451
- Machida, K. and Ohnishi, S.-I.
 Effect of bilayer membrane curvature on activity of phosphatidylcholine exchange protein (596) 201
- Mantsch, H.H., see Cameron, D.G. (596) 463
 Maruyama, T.
 The Transepithelial shunt pathway in the renal proximal tubule of newt kidney (596) 476
- McDonald, J.M., see Black, B.L. (596) 359
 Melnykovich, G., see Johnston, D. (596) 320

- Miller, I.F., see Brendzel, A.M. (596) 129
- Miyoshi, A., see Hayashi, K. (596) 414
- Møllgård, K., see Eldrup, E. (596) 152
- Moscatelli, E.A. and Demediuk, P.
Effects of chronic consumption of ethanol and low-thiamin, low-protein diets on the lipid composition of rat whole brain and brain membranes (596) 331
- Müller, U., see Cherry, R.J. (596) 145
- Nash-Adler, P.A., see Katz, A.M. (596) 94
- Nichols, J.W., Hill, M.W., Bangham, A.D. and Deamer, D.W.
Measurement of net proton-hydroxyl permeability of large unilamellar liposomes with the fluorescent pH probe, 9-amino-acridine (596) 393
- Ohe, K., see Hayashi, K. (596) 414
- Ohki, K., see Tokutomi, S. (596) 192
- Ohnishi, S.-I., see Machida, K. (596) 201
- Ohnishi, S.-I., see Tokutomi, S. (596) 192
- Op den Kamp, J.A.F., see Van Meer, G. (596) 1
- Palva, E.T.
Protein neighborhoods in the outer membrane of *Salmonella typhimurium* (596) 235
- Parrish, D.O., see Fountain, M.W. (596) 420
- Peleg, E., Tietz, A. and Friedberg, I.
Effects of salts and ionophores on proline transport in a moderately halophilic halotolerant bacterium (596) 118
- Poensgen, J. and Ullrich, V.
Transfer of cytochrome b_5 and NADPH cytochrome c reductase between membranes (596) 248
- Rachmilewitz, E.A., see Kahane, I. (596) 10
- Ralston, G.B., see White, M.D. (596) 472
- Ramaekers, F.C.S., Selden-Versteegen, A.M.E. and Bloemendal, H.
Interaction of newly synthesized α -crystallin with isolated lens plasma membranes (596) 57
- Randles, J., see Kimmich, G.A. (596) 439
- Raymond, F.D. and Fisher, D.
Partition of rat erythrocytes in aqueous polymer two-phase systems (596) 445
- Rees, T.A.V., Cresswell, R.C. and Syrett, P.J.
Sodium-dependent uptake of nitrate and urea by a marine diatom (596) 141
- Rega, A.F. and Garrahan, P.J.
Effects of calmodulin on the phosphoenzyme of the Ca^{2+} -ATPase of human red cell membranes (596) 487
- Repke, D.I., see Katz, A.M. (596) 94
- Rodriguez, H.J. and Yates, J.T.
Studies on amino acid incorporation in isolated toad bladder epithelial cells. Seasonal changes in protein synthesis (596) 64
- Rothschild, K.J., DeGrip, W.J. and Sanches, R.
Fourier transform infrared study of photoreceptor membrane. I. Group assignments based on rhodopsin delipidation and reconstitution (596) 338
- Sacchi, V.F., see Hanozet, G.M. (596) 481
- Sanches, R., see Rothschild, K.J. (596) 338
- Schwartz, S.E., Stauffer, J.Q., Burgess, L.W. and Cheney, M.
Oxalate uptake by everted sacs of rat colon. Regional differences and the effects of pH and ricinoleic acid (596) 404
- Segrest, J.P., see Fountain, M.W. (596) 420
- Sela, B.-A., see Bach, D. (596) 186
- Selten-Versteegen, A.M.E., see Ramaekers, F.C.S. (596) 57
- Shifter, A., see Kahane, I. (596) 10
- Shigekawa, M., see Katz, A.M. (596) 94
- Silverman, M., see Turner, R.J. (596) 272
- Simon, S.A. and Gutknecht, J.
Solubility of carbon dioxide in lipid bilayer membranes and organic solvents (596) 352
- Smelstorius, J.A., see Curtain, C.C. (596) 43
- Spach, G., see Heitz, F. (596) 137
- Spagnuolo, S., see Leoni, S. (596) 451
- Spokes, J.W. and Dolly, J.O.
Complete purification of β -bungarotoxin. Characterization of its action and that of tityustoxin on synaptosomal accumulation and release of acetylcholine (596) 81
- Stauffer, J.Q., see Schwartz, S.E. (596) 404
- Syrett, P.J., see Rees, T.A.V. (596) 141
- Tietz, A., see Peleg, E. (596) 118
- Tocanne, J.F., see El Mashak, E.M. (596) 165
- Tokutomi, S., Ohki, K. and Ohnishi, S.-I.
Proton-induced phase separation in phosphatidylserine/phosphatidylcholine membranes (596) 192
- Turner, R.J. and Silverman, M.
Testing carrier models of cotransport using the binding kinetics of non-transported competitive inhibitors (596) 272
- Ullman, E.F., see Van der Werf, P. (596) 302
- Ullrich, V., see Poensgen, J. (596) 248

- Van Deenen, L.L.M., see Van Meer, G. (596) 1
- Van der Werf, P. and Ullman, E.F.
Monitoring of phospholipid vesicle fusion by fluorescence energy transfer between membrane-bound dye labels (596) 302
- Van Meer, G., De Kruijff, B., Op den Kamp, J.A.F. and Van Deenen, L.L.M.
Preservation of bilayer structure in human erythrocytes and erythrocyte ghosts after phospholipase treatment. A ^{31}P -NMR study (596) 1
- Varghese, S. and Cunningham, E.B.
The influence of adenosine 3',5'-monophosphate upon the activity of the membrane-associated ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-dependent adenosine triphosphatase of the human erythrocyte (596) 468
- Weiner, M.W.
The effects of bicarbonate and hydroxyl ions on chloride transport by toad bladders (596) 292
- White, M.D. and Ralston, G.B.
A water-extractable Ca^{2+} -ATPase from erythrocyte membranes (596) 472
- Wierichs, R. and Bader, H.
Influence of monovalent ions on the activity of the ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase and Ca^{2+} transport of human red blood cells (596) 325
- Yamada, K., see Hayashi, K. (596) 414
- Yates, J.T., see Rodriguez, H.J. (596) 64
- Yudilevich, D.L. and Eaton, B.M.
Amino acid carriers at maternal and fetal surfaces of the placenta studied by single circulation paired-tracer dilution. Kinetics of phenylalanine transport (596) 315
- Zilversmit, D.B., see Low, M.G. (596) 223