

AUTHOR INDEX

- Abraham, G. and Low, P.S.
Covalent labelling of specific membrane carbohydrate residues with fluorescent probes (597) 284
- Akamatsu, Y., see Maeda, M. (597) 552
- Åkerman, K.E.O., see Huttunen, M.T. (597) 273
- Allen, T.M. and Cleland, L.G.
Serum-induced leakage of liposome contents (597) 417
- Ansary, M., see Jarvis, S.M. (597) 183
- Apostolov, K., see Blenkarn, J.I. (597) 357
- Archibald, A.L., see Jarvis, S.M. (597) 183
- Atlas, D., Volsky, D.J. and Levitzki, A.
Lateral mobility of β -receptors involved in adenylate cyclase activation (597) 64
- Axelrod, D., see Thompson, N.L. (597) 155
- Bagilet, L.K., see Keil-Dlouha, V. (597) 15
- Balaram, P., see Narayanan, R. (597) 70
- Barchi, R.L. and Murphy, L.E.
Size characteristics of the solubilized sodium channel saxitoxin binding site from mammalian sarcolemma (597) 390
- Barrow, D.A. and Lentz, B.R.
Large vesicle contamination in small, unilamellar vesicles (597) 92
- Barts, P.W.J.A., Hoeberichts, J.A., Klaassen, A. and Borst-Pauwels, G.W.F.H.
Uptake of the lipophilic cation dibenzyl-dimethylammonium into *Saccharomyces cerevisiae*. Interaction with the thiamine transport system (597) 125
- Bauriedel, G., see Werdan, K. (597) 363
- Benz, R. and Zimmermann, U.
Pulse-length dependence of the electrical breakdown in lipid bilayer membranes (597) 637
- Blenkarn, J.I. and Apostolov, K.
The effect of iodination on the haemolytic property and the fatty acids of Newcastle disease virus (597) 357
- Bloom, M., see Davis, J.H. (597) 477
- Blume, A., see Gruenewald, B. (597) 41
- Blumenthal, R., see Ralston, E. (597) 543
- Bogus, E.R., see Patton, S. (597) 215
- Bonting, S.L., see Schuurmans Stekhoven, F.M.A.H. (597) 100
- Bonting, S.L., see Schrijen, J.J. (597) 330
- Borsova, L.V., see Zaslavsky, B.Y. (597) 53
- Borst-Pauwels, G.W.F.H., see Barts, P.W.J.A. (597) 125
- Bozsik, M., see Werdan, K. (597) 363
- Branton, D., see Cohen, C.M. (597) 29
- Bromm, B., see Schwarz, J.R. (597) 383
- Brown, A.E. and Elovson, J.
Subfractionation of liver membrane preparations by specific ligand-induced density perturbation (597) 257
- Bruscalupi, G., Curatola, G., Lenaz, G., Leoni, S., Mangiantini, M.T., Mazzanti, L., Spagnuolo, S. and Trentalance, A.
Plasma membrane changes associated with rat liver regeneration (597) 246
- Bucana, C., see Raz, A. (597) 615
- Burnell, E., Van Alphen, L., Verkleij, A. and De Kruijff, B.
 ^{31}P nuclear magnetic resonance and freeze-fracture electron microscopy studies on *Escherichia coli*. I. Cytoplasmic membrane and total phospholipids (597) 492
- Burnell, E., see Van Alphen, L. (597) 502
- Burnell, E., Van Alphen, L., Verkleij, A., De Kruijff, B. and Lugtenberg, B.
 ^{31}P nuclear magnetic resonance and freeze-fracture electron microscopy studies in *Escherichia coli*. III. The outer membrane (597) 518
- Butler, K.W., see Davis, J.H. (597) 477
- Caputto, R., see Cumar, F.A. (597) 174
- Caspers, J., see Goormaghtigh, E. (597) 1
- Chatelain, P., see Goormaghtigh, E. (597) 1
- Cleland, L.G., see Allen, T.M. (597) 417
- Cohen, C.M., Kramer, R.M. and Branton, D.
Transbilayer mapping of membrane proteins using membranes isolated on polylysine-coated polyacrylamide beads (597) 29
- Corry, W.D., Meiselman, H.J. and Hochstein, P.

- Tertiary-butyl hydroperoxide induced changes in the physicochemical properties of human erythrocytes (597) 223
- Cowden, M.W., see Jung, C.Y. (597) 145
- Cullis, P.R. and Hope, M.J.
The bilayer stabilizing role of sphingomyelin in the presence of cholesterol. A ^{31}P NMR study (597) 533
- Cumar, F.A., Maggio, B. and Caputto, R.
Neurotransmitter movements in nerve endings. Influence of substances that modify the interfacial potential (597) 174
- Curatola, G., see Bruscalupi, G. (597) 246
- Davis, J.H., Bloom, M., Butler, K.W. and Smith, I.C.P.
The temperature dependence of molecular order and the influence of cholesterol in *Acholeplasma laidlawii* membranes (597) 477
- Dang, Q.Q., Dedieu, J.C. and Douste-Blazy, L.
Effect of succinylphosphatidylcholine on phosphatidylcholine vesicles. Structural studies by gel chromatography, electron microscopy and nuclear magnetic resonance (597) 464
- Dedieu, J.C., see Dang, Q.Q. (597) 464
- De Kruijff, B., see Burnell, E. (597) 492
- De Kruijff, B., see Burnell, E. (597) 518
- De Pont, J.J.H.H.M., see Schuurmans Stekhoven, F.M.A.H. (597) 100
- De Pont, J.J.H.H.M., see Schrijen, J.J. (597) 330
- Desmazes, J.P., see Duclohier, H. (597) 622
- Doi, O., see Maeda, M. (597) 552
- Doust-Blazy, L., see Dang, Q.Q. (597) 464
- Duclohier, H., Desmazes, J.P. and Georgescauld, D.
Electrophysiological modifications induced by the fluorescent probe, pyrene, on *Myxicola* giant axons (597) 622
- Elovson, J., see Brown, A.E. (597) 257
- Erdmann, E., see Werdan, K. (597) 363
- Esgate, J.A., see Sauerheber, R.D. (597) 291
- Fernandez, M.S.
Formation of micelles and membrane action of the local anesthetic tetracaine hydrochloride (597) 83
- Filion-Myklebust, C., see Solum, N.O. (597) 234
- Flatmark, T., see Terland, O. (597) 317
- Georgescauld, D., see Duclohier, H. (597) 622
- Grishin, E.V., see Mozhayeva, G.N. (597) 587
- Goormaghtigh, E., Chatelain, P., Caspers, J. and Ruysschaert, J.M.
Evidence of a specific complex between adriamycin and negatively-charged phospholipids (597) 1
- Gordon, L.M., see Sauerheber, R.D. (597) 291
- Gresh, N.
Intermolecular chelation of two serine phosphates by Ca^{2+} and Mg^{2+} . A theoretical structural investigation (597) 344
- Gruenewald, B., Blume, A. and Watanabe, F.
Kinetic investigations on the phase transition of phospholipid bilayers (597) 41
- Hagen, I., see Solum, N.O. (597) 234
- Harkness, R.A., see Jarvis, S.M. (597) 183
- Henkart, P., see Ralston, E. (597) 543
- Hochstein, P., see Corry, W.D. (597) 223
- Hoeberichts, J.A., see Barts, P.W.J.A. (597) 125
- Hope, M.J., see Cullis, P.R. (597) 533
- Hucho, F., see Schiebler, W. (597) 626
- Huttunen, M.T. and Åkerman, K.E.O.
Measurements of membrane potentials in *Escherichia coli* K-12 inner membrane vesicles with the safranin method (597) 273
- Jarvis, S.M., Young, J.D., Ansay, M., Archibald, A.L., Simmonds, R.J. and Harkness, R.A.
Is inosine the physiological energy source of pig erythrocytes? (597) 183
- Jørgensen, P.L. and Karlsh, S.J.D.
Defective conformational response in a selectively trypsinized ($\text{Na}^+ + \text{K}^+$)-ATPase studied with tryptophan fluorescence (597) 304
- Jung, C.Y., Pinkofsky, H.B. and Cowden, M.W.
Cytochalasin B-binding proteins in rabbit erythrocyte membranes and their post-natal change in relation to the glucose carrier activity (597) 145
- Junker, K.
Inhibition by dexamethasone of the in vivo transport of 3-O-methylglucose into rat thymocytes (597) 398
- Karlsh, S.J.D., see Jørgensen, P.L. (597) 304
- Karlsh, S.J.D., see Muallem, S. (597) 631
- Kawaguchi, T. and Konishi, K.
Relation between phosphorylation and adenosine triphosphate-dependent Ca^{2+}

- binding of swine and bovine erythrocyte membranes (597) 577
- Keil, B., see Keil-Dlouha, V. (597) 15
- Keil-Dlouha, V., Paulin, D., Bagilet, L.K. and Keil, B.
A comparison of surface proteins in embryonal carcinoma cells and their differentiated derivatives (597) 15
- Kempf, C., see Sigrist, H. (597) 137
- Klaassen, A., see Barts, P.W.J.A. (597) 125
- Konishi, K., see Kawaguchi, T. (597) 577
- Kosinez, G.I., see Zaslavsky, B.Y. (597) 53
- Kramer, R.M., see Cohen, C.M. (597) 29
- Krawietz, W., see Werdan, K. (597) 363
- Lee, P.P., Weppner, W.A. and Neuhaus, F.C.
Initial membrane reaction in peptidoglycan synthesis. Perturbation of lipid-phospho-N-acetylmuramyl-pentapeptide translocase interactions by n-butanol (597) 603
- Lenaz, G., see Bruscalupi, G. (597) 246
- Lentz, B.R., see Barrow, D.A. (597) 92
- Leoni, S., see Bruscalupi, G. (597) 246
- Leung, J.G.M.
Liposomes. Effect of temperature on their mode of action on single frog skeletal muscle fibers (597) 426
- Levitzki, A., see Atlas, D. (597) 64
- Lewis, U.J., see Sauerheber, R.D. (597) 291
- Lopez, J.R. and Tien, H.T.
Photoelectrospectrometry of bilayer lipid membranes (597) 433
- Low, P.S., see Abraham, G. (597) 284
- Lugtenberg, B., see Van Alphen, L. (597) 502
- Lugtenberg, B., see Burnell, E. (597) 518
- Luyben, W.A.H.M., see Schrijen, J.J. (597) 330
- Macdonald, A.G., see MacNaughtan, W. (597) 193
- MacDonald, R.C., see McIntosh, T.J. (597) 445
- MacDonald, R.I.
Lipid phase states influence glycoporphin reconstitution (597) 189
- MacNaughtan, W. and Macdonald, A.G.
Effects of gaseous anaesthetics and inert gases on the phase transition in smectic mesophases of dipalmitoyl phosphatidylcholine (597) 193
- Maeda, M., Doi, O. and Akamatsu, Y.
Behavior of vesicular stomatitis virus glycoprotein in mouse LM cells with modified membrane-phospholipids (597) 552
- Maggio, B., see Cumar, F.A. (597) 174
- Mak, N., see Silvius, J.R. (597) 199
- Mangiantini, M.T., see Bruscalupi, G. (597) 246
- Mazzanti, L., see Bruscalupi, G. (597) 246
- McElhaney, R.N., see Silvius, J.R. (597) 199
- McIntosh, T.J., Simon, S.A. and MacDonald, R.C.
The organization of n-alkanes in lipid bilayers (597) 445
- Meiselman, H.J., see Corry, W.D. (597) 223
- Miheeva, L.M., see Zaslavsky, B.Y. (597) 53
- Mirchey, A.K., see Wright, E.M. (597) 112
- Mølstad, P.
The efflux of L-carnitine from cells in culture (CCL 27) (597) 166
- Mozhayeva, G.N., Naumov, A.P., Nosyreva, E.D. and Grishin, E.V.
Potential-dependent interaction of toxin from venom of the scorpion *Buthus eupeus* with sodium channels in myelinated fibre. Voltage clamp experiments (597) 587
- Muallem, S. and Karlish, S.J.D.
Regulatory interaction between calmodulin and ATP on the red cell Ca^{2+} pump (597) 631
- Munck, B.G.
Transport of sugars and amino acids across guinea pig small intestine (597) 410
- Murphy, L.E., see Barchi, R.L. (597) 390
- Narayanan, R., Paul, R. and Balaram, P.
Fluorescent probe studies of mixed micelles of phospholipids and bile salts. Effect of cholesterol incorporation (597) 70
- Naumov, A.P., see Mozhayeva, G.N. (597) 587
- Neuhaus, F.C., see Lee, P.P. (597) 603
- Nosyreva, E.D., see Mozhayeva, G.N. (597) 587
- Ochs, G., see Schwarz, J.R. (597) 383
- Patton, S., Bogus, E.R., Stemberger, B.H. and Trams, E.G.
Antiserum to the milk fat globule membrane. Preparation and capacity to suppress milk secretion (597) 215
- Paul, R., see Narayanan, R. (597) 70
- Paulin, D., see Keil-Dlouha, V. (597) 15
- Pinkofsky, H.B., see Jung, C.Y. (597) 145
- Ralston, E., Blumenthal, R., Weinstein, J.N., Sharrow, S.O. and Henkart, P.
Lysophosphatidylcholine in liposomal membranes. Enhanced permeability but

- little effect on transfer of a water-soluble fluorescent marker into human lymphocytes (597) 543
- Raz, A. and Bucana, C.
The redistribution of membrane surface immunoglobulin induces the rearrangement of some membrane integral proteins (597) 615
- Remacle, J.
The binding of cytochrome b_5 to plasma membranes of rat liver. Its implication for membrane specificity and biogenesis (597) 564
- Rogozhin, S.V., see Zaslavsky, B.Y. (597) 53
- Ruysschaert, J.M., see Goormaghtigh, E. (597) 1
- Sauerheber, R.D., Gordon, L.M., Esgate, J.A. and Lewis, U.J.
Effect of calcium, insulin and growth hormone on membrane fluidity. A spin label study of rat adipocyte and human erythrocyte ghosts (597) 291
- Schiebler, W. and Hucho, F.
Reconstitution of active acetylcholine receptor by hybridisation of binding site-blocked with ion channel-blocked acetylcholine receptor protein (597) 626
- Schrijen, J.J., Luyben, W.A.H.M., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on ($K^+ + H^+$)-ATPase. I. Essential arginine residue in its substrate binding center (597) 330
- Schuurmans Stekhoven, F.M.A.H., Swarts, H.G.P., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on ($Na^+ + K^+$)-activated ATPase. XLIV. Single phosphate incorporation during dual phosphorylation by inorganic phosphate and adenosine triphosphate (597) 100
- Schwarz, J.R., Bromm, B. and Ochs, G.
Phenobarbital induces slow recovery from sodium inactivation at the nodal membrane (597) 383
- Sharrow, S.O., see Ralston, E. (597) 543
- Sigrist, H., Kempf, C. and Zahler, P.
Interaction of phenylisothiocyanate with human erythrocyte band 3 protein. I. Covalent modification and inhibition of phosphate transport (597) 137
- Silvius, J.R., Mak, N. and McElhaney, R.N.
Lipid and protein composition and thermotropic lipid phase transitions in fatty acid-homogeneous membranes of *Acholeplasma laidlawii* B (597) 199
- Simmonds, R.J., see Jarvis, S.M. (597) 183
- Simon, S.A., see McIntosh, T.J. (597) 445
- Smith, I.C.P., see Davis, J.H. (597) 477
- Solum, N.O., Hagen, I., Filion-Myklebust, C. and Stabaek, T.
Platelet glycolcalicin. Its membrane association and solubilization in aqueous media (597) 234
- Spagnuolo, S., see Bruscalupi, G. (597) 246
- Stabaek, T., see Solum, N.O. (597) 234
- Stemberger, B.H., see Patton, S. (597) 215
- Swarts, H.G.P., see Schuurmans Stekhoven, F.M.A.H. (597) 100
- Terland, O. and Flatmark, T.
Oxidoreductase activities of chromaffin granule ghosts isolated from the bovine adrenal medulla (597) 317
- Thompson, N.L. and Axelrod, D.
Reduced lateral mobility of a fluorescent lipid probe in cholesterol-depleted erythrocyte membrane (597) 155
- Tien, H.T., see Lopez, J.R. (597) 433
- Trams, E.G., see Patton, S. (597) 215
- Trentalance, A., see Bruscalupi, G. (597) 246
- Van Alphen, L., see Burnell, E. (597) 492
- Van Alphen, L., Verkleij, A., Burnell, E. and Lugtenberg, B.
 ^{31}P nuclear magnetic resonance and freeze-fracture electron microscopy studies on *Escherichia coli*. II. Lipopolysaccharide and lipopolysaccharide-phospholipid complexes (597) 502
- Van Alphen, L., see Burnell, E. (597) 518
- Van Os, C.H., see Wright, E.M. (597) 112
- Verkleij, A., see Burnell, E. (597) 492
- Verkleij, A., see Van Alphen, L. (597) 502
- Verkleij, A., see Burnell, E., (597) 518
- Volsky, D.J., see Atlas, D. (597) 64
- Watanabe, F., see Gruenewald, B. (597) 41
- Weinstein, J.N., see Ralston, E. (597) 543
- Weppner, W.A., see Lee, P.P. (597) 603
- Werdan, K., Bauriedel, G., Bozsik, M., Kra-wietz, W. and Erdmann, E.
Effects of vanadate in cultured rat heart muscle cells. Vanadate transport, intracellular binding and vanadate-induced changes in beating and in active cation flux (597) 363
- Wright, E.M., Van Os, C.H. and Mircheff, A.K.
Sugar uptake by intestinal basolateral membrane vesicles (597) 112
- Young, J.D., see Jarvis, S.M. (597) 183
- Zahler, P., see Sigrist, H. (597) 137
- Zaslavsky, B.Y., Miheeva, L.M., Rogozhin, S.V., Borsova, L.V. and Kosinez, G.I.
Various topochemical arrangements of sialic acids on human erythrocytes as detected by partition in aqueous two-polymer phase systems (597) 53
- Zimmermann, U., see Benz, R. (597) 637