

AUTHOR INDEX

- Albertsson, P.-Å., see Andersson, B. (599) 391
- Andersson, B., Sundby, C. and Albertsson, P.-Å.
A mechanism for the formation of inside-out membrane vesicles. Preparation of inside-out vesicles from membrane-paired randomized chloroplast lamellae (599) 391
- Arslan, P., see Massari, S. (599) 110
- Arslan, P., see Massari, S. (599) 118
- Aso, Y., Kano, K. and Matsuo, T.
Energy transfer in artificial membrane systems. Singlet-singlet energy transfer from alloxazines to isoalloxazines in dipalmitoyl phosphatidylcholine liposomes and dialkylammonium chloride vesicles (599) 403
- Aull, F.
Inhibition of Ehrlich ascites cell anion transport by 1-isothiocyanate-4-benzene-sulfonic acid (599) 580
- Baldwin, J.M., Lienhard, G.E. and Baldwin, S.A.
The monosaccharide transport system of the human erythrocyte. Orientation upon reconstitution (599) 699
- Baldwin, S.A., see Baldwin, J.M. (599) 699
- Baldy, S., see Motais, R. (599) 673
- Baroin, A., see Motais, R. (599) 673
- Billington, D., see Coleman, R. (599) 294
- Bindels, R.J.M., see Theuvsen, A.P.R. (599) 587
- Birbeck, M.S.C., see Heath, T.D. (599) 42
- Bocharova, L.S., see Chemeris, N.K. (599) 731
- Bolard, J., Seigneuret, M. and Boudet, G.
Interaction between phospholipid bilayer membranes and the polyene antibiotic amphotericin B. Lipid state and cholesterol content dependence (599) 280
- Bonting, S.L., see Jansen, J.W.C.M. (599) 315
- Boudet, G., see Bolard, J. (599) 280
- Bruckdorfer, K.R., see Madden, T.D. (599) 528
- Burckhardt, G., Kinne, R., Stange, G. and Murer, H.
The effects of potassium and membrane potential on sodium-dependent glutamic acid uptake (599) 191
- Cantley, L.C., see Powell, L.D. (599) 436
- Castellino, F.J., see Morris, D.A.N. (599) 380
- Chan, S.I., see Eigenberg, K.E. (599) 330
- Chapman, D., see Madden, T.D. (599) 528
- Chemeris, N.K., Bocharova, L.S. and Geletyuk, V.I.
Trypsin-induced masking of tetrodotoxin receptor of the sodium channels in mollusc neurones (599) 731
- Christensen, H.N., see Ohsawa, M. (599) 175
- Clemetson, K.J., see McGregor, J.L. (599) 473
- Coleman, R., Lowe, P.J. and Billington, D.
Membrane lipid composition and susceptibility to bile salt damage (599) 294
- Colonna, R., see Massari, S. (599) 110
- Colonna, R., see Massari, S. (599) 118
- Conrard, D.J., see Pugsley, A.P. (599) 1
- Copeland, B.R. and McConnell, H.M.
The rippled structure in bilayer membranes of phosphatidylcholine and binary mixtures of phosphatidylcholine and cholesterol (599) 95
- Cossins, A.R., Kent, J. and Prosser, C.L.
A steady state and differential polarised phase fluorimetric study of the liver microsomal and mitochondrial membranes of thermally acclimated green sunfish (*Lepomis cyanellus*) (599) 341
- Davies, A.J.S., see Heath, T.D. (599) 42
- De Bongioanni, L.C., see Ramos, E.H. (599) 214
- Dechavanne, M., see McGregor, J.L. (599) 473
- De Jong, M.D., see Ghijsen, W.E.J.M. (599) 538
- De Kruijff, B., see Teerlink, T. (599) 484
- Demel, R.A., see Teerlink, T. (599) 484
- De Pont, J.J.H.H.M., see Jansen, J.W.C.M. (599) 315

- Diedrich, D.F., see Hanke, D.W. (599) 652
 Diedrich, D.F., see Warden, D.A. (599) 664
- Eibl, H., see Stümpel, J. (599) 464
- Eigenberg, K.E. and Chan, S.I.
 The effect of surface curvature on the head-group structure and phase transition properties of phospholipid bilayer vesicles (599) 330
- Evans, J.O., see Hanke, D.W. (599) 652
 Evans, J.O., see Warden, D.A. (599) 664
- Fannin, F.F., see Hanke, D.W. (599) 652
 Fannin, F.F., see Warden, D.A. (599) 664
- Feracci, H. and Maroux, S.
 Rabbit intestinal aminopeptidase N. Purification and molecular properties (599) 448
- Fernandez, J.L., Roseblatt, M. and Hidalgo, C.
 Highly purified sarcoplasmic reticulum vesicles are devoid of Ca^{2+} -independent ('basal') ATPase activity (599) 552
- Fleuren-Jakobs, A.M.M., see Jansen, J.W.C.M. (599) 315
- Foley, J.E., Foley, R. and Gliemann, J.
 Rate-limiting steps of 2-deoxyglucose uptake in rat adipocytes (599) 689
- Foley, R., see Foley, J.E. (599) 689
- Fontaine, O., see Matsumoto, T. (599) 13
- Fudyma, G., see Louis, C.F. (599) 610
- Gaarn, A., see Ramjeesingh, M. (599) 127
- Galla, H.-J. and Trudell, J.R.
 Asymmetric antagonistic effects of an inhalation anesthetic and high pressure on the phase transition temperature of dipalmitoyl phosphatidic acid bilayers (599) 336
- Geletyuk, V.I., see Chemeris, N.K. (599) 731
- Ghijsen, W.E.J.M., de Jong, M.D. and van Os, C.H.
 Dissociation between Ca^{2+} -ATPase and alkaline phosphatase activities in plasma membranes of rat duodenum (599) 538
- Glaumann, H., see Ingelman-Sundberg, M. (599) 417
- Glenney, J.R., Jr. and Walborg, E.F., Jr.
 Accessibility of plasma membrane sialoglycoconjugates of Novikoff tumor cells to exogenous neuraminidase and proteases (599) 493
- Gliemann, J., see Foley, J.E. (599) 689
- Goshima, K., see Masuda, A. (599) 596
- Gregg, T.I., see Pugsley, A.P. (599) 1
- Hanke, D.W., see Warden, D.A. (599) 664
- Hanke, D.W., Warden, D.A., Evans, J.O., Fannin, F.F. and Diedrich, D.F.
 The kinetic advantage for transport into hamster intestine of glucose generated from phlorizin by brush border β -glucosidases (599) 652
- Harlos, K., see Stümpel, J. (599) 464
- Heath, T.D., Robertson, D., Birbeck, M.S.C. and Davies, A.J.S.
 Covalent attachment of horseradish peroxidase to the outer surface of liposomes (599) 42
- Henry, J.P., see Scherman, D. (599) 150
- Hidalgo, C., see Fernandez, J.L. (599) 552
- Hiller, R.G. and Raison, J.K.
 The fluidity of chloroplast thylakoid membranes and their constituent lipids. A comparative study by ESR (599) 63
- Holman, G.D.
 An allosteric pore model for sugar transport in human erythrocytes (599) 202
- Ingelman-Sundberg, M. and Glaumann, H.
 Incorporation of purified components of the rabbit liver microsomal hydroxylase system into phospholipid vesicles (599) 417
- Inoko, Y.
 Mode of binding of cytochrome b_5 to phospholipid bilayers in lamellar structure (599) 359
- James, E., see McGregor, J.L. (599) 473
- Jansen, J.W.C.M., Schreurs, V.V.A.M., Swarts, H.G.P., Fleuren-Jakobs, A.M.M., de Pont, J.J.H.H.M. and Bonting, S.L.
 Role of calcium in exocrine pancreatic secretion. VI. Characteristics of the paracellular pathway for divalent cations (599) 315
- Johnstone, R.M. and Laris, P.C.
 Bimodal effects of cellular amino acids on Na^+ -dependent amino acid transport in Ehrlich cells (599) 715
- Kameyama, Y., see Nozawa, Y. (599) 232
- Kano, K., see Aso, Y. (599) 403
- Kasai, R., see Nozawa, Y. (599) 232
- Katz, A.M., see Louis, C.F. (599) 610
- Kawakami, H. and Terayama, H.
 Cell surface proteoglycans as a negative modulator in concanavalin A-mediated agglutination of hepatoma cells (599) 301
- Kent, J., see Cossins, A.R. (599) 341
- Kilberg, M.S., see Ohsawa, M. (599) 175

- Kimmel, G., see Ohsawa, M. (599) 175
- Kinne, R., see Burckhardt, G. (599) 191
- Koenig, E., see Wallis, I. (599) 505
- Keonig, E., see Wallis, I. (599) 518
- Korten, K., Sommer, T.J. and Miller, K.W.
Membrane composition modulates thio-
pentan partitioning in bilayers and bio-
membranes (599) 271
- Lack, L., see Rouse, D.J. (599) 324
- Laris, P.C., see Johnstone, R.M. (599) 715
- Leblanc, G., see Le Grimellec, C. (599) 639
- Le Grimellec, C. and Leblanc, G.
Temperature-dependent relationship
between K^+ influx, Mg^{2+} -ATPase activity,
transmembrane potential and membrane
lipid composition in mycoplasma (599)
639
- Liao, M.J. and Prestegard, J.H.
Fusion kinetics of phosphatidylcholine-
phosphatidic acid mixed lipid vesicles. A
proton nuclear magnetic resonance study
(599) 81
- Lienhard, G.E., see Baldwin, J.M. (599) 699
- Lindsay, R.M., see Lippert, J.L. (599) 32
- Lippert, J.L., Lindsay, R.M. and Schultz, R.
Laser-Raman investigation of lysozyme-
phospholipid interactions (599) 32
- Louis, C.F., Nash-Adler, P.A., Fudyma, G.,
Shigekawa, M. and Katz, A.M.
The modification of the unidirectional cal-
cium fluxes of sarcoplasmic reticulum
vesicles by monovalent cation ionophores
(599) 610
- Lowe, P.J., see Coleman, R. (599) 294
- Lüscher, E.F., see McGregor, J.L. (599) 473
- Madden, T.D., Vigo, C., Bruckdorfer, K.R.
and Chapman, D.
The incorporation of cholesterol into
inner mitochondrial membranes and its
effect on lipid phase transition (599) 528
- Malnoe, A., see Novak-Hofer, I. (599) 167
- Maroux, S., see Feracci, H. (599) 448
- Massari, S., Arslan, P., Nicolussi, A. and
Colonna, R.
I. Phospholipid release from sonicated
vesicles induced by a 'critical' fatty acid
concentration (599) 110
- Massari, S., Arslan, P., Nicolussi, A. and
Colonna, R.
II. Phospholipid exchange and size
enlargement in sonicated vesicles induced
by a 'critical' fatty acid concentration
(599) 118
- Masuda, A. and Goshima, K.
The role of extracellular calcium ions in
HVJ (Sendai virus)-induced cell fusion
(599) 596
- Mattox, S.M. and Thompson, G.A., Jr.
The effects of high concentrations of
sodium or calcium ions on the lipid com-
position and properties of Tetrahymena
membranes (599) 24
- Matsumoto, T., Fontaine, O. and Ras-
mussen, H.
Effect of 1,25-dihydroxyvitamin D-3 on
phosphate uptake into chick intestinal
brush border membrane vesicles (599) 13
- Matsuo, T., see Aso, Y. (599) 403
- Matsuzawa, H., see Yamashita, T. (599) 246
- McDonnell, H.M., see Copeland, B.R. (599)
95
- McGregor, J.L., Clemetson, K.J., James, E.,
Lüscher, E.F. and Dechavanne, M.
Characterization of human blood platelet
membrane proteins and glycoproteins by
their isoelectric point (pI) and apparent
molecular weight using two-dimensional
electrophoresis and surface-labelling tech-
niques (599) 473
- McNeil, R., see Morris, D.A.N. (599) 380
- Miller, K.W., see Korten, K. (599) 271
- Morash, B.D., see Szekely, J.G. (599) 73
- Morris, D.A.N., McNeil, R., Castellino, F.J.
and Thomas, J.K.
Interaction of lysophosphatidylcholine
with phosphatidylcholine bilayers. A
photo-physical and NMR study (599) 380
- Motais, A., see Motais, R. (599) 673
- Motais, R., Baroin, A., Motais, A. and Baldy,
S.
Inhibition of anion and glucose per-
meabilities by anesthetics in erythrocytes.
The mechanisms of action of positively
and negatively charged drugs (599) 673
- Murer, H., see Burckhardt, G. (599) 191
- Nagel, W.
Time course of pump inhibition by oua-
bain in amphibian epithelia (599) 736
- Nash-Adler, P.A., see Louis, C.F. (599) 610
- Nicolussi, A., see Massari, S. (599) 110
- Nicolussi, A., see Massari, S. (599) 118
- Novak-Hofer, I., Malnoe, A. and Stein, E.A.
Regulation of a presynaptic adenylate
cyclase from bovine cerebellum by
 β -adrenergic receptors (599) 167
- Nozawa, Y., Kasai, R., Kameyama, Y. and
Ohki, K.
Age-dependent modifications in mem-
brane lipids. Lipid composition, fluidity
and palmitoyl-CoA desaturase in Tetra-
hymena membranes (599) 232

- Ohki, K., see Nozawa, Y. (599) 232
- Ohsawa, M., Kilberg, M.S., Kimmel, G. and Christensen, H.N.
 Energization of amino acid transport in energy-depleted Ehrlich cells and plasma membrane vesicles (599) 175
- Powell, L.D. and Cantley, L.C.
 Structural changes in $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ accompanying detergent inactivation (599) 436
- Prestegard, J.H., see Liao, M.J. (599) 81
- Prosser, C.L., see Cossins, A.R. (599) 341
- Pugsley, A.P., Conrard, D.J., Schnaitman, C.A. and Gregg, T.I.
 In vivo effects of local anesthetics on the production of major outer membrane proteins by *Escherichia coli* (599) 1
- Raison, J.K., see Hiller, R.G. (599) 63
- Ralston, G.B., see White, M.D. (599) 569
- Ramjeesingh, M., Gaarn, A. and Rothstein, A.
 The location of a disulfonic stilbene binding site in band 3, the anion transport protein of the red blood cell membrane (599) 127
- Ramos, E.H., De Bongioanni, L.C. and Stoppani, A.O.M.
 Kinetics of $\text{L-}[^{14}\text{C}]$ leucine transport in *Saccharomyces cerevisiae*. Effect of energy coupling inhibitors (599) 214
- Rasmussen, H., see Matsumoto, T. (599) 13
- Rink, T.J., see Tsien, R.Y. (599) 623
- Robertson, D., see Heath, T.D. (599) 42
- Rose, S., see Wallis, I. (599) 505
- Roseblatt, M., see Fernandez, J.L. (599) 552
- Rothstein, A., see Ramjeesingh, M. (599) 127
- Rouse, D.J. and Lack, L.
 Short-term studies of taurocholate uptake by ileal brush border membrane vesicles. Anion effects (599) 324
- Scherman, D. and Henry, J.P.
 Oxonol-V as a probe of chromaffin granule membrane potentials (599) 150
- Schnaitman, C.A., see Pugsley, A.P. (599) 1
- Schreurs, V.V.A.M., see Jansen, J.W.C.M. (599) 315
- Schroeder, F.
 Regulation of aminophospholipid asymmetry in murine fibroblast plasma membranes by choline and ethanolamine analogues (599) 254
- Schultz, R., see Lippert, J.L. (599) 32
- Seigneuret, M., see Bolard, J. (599) 280
- Shigekawa, M., see Louis, C.F. (599) 610
- Smith, I.C.P., see Taylor, M.G. (599) 140
- Sommer, T.J., see Korten, K. (599) 271
- Stange, G., see Burckhardt, G. (599) 191
- Stein, E.A., see Novak-Hofer, I. (599) 167
- Stoppani, A.O.M., see Ramos, E.H. (599) 214
- Stümpel, J., Harlos, K. and Eibl, H.
 Charged-induced pretransition in phosphatidylethanolamine multilayers. The occurrence of ripple structures (599) 464
- Sundby, C., see Andersson, B. (599) 391
- Swarts, H.G.P., see Jansen, J.W.C.M. (599) 315
- Szekely, J.G. and Morash, B.D.
 The effect of temperature on capacitance changes in an oscillating model membrane (599) 73
- Tanaka, Y., see Yamashita, T. (599) 246
- Taylor, M.G. and Smith, I.C.P.
 The fidelity of response by nitroxide spin probes to changes in membrane organization. The condensing effect of cholesterol (599) 140
- Teerlink, T., de Kruijff, B. and Demel, R.A.
 The action of pimarin, etruscomycin and amphotericin B on liposomes with varying sterol content (599) 484
- Terayama, H., see Kawakami, H. (599) 301
- Theuvenet, A.P.R. and Bindels, R.J.M.
 An investigation into the feasibility of using yeast protoplasts to study the ion transport properties of the plasma membrane (599) 587
- Thomas, J.K., see Morris, D.A.N. (599) 380
- Thompson, G.A., Jr., see Mattox, S.M. (599) 24
- Trudell, J.R., see Galla, H.-J. (599) 336
- Tsien, R.Y. and Rink, T.J.
 Neutral carrier ion-selective microelectrodes for measurement of intracellular free calcium (599) 623
- Van Os, C.H., see Ghijsen, W.E.J.M. (599) 538
- Verkman, A.S.
 The quenching of an intramembrane fluorescent probe. A method to study the binding and permeation of phloretin through bilayers (599) 370
- Vigo, C., see Madden, T.D. (599) 528
- Yamashita, T., Tanaka, Y. and Matsuzawa, H.
 Cytoplasmic and plasma membrane ade-

- nosine triphosphatase of polymorphonuclear neutrophils. Comparison of their enzymatic properties and attempt for a direct determination of myosin ATPase activity using polymorphonuclear neutrophil extract (599) 246
- Walborg, E.F., Jr., see Glenney, J.R., Jr. (599) 493
- Wallis, I. and Koenig, E.
Effects of denervation on the composition and synthesis of sarcolemmal proteins (599) 518
- Wallis, I., Koenig, E. and Rose, S.
The preparation of a sarcolemmal fraction from evacuated muscle slices (599) 505
- Warden, D.A., Fannin, F.F., Evans, J.O., Hanke, D.W. and Diedrich, D.F.
A hydrolase-related transport system is not required to explain the intestinal uptake of glucose liberated from phlorizin (599) 664
- Warden, D.A., see Hanke, D.W. (599) 652
- White, M.D. and Ralston, G.B.
Purification of a water-soluble Mg^{2+} -ATPase from human erythrocyte membranes (599) 569