

AUTHOR INDEX

Abbas, C.A. and Card, G.L.

The relationships between growth temperature, fatty acid composition and the physical state and fluidity of membrane lipids in *Yersinia enterocolitica* (602) 469

Ailhaud, G., see Paris, S. (602) 644

Akit, J., see Gerson, D.F. (602) 281

Alvarez, L.J., see Candia, O.A. (602) 389

Antoni, F., see Hrabák, A. (602) 87

Ashcroft, R.G., Thulborn, K.R., Smith, J.R., Coster, H.G.L. and Sawyer, W.H.

Perturbations to lipid bilayers by spectroscopic probes as determined by dielectric measurements (602) 299

Ballas, M.L. and Bell, R.M.

Topography of phosphatidylcholine, phosphatidylethanolamine and triacylglycerol biosynthetic enzymes in rat liver microsomes (602) 578

Bayston, J.H., see Bishop, D.G. (602) 248

Bell, R.M., see Ballas, M.L. (602) 578

Beutler, E., see Kondo, T. (602) 127

Bishop, D.G., Kenrick, J.R. Bayston, J.H., Macpherson, A.S. and Johns, S.R.

Monolayer properties of chloroplast lipids (602) 248

Bonting, S.L., see Schoot, B.M. (602) 144

Bookchin, R.M., see Lew, V.L. (602) 196

Bowyer, D.E., see Hauser, H. (602) 567

Brajtburg, J., see Gruda, I. (602) 260

Burch, R.M., see Van Alstyne, E. (602) 131

Butcher, F.R., see Gross, R.L. (602) 635

Cameron, D.G., see Umemura, J. (602) 32

Campbell, K.P., Franzini-Armstrong, C. and Shamoo, A.E.

Further characterization of light and heavy sarcoplasmic reticulum vesicles. Identification of the 'sarcoplasmic reticulum feet' associated with heavy sarcoplasmic reticulum vesicles (602) 97

Candia, O.A., Lanzetta, P.A., Alvarez, L.J. and Gaines, W.

Inhibition of ionic transport and ATPase activities by serotonin analogues in the isolated toad lens (602) 389

Card, G.L., see Abbas, C.A. (602) 469

Chagovetz, A.M., see Malysheva, M.K. (602) 70

Challiss, J.R.A., Taylor, L.P. and Holman, G.D.

Sugar transport asymmetry in human erythrocytes — The effect of bulk haemoglobin removal and the addition of methylxanthines (602) 155

Chapman, D., see Hoffmann, W. (602) 531

Chapman, D., see Johnston, D.S. (602) 57

Chapman, D., see Johnston, D.S. (602) 213

Chicheportiche, R., see Romey, G. (602) 610

Christensen, F., see Sørensen, S.S. (602) 433

Clausen, T., see Sørensen, S.S. (602) 433

Coakley, W.T. and Deeley, J.O.T.

Effects of ionic strength, serum protein and surface charge on membrane movements and vesicle production in heated erythrocytes (602) 355

Corps, A.N., see Pozzan, T. (602) 558

Coster, H.G.L., see Ashcroft, R.G. (602) 299

Cullis, P.R., see De Kruijff, B. (602) 477

Dale, G.L., see Kondo, T. (602) 127

Dawson, R.M.C., see Hauser, H. (602) 567

Deeley, J.O.T., see Coakley, W.T. (602) 355

De Kruijff, B. and Cullis, P.R.

Cytochrome c specifically induces non-bilayer structures in cardiolipin-containing model membranes (602) 477

Delves, P.J., see Tatham, P.E.R. (602) 285

De Pont, J.J.H.H.M., see Schoot, B.M. (602) 144

Diala, E.S., see Evans, I.H. (602) 201

Diehn, B., see Doughty, M.J. (602) 10

Doughty, M.J., Grieser, R. and Diehn, B.

Photosensory transduction in the flagellated alga, *Euglena gracilis*. II. Evidence that blue light effects alteration in Na^+/K^+ permeability of the photoreceptor membrane (602) 10

Dunham, P.B., see Rodland, K.D. (602) 376

Earl, A., see Evans, I.H. (602) 201

Epand, R., see Epand, R.M. (602) 600

- Epand, R.M. and Epand, R.
The role of the phospholipid phase transition in the regulation of glucagon binding to lecithin (602) 600
- Evans, I.H., Diala, E.S., Earl, A. and Wilkie, D.
Mitochondrial control of cell surface characteristics in *Saccharomyces cerevisiae* (602) 201
- Felle, H.
Amine transport at the plasmalemma of *Riccia fluitans* (602) 187
- Franzini-Armstrong, C., see Campbell, K.P. (602) 97
- Frehland, E., see Luger, P. (602) 167
- Gaines, W., see Candia, O.A. (602) 389
- Galla, H.-J. and Trudell, J.R.
Pressure-induced changes in the molecular organization of a lipid-peptide complex. Polymyxin binding to phosphatidic acid membranes (602) 522
- Gerson, D.F.
Cell surface energy, contact angles and phase partition. I. Lymphocytic cell lines in biphasic aqueous mixtures (602) 269
- Gerson, D.F. and Akit, J.
Cell surface energy, contact angles and phase partition. II. Bacterial cells in biphasic aqueous mixtures (602) 281
- Gerson, D.F. and Scheer, D.
Cell surface energy, contact angles and phase partition. III. Adhesion of bacterial cells to hydrophobic surfaces (602) 506
- Girotti, A.W.
Photosensitized cross-linking of erythrocyte membrane proteins. Evidence against participation of amino groups in the reaction (602) 45
- Gol'danskii, V.I., see Torchilin, V.P. (602) 511
- Gotlib, L.J. and Searls, D.B.
Plasma membrane isolation on DEAE-Sephadex beads (602) 207
- Gower, E.J., see Van Alstyne, E. (602) 131
- Graham, L.L., see Walter, H. (602) 309
- Grieser, R., see Doughty, M.J. (602) 10
- Gross, R.L., Kletzien, R.F. and Butcher, F.R.
Characterization of cytochalasin B binding to adult rat liver parenchymal cells in primary culture (602) 635
- Gruda, I., Nadeau, P., Brajtburg, J. and Medoff, G.
Application of differential spectra in the ultraviolet-visible region to study the formation of amphotericin B-sterol complexes (602) 260
- Hancock, I., see Thompson, S. (602) 24
- Hanssens, I., Houthuys, C., Herreman, W. and Van Cauwelaert, F.H.
Interaction of α -lactalbumin with dimyristoyl phosphatidylcholine vesicles. I. A microcalorimetric and fluorescence study (602) 539
- Haschemeyer, A.E.V., see Persell, R. (602) 653
- Hauser, H., Howell, K., Dawson, R.M.C. and Bowyer, D.E.
Rabbit small intestinal brush border membrane. Preparation and lipid composition (602) 567
- Haydon, D.A., see Urban, B.W. (602) 331
- Herreman, W., see Houthuys, C. (602) 539
- Herring, F.G., Tatischeff, I. and Weeks, G.
The fluidity of plasma membranes of *Dictyostelium discoideum*. The effects of polyunsaturated fatty acid incorporation assessed by fluorescence depolarization and electron paramagnetic resonance (602) 1
- Hesketh, T.R., see Pozzan, T. (602) 558
- Hill, M., see Walter, H. (602) 309
- Hladky, S.B., see Urban, B.W. (602) 331
- Hoffmann, W., Restall, C.J., Hyla, R. and Chapman, D.
Protein rotation and chromophore orientation in reconstituted bacteriorhodopsin vesicles (602) 531
- Holman, G.D., see Challiss, J.R.A. (602) 155
- Hopwood, L.E., see Lai, C.-S. (602) 117
- Houthuys, C., see Hanssens, I. (602) 539
- Howell, K., see Hauser, H. (602) 567
- Hrabak, A., Antoni, F. and Szabo, M.T.
A lymphokine-like factor isolated by deoxycholate from the membrane of human lymphocytes (602) 87
- Hungerford, R.T., see Van Alstyne, E. (602) 131
- Huth, P.J. and Shug, A.L.
Properties of carnitine transport in rat kidney cortex slices (602) 621
- Hyla, R., see Hoffmann, W. (602) 531
- Johns, S.R., see Bishop, D.G. (602) 248
- Johnston, D.S., Sanghera, S., Pons, M. and Chapman, D.
Phospholipid polymers — Synthesis and spectral characteristics (602) 57
- Johnston, D.S., Sanghera, S., Manjon-Rubio, A. and Chapman, D.
The formation of polymeric model biomembranes from diacetylenic fatty acids and phospholipids (602) 213
- Kenrick, J.R., see Bishop, D.G. (602) 248

- Kletzien, R.F., see Gross, R.L. (602) 635
- Klibanov, A.L., see Torchilin, V.P. (602) 511
- Knickelbein, R.G., see Van Alstyne, E. (602) 131
- Kondo, T., Dale, G.L. and Beutler, E.
Simple and rapid purification of inside-out vesicles from human erythrocytes (602) 127
- Krob, E.J., see Walter, H. (602) 309
- Lai, C.-S., Hopwood, L.E. and Swartz, H.M.
Electron spin resonance studies of changes in membrane fluidity of Chinese hamster ovary cells during the cell cycle (602) 117
- Lanzetta, P.A., see Candia, O.A. (602) 389
- Läuger, P., Stephan, W. and Frehland, E.
Fluctuations of carrier structure in ionic channels (602) 167
- Lazdunski, M., see Romey, G. (602) 610
- Legendre, S., Letellier, L. and Shechter, E.
Influence of lipids with branched-chain fatty acids on the physical, morphological and functional properties of *Escherichia coli* cytoplasmic membrane (602) 491
- Letellier, L., see Legendre, S. (602) 491
- Lew, V.L. and Bookchin, R.M.
A Ca^{2+} -refractory state of the Ca -sensitive K^+ permeability mechanism in sickle cell anaemia red cells (602) 196
- Lindenmayer, G.E., see Van Alstyne, E. (602) 131
- Lishko, V.K., see Malysheva, M.K. (602) 70
- Macpherson, A.S., see Bishop, D.G. (602) 248
- Malysheva, M.K., Lishko, V.K. and Chagovetz, A.M.
The association of tetrodotoxin-sensitive, sodium-selective ionophore of brain membranes with liposomes (602) 70
- Manjon-Rubio, A., see Johnston, D.S. (602) 213
- Mantsch, H.H., see Umemura, J. (602) 32
- Martin, S.S. and Senior, A.E.
Membrane adenosine triphosphatase activities in rat pancreas (602) 401
- Mateu, L., see Padrón, R. (602) 221
- Medoff, G., see Gruda, I. (602) 260
- Metcalf, J.C., see Pozzan, T. (602) 558
- Mikhailov, A.I., see Torchilin, V.P. (602) 511
- Mitsui, T., see Tsukamoto, Y. (602) 673
- Montecucco, C., see Pozzan, T. (602) 558
- Murata, N., see Tsukamoto, Y. (602) 673
- Nadeau, P., see Gruda, I. (602) 260
- Omel'yanenko, V.G., see Torchilin, V.P. (602) 511
- Ono, T.-A., see Tsukamoto, Y. (602) 673
- Osawa, T., see Suzuki, K. (602) 78
- Padrón, R., Mateu, L. and Requena, J.
A dynamic X-ray diffraction study of anaesthesia action. Changes in myelin structure and electrical activity recorded simultaneously from frog sciatic nerves treated with n-alkanes (602) 221
- Paris, S., Pouyssegur, J. and Ailhaud, G.
Sugar transport in chick embryo cardiac cells in culture. Analysis by countertransport, relationship to phosphorylation and effect of glucose starvation (602) 644
- Persell, R. and Haschemeyer, A.E.V.
Effects of temperature on L-leucine transport in toadfish liver in vivo (602) 653
- Poe, S.L., see Van Alstyne, E. (602) 131
- Pons, M., see Johnston, D.S. (602) 57
- Pouyssegur, J., see Paris, S. (602) 644
- Pozzan, T., Corps, A.N., Montecucco, C., Hesketh, T.R. and Metcalfe, J.C.
Cap formation by various ligands on lymphocytes shows the same dependence on high cellular ATP levels (602) 558
- Requena, J., see Padrón, R. (602) 221
- Restall, C.J., see Hoffmann, W. (602) 531
- Rodland, K.D. and Dunham, P.B.
Kinetics of lithium efflux through the (Na, K) -pump of human erythrocytes (602) 376
- Roitt, I.M., see Tatham, P.E.R. (602) 285
- Romey, G., Chicheportiche, R. and Lazdunski, M.
Transition temperatures of the electrical activity of ion channels in the nerve membrane (602) 610
- Sanghera, S., see Johnston, D.S. (602) 57
- Sanghera, S., see Johnston, D.S. (602) 213
- Sargent, D.F., see Schoch, P. (602) 234
- Sauberman, N. and Snyder, L.M.
Contribution of whole cell and cytoplasmic polypeptides to apparent red cell membrane alterations (602) 323
- Sawyer, W.H., see Ashcroft, R.G. (602) 299
- Scheer, D., see Gerson, D.F. (602) 506
- Schoch, P. and Sargent, D.F.
Quantitative analysis of the binding of melittin to planar lipid bilayers allowing for the discrete-charge effect (602) 234

- Schoot, B.M., Van Emst-de Vries, S.E., Van Haard, P.M.M., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on ($\text{Na}^+ + \text{K}^+$)-activated ATPase. XLVI. Effect of cation-induced conformational changes on sulfhydryl group modification (602) 144
- Searls, D.B., see Gotlib, L.J. (602) 207
- Senior, A.E., see Martin, S.S. (602) 401
- Shamoo, A.E., see Campbell, K.P. (602) 97
- Shechter, E., see Legendre, S. (602) 491
- Shen, L., see Tatham, P.E.R. (602) 285
- Shug, A.L., see Huth, P.J. (602) 621
- Smirnov, V.N., see Torchilin, V.P. (602) 511
- Smith, J.R., see Ashcroft, R.G. (602) 299
- Snyder, L.M., see Sauberman, N. (602) 323
- Sørensen, S.S., Christensen, F. and Clausen, T.
The relationship between the transport of glucose and cations across cell membranes in isolated tissues. X. Effect of glucose transport stimuli on the efflux of isotopically labelled calcium and 3-O-methyl-glucose from soleus muscles and epididymal fat pads of the rat (602) 433
- Stephan, W., see Läger, P. (602) 167
- Suzuki, K., Terao, T. and Osawa, T.
Studies of adenosine 3',5'-monophosphate phosphodiesterase of human erythrocyte membranes (602) 78
- Swartz, H.M., see Lai, C.-S. (602) 117
- Szabó, M.T., see Hrabák, A. (602) 87
- Tatham, P.E.R., Delves, P.J., Shen, L. and Roitt, I.M.
Chemotactic factor-induced membrane potential changes in rabbit neutrophils monitored by the fluorescent dye 3,3'-dipropylthiadicarbocyanine iodide (602) 285
- Tatischeff, I., see Herring, F.G. (602) 1
- Taylor, L.P., see Challiss, J.R.A. (602) 155
- Terao, T., see Suzuki, K. (602) 78
- Thompson, S. and Hancock, I.
Identification of surface proteins of a bacterial membrane using thiolactone-activated polyacrylamide beads (602) 24
- Thulborn, K.R., see Ashcroft, R.G. (602) 299
- Torchilin, V.P., Omel'yanenko, V.G., Klibanov, A.L., Mikhailov, A.I., Gol'danskii, V.I. and Smirnov, V.N.
Incorporation of hydrophilic protein modified with hydrophobic agent into liposome membrane (602) 511
- Trudell, J.R., see Galla, H.-J. (602) 522
- Tsakamoto, Y., Ueki, T., Mitsui, T., Ono, T.-A. and Murata, N.
Relationship between growth temperature of *Anacystis nidulans* and phase transition temperature of its thylakoid membranes (602) 673
- Ueki, T., see Tsakamoto, Y. (602) 673
- Umemura, J., Cameron, D.G. and Mantsch, H.H.
A Fourier transform infrared spectroscopic study of the molecular interaction of cholesterol with 1,2-dipalmitoyl-sn-glycero-3-phosphocholine (602) 32
- Urban, B.W., Hladky, S.B. and Haydon, D.A.
Ion movements in gramicidin pores. An example of single-file transport (602) 331
- Van Alstyne, E., Burch, R.M., Knickelbein, R.G., Hungerford, R.T., Gower, E.J., Webb, J.G., Poe, S.L. and Lindenmayer, G.E.
Isolation of sealed vesicles highly enriched with sarcolemma markers from canine ventricle (602) 131
- Van Cauwelaert, F.H., see Hanssens, I. (602) 539
- Van den Broek, P.J.A. and Van Steveninck, J.
Kinetic analysis of simultaneously occurring proton-sorbose symport and passive sorbose transport in *Saccharomyces fragilis* (602) 419
- Van Emst-de Vries, S.E., see Schoot, B.M. (602) 144
- Van Haard, P.M.M., see Schoot, B.M. (602) 144
- Van Steveninck, J., see Van den Broek, P.J.A. (602) 419
- Van Steveninck, J., see Verweij, H. (602) 591
- Verweij, H. and Van Steveninck, J.
Effects of semicarbazide on oxidative processes in human red blood cell membranes (602) 591
- Walter, H., Graham, L.L., Krob, E.J. and Hill, M.
Correlation between phagocytic and membrane surface properties reflected by partitioning of human peripheral blood monocytes in two-polymer aqueous phases (602) 309
- Watts, C. and Wheeler, K.P.
The characterisation of two partially purified systems for Na^+ -dependent amino acid transport (602) 446

Watts, C. and Wheeler, K.P.

The formation of vesicles retaining sodium-dependent transport systems for amino acids from protein-depleted membranes of pigeon erythrocytes (602) 460

Webb, J.G., see Van Alstyne, E. (602) 131

Weeks, G., see Herring, F.G. (602) 1

Wheeler, K.P., see Watts, C. (602) 446

Wheeler, K.P., see Watts, C. (602) 460

Wilkie, D., see Evans, I.H. (602) 201

Young, J.D.

Effects of thiol-reactive agents on amino acid transport by sheep erythrocytes (602) 661