

AUTHOR INDEX

- Aberlin, M.E. and Litman, G.W.
Differential perturbation of erythrocyte membrane function by structurally related polycyclic aromatic hydrocarbons (640) 595
- Akera, T., Yamamoto, S., Temma, K., Kim, D.-H. and Brody, T.M.
Is ouabain-sensitive rubidium or potassium uptake a measure of sodium pump activity in isolated cardiac muscle? (640) 779
- Allen, R., see Young, R.C. (640) 409
- Allen, T.M.
A study of phospholipid interactions between high-density lipoproteins and small unilamellar vesicles (640) 385
- Alpers, D.H., see Young, G.P. (640) 131
- Anderson, R. and Bilan, P.
Replacement of mouse LM fibroblast choline by a sulfonium analog. Effects on membrane properties as determined by virus probes (640) 91
- Ando, A., Yabuki, M. and Kusaka, I.
 Na^+ -driven Ca^{2+} transport in alkalophilic *Bacillus* (640) 179
- Armstrong, J.B., see McGarrity, J.T. (640) 544
- Aubery, M., see Vernay, M. (640) 31
- Bass, D.A., see O'Flaherty, J.T. (640) 223
- Benov, L.C., see Ribarov, S.R. (640) 721
- Benz, R. and Zimmermann, U.
The resealing process of lipid bilayers after reversible electrical breakdown (640) 169
- Berk, P.D., see Reichen, J. (640) 298
- Bilan, P., see Anderson, R. (640) 91
- Blitzer, B.L., see Reichen, J. (640) 298
- Blondelet, M.-H. and Brachet, P.
The hydrophobic character of the membrane-bound phosphodiesterase from *Dictyostelium discoideum* (640) 572
- Blume, A. and Eibl, H.
A calorimetric study of the thermotropic behaviour of 1,2-dipentadecylmethylidene phospholipids (640) 609
- Bonting, S.L., see Schrijen, J.J. (640) 473
- Bonting, S.L., see Van de Ven (640) 487
- Borghgraef, R., see Gögelein, H. (640) 185
- Bourrillon, R., see Vernay, M. (640) 31
- Brachet, P., see Blondelet, M.-H. (640) 572
- Brodbeck, U., see Di Francesco, C. (640) 359
- Brody, T.M., see Akera, T. (640) 779
- Burgess, A.W., see Watt, S.M. (640) 583
- Bush, S.F., see Levin, I.W. (640) 760
- Butters, T.D. and Hughes, R.C.
Isolation and characterization of mosquito cell membrane glycoproteins (640) 655
- Butters, T.D., Hughes, R.C. and Vischer, P.
Steps in the biosynthesis of mosquito cell membrane glycoproteins and the effects of tunicamycin (640) 672
- Carpinelli, A., see Herchuelz, A. (640) 16
- Carrasquer, G., Chu, T.-C., Schwartz, M., Holloman, T.L. and Rehm, W.S.
Effects of ouabain on frog gastric mucosa in vitro (640) 512
- Choy, P.C., see Panagia, V. (640) 802
- Chu, T.-C., see Carrasquer, G. (640) 512
- Clari, G., Michielin, E. and Moret, V.
Interrelationships between protein kinases and spectrin phosphorylation in human erythrocytes (640) 240
- Coleman, R., see Lowe, P.J. (640) 55
- Cornic, M., see Vernay, M. (640) 31
- Costello, M.J., see Ting-Beall, H.P. (640) 807
- Cousart, S., see O'Flaherty, J.T. (640) 223
- Crombie, G., Snider, R., Faris, B. and Franzblau, C.
Lysine-derived cross-links in the egg shell membrane (640) 365
- Csukas, S., see Hull, D.S. (640) 231
- Cullis, P.R., see Hope, M.J. (640) 82
- Da Cruz, M.E.M., see Lin, J.T. (640) 43
- Davison, A.J., see Kong, S. (640) 313
- De Bruin, G., see Van den Thillart, G. (640) 439
- DeChatelet, L.R., see O'Flaherty, J.T. (640) 223

- De Gier, J., see Mandersloot, J.G. (640) 106
- De Pont, J.J.H.H.M., see Schrijen, J.J. (640) 473
- De Pont, J.J.H.H.M., see Van de Ven (640) 487
- De Smedt, H., see Gögelein, H. (640) 185
- Deuticke, B., see Haest, C.W.M. (640) 535
- De Verteuil, F., Pink, D.A., Vadas, E.B. and Zuckerman, M.J.
Phase diagrams for impure lipid systems. Application to lipid/anaesthetic mixtures (640) 207
- Dhalla, N.S., see Panagia, V. (640) 802
- Di Francesco, C. and Brodbeck, U.
Interaction of human red cell membrane acetylcholinesterase with phospholipids (640) 359
- Dos Reis, G.A., see Oliveira-Castro, G.M. (640) 500
- Dreiling, C.E., Schilling, R.J. and Reitz, R.C.
2',3'-Cyclic nucleotide 3'-phosphohydrolase in rat liver mitochondrial membranes (640) 114
- Dreiling, C.E., Schilling, R.J. and Reitz, R.C.
Effects of chronic ethanol ingestion on the activity of rat liver mitochondrial 2',3'-cyclic nucleotide 3'-phosphohydrolase (640) 121
- D'Souza, M.P. and Lindsay, J.G.
Isolation of a sealed homogeneous population of inner membrane fragments with inverted orientation from rat liver mitochondria using specific lectin immunoprecipitation (640) 463
- D'Souza, M.P., see Lindsay, J.G. (640) 791
- Düzgünes, N. and Ohki, S.
Fusion of small unilamellar liposomes with phospholipid planar bilayer membranes and large single-bilayer vesicles (640) 734
- Eibl, H., see Blume, A. (640) 609
- Elgsaeter, A., see Stokke, B.T. (640) 640
- Erbe, J., see Plagemann, P.G.W. (640) 448
- Faltin, Z., see Kosower, N.S. (640) 748
- Faris, B., see Crombie, G. (640) 365
- Franzblau, C., see Crombie, G. (640) 365
- Funk, J., Welte, W., Hodapp, N., Wutschel, I. and Kreutz, W.
Evaluation of the electron density profile of the frog rod outer segment disc-membrane in vivo using X-ray diffraction (640) 142
- Gerber, G.E., Radhakrishnan, R., Gupta, C.M. and Khorana, H.G.
Interaction of cholesterol with photoactivable phospholipids in sonicated vesicles (640) 646
- Gerritsen, W.J., see Mandersloot, J.G. (640) 106
- Gerson, D.F., see Schürch, S. (640) 557
- Gögelein, H., De Smedt, H., Van Driessche, W. and Borghgraef, R.
The effect of lanthanum on alamethicin channels in black lipid bilayers (640) 185
- Goldstein, J.H., see Small, W.C. (640) 430
- Green, K., see Hull, D.S. (640) 231
- Gupta, C.M., see Gerber, G.E. (640) 646
- Haest, C.W.M., Kamp, D. and Deuticke, B.
Penetration of 2,4,6-trinitrobenzenesulfonate into human erythrocytes. Consequences for studies on phospholipid asymmetry (640) 535
- Hanssens, I., see Herreman, W. (640) 419
- Heath, T.D., Macher, B.A. and Papahadjopoulos, D.
Covalent attachment of immunoglobulins to liposomes via glycosphingolipids (640) 66
- Henderson, G.B. and Zevely, E.M.
Transport of methotrexate in L1210 cells. Mechanism for inhibition by p-chloromercuriphenylsulfonate and N-ethylmaleimide (640) 549
- Herchuelz, A., Lebrun, P., Carpinelli, A., Thonnart, N., Sener, A. and Malaisse, W.J.
Regulation of calcium fluxes in rat pancreatic islets. Quinine mimics the dual effect of glucose on calcium movements (640) 16
- Herreman, W., Van Tornout, P., Van Cauwe-laert, F.H. and Hanssens, I.
Interaction of α -lactalbumin with dimyristoyl phosphatidylcholine vesicles. II. A fluorescence polarization study (640) 419
- Heyliger, C.E., see Panagia, V. (640) 802
- Higgins, J.A.
Biogenesis of endoplasmic reticulum phosphatidylcholine. Translocation of intermediates across the membrane bilayer during methylation of phosphatidylethanolamine (640) 1
- Hodapp, N., see Funk, J. (640) 142
- Holland, V.F., see Ting-Beall, H.P. (640) 807
- Holloman, T.L., see Carrasquer, G. (640) 512
- Hope, M.J. and Cullis, P.R.
The role of nonbilayer lipid structures in the fusion of human erythrocytes induced by lipid fusogens (640) 82
- Horton, D. and Riley, D.A.
³¹P nuclear magnetic resonance spectroscopy of lipopolysaccharides from *Pseudomonas aeruginosa* (640) 727
- Hughes, R.C., see Butters, T.D. (640) 655

- Hughes, R.C., see Butters, T.D. (640) 672
 Hull, D.S., Green, K., Csukas, S. and Livingston, V.
 Photodynamic alteration of cornea endothelium. Relation to bicarbonate fluxes and oxygen concentration (640) 231
- Ikehara, Y., see Oda, K. (640) 398
- Kamp, D., see Haest, C.W.M. (640) 535
 Khorana, H.G., see Gerber, G.E. (640) 646
 Kim, D.-H., see Akera, T. (640) 779
 Kinne, R., see Lin, J.T. (640) 43
 Kippen, I., see Wright, S.H. (640) 767
 Klaassen, C.D., see Stacey, N.H. (640) 693
 Kong, S. and Davison, A.J.
 The relative effectiveness of OH , H_2O_2 , O_2^- , and reducing free radicals in causing damage to biomembranes. A study of radiation damage to erythrocyte ghosts using selective free radical scavengers (640) 313
- Kosower, E.M., see Kosower, N.S. (640) 748
 Kosower, N.S., Kosower, E.M., Zipser, Y., Faltin, Z. and Shomrat, R.
 Dynamic changes of red cell membrane thiol groups followed by bimane fluorescent labeling (640) 748
- Kovář, J., see Mikeš, V. (640) 341
 Krasne, S., see Wright, S.H. (640) 767
 Krawczyk, S.
 Linear dichroism of bimolecular chlorophyll-lipid membranes. The role of anisotropy and dispersion (640) 628
- Kreutz, W., see Funk, J. (640) 142
 Kusaka, I., see Ando, A. (640) 179
- Lamers, J.M.J. and Stinis, J.T.
 An electrogenic $\text{Na}^+/\text{Ca}^{2+}$ antiporter in addition to the Ca^{2+} pump in cardiac sarcolemma (640) 521
- Landriscina, C., see Megli, F.M. (640) 274
 Lebrun, P., see Herchuelz, A. (640) 16
 Leunissen-Bijvelt, J., see Mandersloot, J.G. (640) 106
- Levin, I.W. and Bush, S.F.
 Evidence for acyl chain trans/gauche isomerization during the thermal pretransition of dipalmitoyl phosphatidylcholine bilayer dispersions (640) 760
- Lin, J.T., Da Cruz, M.E.M., Riedel, S. and Kinne, R.
 Partial purification of hog kidney sodium-D-glucose cotransport system by affinity chromatography on a phlorizin polymer (640) 43
- Lindner, H.R., see Strulovici, B. (640) 159
 Lindsay, J.G., see D'Souza, M.P. (640) 463
- Lindsay, J.G., Reid, G.P. and D'Souza, M.P.
 Lectins as biochemical agents for the isolation of sealed membrane vesicles of defined polarity (640) 791
- Litman, G.W., see Aberlin, M.E. (640) 595
 Livingston, V., see Hull, D.S. (640) 231
 Love, S.H., see O'Flaherty, J.T. (640) 223
 Lowe, P.J. and Coleman, R.
 Membrane fluidity and bile salt damage (640) 55
- Macher, B.A., see Heath, T.D. (640) 66
 Malaisse, W.J., see Herchuelz, A. (640) 16
 Mandersloot, J.G., Gerritsen, W.J., Leunissen-Bijvelt, J., Van Echteld, C.J.A., Noordam, P.C. and De Gier, J.
 Ca^{2+} -induced changes in the barrier properties of cardiolipin/phosphatidylcholine bilayers (640) 106
- McCall, C.E., see O'Flaherty, J.T. (640) 223
 McGarrrity, J.T. and Armstrong, J.B.
 Phase transition behaviour of artificial liposomes composed of phosphatidylcholines acylated with cyclopropane fatty acids (640) 544
- McIver, D.J.L., see Schürch, S. (640) 557
 Megli, F.M., Landriscina, C. and Quagliariello, E.
 An in vitro ESR study of uncatalyzed and rat liver protein-catalyzed spin-labeled phosphatidylcholine exchange (640) 274
- Meissner, G., see Young, R.C. (640) 409
 Michielin, E., see Clari, G. (640) 240
 Mikeš, V. and Kovář, J.
 Interaction of liposomes with homologous series of fluorescent berberine derivatives. New cationic probes for measuring membrane potential (640) 341
- Moret, V., see Clari, G. (640) 240
- Negendank, W. and Shaller, C.
 - Simultaneous net accumulation of both K^+ and Na^+ by lymphocytes at 0°C (640) 368
- Noordam, P.C., see Mandersloot, J.G. (640) 106
- Oda, K. and Ikehara, Y.
 Inhibitory effect of colchicine on translocation of alkaline phosphatase to the plasma membrane concomitant to its induction in rat liver (640) 398
- O'Flaherty, J.T., Cousart, S., Swendsen, C.L., DeChatelet, L.R., Bass, D.A., Love, S.H. and McCall, C.E.
 Role of Ca^{2+} and Mg^{2+} in neutrophil hexose transport (640) 223

- Ohki, S., see Düzgüneş, N. (640) 734
- Oliveira-Castro, G.M. and Dos Reis, G.A.
Electrophysiology of phagocytic membranes. III. Evidence for a calcium-dependent potassium permeability change during slow hyperpolarizations of activated macrophages (640) 500
- Panagia, V., Heyliger, C.E., Choy, P.C. and Dhalla, N.S.
Solubilization of rat heart sarcolemma 5'-nucleotidase by phosphatidylinositol-specific phospholipase C (640) 802
- Papahadjopoulos, D., see Heath, T.D. (640) 66
- Pérez-Lloveres, C., see Rodríguez-Navarro, A. (640) 352
- Pink, D.A., see De Verteuil, F. (640) 207
- Plagemann, P.G.W., Wohlhueter, R.M. and Erbe, J.
Facilitated transport of inosine and uridine in cultured mammalian cells is independent of nucleoside phosphorylases (640) 448
- Quagliariello, E., see Megli, F.M. (640) 274
- Radhakrishnan, R., see Gerber, G.E. (640) 646
- Rehm, W.S., see Carrasquer, G. (640) 512
- Reichen, J., Blitzer, B.L. and Berk, P.D.
Binding of unconjugated and conjugated sulfobromophthalein to rat liver plasma membrane fractions in vitro (640) 298
- Reid, G.P., see Lindsay, J.G. (640) 791
- Reitz, R.C., see Dreiling, C.E. (640) 114
- Reitz, R.C., see Dreiling, C.E. (640) 121
- Ribarov, S.R. and Benov, L.C.
Relationship between the hemolytic action of heavy metals and lipid peroxidation (640) 721
- Riedel, S., see Lin, J.T. (640) 43
- Riley, D.A., see Horton, D. (640) 727
- Rodríguez-Navarro, A., Sancho, E.D. and Pérez-Lloveres, C.
Energy source for lithium efflux in yeast (640) 352
- Rogus, E.M., see Zierler, K. (640) 687
- Sadewasser, D.A. and Sherman, L.A.
Internal and external membrane proteins of the cyanobacterium, *Synechococcus cedrorum* (640) 326
- Sancho, E.D., see Rodríguez-Navarro, A. (640) 352
- Schilling, R.J., see Dreiling, C.E. (640) 114
- Schilling, R.J., see Dreiling, C.E. (640) 121
- Schottelius, B.A., see Stauber, W.T. (640) 285
- Schrijen, J.J., see Van de Ven, F.J.M. (640) 487
- Schrijen, J.J., Van Groningen-Luyben, W.A.H.M., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on $(K^+ + H^+)$ -ATPase. II. Role of sulfhydryl groups in its reaction mechanism (640) 473
- Schürch, S., Gerson, D.F. and McIver, D.J.L.
Determination of cell/medium interfacial tensions from contact angles in aqueous polymer systems (640) 557
- Schwartz, M., see Carrasquer, G. (640) 512
- Sener, A., see Herchuelz, A. (640) 16
- Shaller, C., see Negendank, W. (640) 368
- Sherman, L.A., see Sadewasser, D.A. (640) 326
- Shinitzky, M., see Strulovici, B. (640) 159
- Shoemaker, D., see Ting-Beall, H.P. (640) 807
- Shomrat, R., see Kosower, N.S. (640) 748
- Small, W.C. and Goldstein, J.H.
The effect of changing extracellular osmolality on water transport in the human red blood cell as measured by the cell water residence time and the activation energy of water transport (640) 430
- Snider, R., see Crombie, G. (640) 365
- Stacey, N.H. and Klaassen, C.D.
Zinc uptake by isolated rat hepatocytes (640) 693
- Stauber, W.T. and Schottelius, B.A.
Isopycnic-zonal centrifugation of plasma membrane, sarcoplasmic reticular fragments, lysosomes, and cytoplasmic proteins from phasic skeletal muscle (640) 285
- Steck, A.J., see Wüthrich, C. (640) 195
- Steiner, M.
Vitamin E. changes the membrane fluidity of human platelets (640) 100
- Stinis, J.T., see Lamers, J.M.J. (640) 521
- Stokke, B.T. and Elgsaeter, A.
Human spectrin. VI. A viscometric study (640) 640
- Strulovici, B., Lindner, H.R., Shinitzky, M. and Zor, U.
Elevation of apparent membrane viscosity in ovarian granulosa cells by follicle-stimulating hormone (640) 159
- Stulen, G.
Electric field effects on lipid membrane structure (640) 621
- Swendsen, C.L., see O'Flaherty, J.T. (640) 223

- Temma, K., see Akera, T. (640) 779
- Thonnart, N., see Herchuelz, A. (640) 16
- Ting-Beall, H.P., Costello, M.J., Shoemaker, D. and Holland, V.F.
Ultrastructure of hemoglobin-depleted human erythrocyte resealed ghosts (640) 807
- Vadas, E.B., see De Verteuil, F. (640) 207
- Van Cauwelaert, F.H., see Herreman, W. (640) 419
- Van de Ven, F.J.M., Schrijen, J.J., De Pont, J.J.H.M. and Bonting, S.L.
Studies on ($K^+ + H^+$)-ATPase. III. Binding of adenyllyl imidodiphosphate (640) 487
- Van den Thillart, G. and De Bruin, G.
Influence of environmental temperature on mitochondrial membranes (640) 439
- Van Driessche, W., see Gögelein, H. (640) 185
- Van Echteld, C.J.A., see Mandersloot, J.G. (640) 106
- Van Groningen-Luyben, W.A.H.M., see Schrijen, J.J. (640) 473
- Van Tornout, P., see Herreman, W. (640) 419
- Vernay, M., Cornic, M., Aubery, M. and Bourrillon, R.
Correlation between the regeneration of cell surface glycoproteins and the cell re-adhesion to the substratum in trypsin-treated chick fibroblasts at various stages of embryo development (640) 31
- Vischer, P., see Butters, T.D. (640) 672
- Watt, S.M. and Burgess, A.W.
High-resolution two-dimensional electrophoretic analysis of acidic, basic and surface proteins of mouse neutrophils (640) 583
- Weder, H.G., see Zumbuehl, O. (640) 252
- Weis-Fogh, U.S.
The effect of pH on the K^+ movements across the human platelet membrane during in vitro incubation in plasma at 37°C (640) 377
- Welte, W., see Funk, J. (640) 142
- Wodtke, E.
Temperature adaptation of biological membranes. The effects of acclimation temperature on the unsaturation of the main neutral and charged phospholipids in mitochondrial membranes of the carp (*Cyprinus carpio* L.) (640) 698
- Wodtke, E.
Temperature adaptation of biological membranes. Compensation of the molar activity of cytochrome c oxidase in the mitochondrial energy-transducing membrane during thermal acclimation of the carp (*Cyprinus carpio* L.) (640) 710
- Wohlhueter, R.M., see Plagemann, P.G.W. (640) 448
- Wright, E.M., see Wright, S.H. (640) 767
- Wright, S.H., Krasne, S., Kippen, I. and Wright, E.M.
 Na^+ -dependent transport of tricarboxylic acid cycle intermediates by renal brush border membranes. Effects on fluorescence of a potential-sensitive cyanine dye (640) 767
- Wüthrich, C. and Steck, A.J.
A permeability change of myelin membrane vesicles towards cations is induced by MgATP but not by phosphorylation of myelin basic protein (640) 195
- Wutschel, I., see Funk, J. (640) 142
- Yabuki, M., see Ando, A. (640) 179
- Yamamoto, S., see Akera, T. (640) 779
- Yeagle, P.L.
Cholesterol rotation in phospholipid vesicles as observed by ^{13}C -NMR (640) 263
- Young, G.P. and Alpers, D.H.
Labelling of intestinal brush border membrane proteins in vivo using diazotised [^{125}I]iodosulfanilic acid (640) 131
- Young, R.C., Allen, R. and Meissner, G.
Permeability of reconstituted sarco-plasmic reticulum vesicles. Reconstitution of the K^+, Na^+ channel (640) 409
- Zevely, E.M., see Henderson, G.B. (640) 549
- Zierler, K. and Rogus, E.M.
Rapid hyperpolarization of rat skeletal muscle induced by insulin (640) 687
- Zimmermann, U., see Benz, R. (640) 169
- Zipser, Y., see Kosower, N.S. (640) 748
- Zor, U., see Strulovici, B. (640) 159
- Zuckerman, M.J., see De Verteuil, F. (640) 207
- Zumbuehl, O. and Weder, H.G.
Liposomes of controllable size in the range of 40 to 180 nm by defined dialysis of lipid/detergent mixed micelles (640) 252