

AUTHOR INDEX

- Adoutte, A., see Ramanathan, R. (641) 349
- Anderson, R.L., Minton, K.W., Li, G.C. and Hahn, G.M.
Temperature-induced homeoviscous adaptation of Chinese hamster ovary cells (641) 334
- Ascher, G.S., see Walter, H. (641) 202
- Bakker-Grunwald, T.
Hormone-induced diuretic-sensitive potassium transport in turkey erythrocytes is anion dependent (641) 427
- Berthet, C., see Coster, G.L. (641) 281
- Brodbeck, U., see Ott, P. (641) 79
- Bøhmer, T., see Mølsted, P. (641) 71
- Bonting, S.L., see Peters, W.H.M. (641) 55
- Bonting, S.L., see Drenthe, E.H.S. (641) 377
- Brooks, D.E., see Grieg, R.G. (641) 410
- Brock, C., see Kempf, C. (641) 88
- Coster, G.L., James, V.J., Berthet, C. and Miller, A.
Location and effect of procaine on lecithin/cholesterol membranes using X-ray diffraction methods (641) 281
- Cox, M., see Geheb, M. (641) 422
- Cullis, P.R., see Tilcock, C.P.S. (641) 189
- Daemen, F.J.M., see Drenthe, E.H.S. (641) 377
- De Pont, J.J.H.H.M., see Peters, W.H.M. (641) 55
- Deamer, D.W., see Miyahara, M. (641) 222
- Deschenes, R.J., Hilt, D.C., Marquis, J.K. and Mautner, H.G.
Terbium binding to axonal membrane vesicles from lobster (*Homarus americanus*) peripheral nerve. A probe of calcium binding sites (641) 166
- Douce, R., see Lichtenthaler, H.K. (641) 99
- Dousset, N., Dousset, J.-C. and Douste-Blazy, L.
Influence of dicarboxylic phosphatidylcholines on the stability and phase transition of phosphatidylcholine liposomes (641) 1
- Dousset, J.-C., see Dousset, N. (641) 1
- Dousté-Blazy, L., see Dousset, N. (641) 1
- Drenthe, E.H.S., Klompmakers, A.A., Bonting, S.L. and Daemen, F.J.M.
Transbilayer distribution of phospholipid fatty acyl chains in photoreceptor membrane (641) 377
- Dute, R.R., see Ramanathan, R. (641) 349
- Efrati, H., Rottem, S. and Razin, S.
Lipid and protein membrane components associated with cholesterol uptake by mycoplasmas (641) 386
- Fitzke, E., see Kleiner, D. (641) 138
- Fourche, J., see Neuzil, E. (641) 11
- Frisch, W., see Gruenewald, B. (641) 311
- Gaarn, A., see Ramjeesingh, M. (641) 173
- Geheb, M., Hercker, E., Singer, I. and Cox, M.
Subcellular localization of aldosterone-induced proteins in toad urinary bladders (641) 422
- Graff, J.C., Wohlhueter, R.M. and Plagemann, P.G.W.
Hexose transport in Novikoff rat hepatoma cells. A simple carrier with directional symmetry, but variable relative mobilities of loaded and empty carrier (641) 320
- Greig, R.G. and Brooks, D.E.
Enhanced concanavalin A agglutination of trypsinised erythrocytes is due to a specific class of aggregation (641) 410
- Gruenewald, B., Frisch, W. and Holzwarth, J.F.
The kinetics of the formation of rotational isomers in the hydrophobic tail region of phospholipid bilayers (641) 311
- Gutknecht, J. and Walter, A.
Transport of protons and hydrochloric acid through lipid bilayer membranes (641) 183
- Hahn, G.M., see Anderson, R.L. (641) 334
- Hathaway, D.R., see Jones, L.R. (641) 242
- Hayashi, K., Yoshida, S. and Kawasaki, T.
Thiamine transport in the brush border membrane vesicles of the guinea-pig jejunum (641) 106

- Hercker, E., see Geheb, M. (641) 422
- Hilt, D.C., see Deschenes, R.J. (641) 166
- Hogan, W.C., see Sinha, S.K. (641) 20
- Hogan, W.C., see Rodriguez, H.J. (641) 36
- Holzwarth, J.F., see Gruenewald, B. (641) 311
- Hope, M.J., see Ott, P. (641) 79
- Inoue, M., Okajima, K. and Morino, Y.
Renal transtubular transport of mercapturic acid in vivo (641) 122
- Jacobson, M.P., see Rodriguez, H.J. (641) 36
- Jähnig, F., see Strehlow, U. (641) 301
- James, V.J., see Coster, G.L. (641) 281
- Jensen, H., see Neuzil, E. (641) 11
- Jensen, R., see Neuzil, E. (641) 11
- Johannsson, A., Smith, G.A. and Metcalfe, J.C.
The effect of bilayer thickness on the activity of $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ (641) 416
- Jones, L.R., Maddock, S.W. and Hathaway, D.R.
Membrane localization of myocardial type II cyclic AMP-dependent protein kinase activity (641) 242
- Joyard, J., see Lichtenthaler, H.K. (641) 99
- Kawasaki, T., see Hayashi, K. (641) 106
- Kempf, C., Brock, C., Sigrist, H., Tanner, M.J.A. and Zahler, P.
Interaction of phenylisothiocyanate with human erythrocyte band 3 protein. II Topology of phenylisothiocyanate binding sites and influence of *p*-sulfophenylisothiocyanate on phenylisothiocyanate modification (641) 88
- King, M.D., see Madden, T.D. (641) 265
- Klahr, S., see Sinha, S.K. (641) 20
- Klahr, S., see Rodriguez, H.J. (641) 36
- Kleiner, D. and Fitzke, E.
Some properties of a new electrogenic transport system. The ammonium (methylammonium) carrier from *Clostridium pasteurianum* (641) 138
- Klompmakers, A.A., see Drenthe, E.H.S. (641) 377
- Koppers, A., see Peters, W.H.M. (641) 55
- Krob, E.J., see Walter, H. (641) 202
- Kurantsin-Mills, J. and Lessin, L.S.
Aggregation of intramembrane particles in erythrocyte membranes treated with diamide (641) 129
- amino acid action on pancreatic acinar cells (641) 216
- Lauter, C.J., see Salem, N., Jr. (641) 366
- Lessin, L.S., see Kurantsin-Mills, J. (641) 129
- Li, G.C., see Anderson, R.L. (641) 334
- Lichtenthaler, H.K., Prenzel, U., Douce, R. and Joyard, J.
Localization of prenylquinones in the envelope of spinach chloroplasts (641) 99
- Linder, S., see Rotman, A. (641) 114
- Luterbacher, S., see Stieger, J. (641) 270
- Madden, T.D., King, M.D. and Quinn, P.J.
The modulation of $\text{Ca}^{2+}\text{-ATPase}$ activity of sarcoplasmic reticulum by membrane cholesterol. The effect of enzyme coupling (641) 265
- Maddock, S.W., see Jones, L.R. (641) 242
- Marquis, J.K., see Deschenes, R.J. (641) 166
- Mautner, H.G., see Deschenes, R.J. (641) 166
- McClane, B.A. and McDonel, J.L.
Protective effects of osmotic stabilizers on morphological and permeability alterations induced in Vero cells by *Clostridium perfringens* enterotoxin (641) 401
- McDonel, J.L., see McClane, B.A. (641) 401
- Metcalfe, J.C., see Johannsson, A. (641) 416
- Miller, A., see Coster, G.L. (641) 281
- Minton, K.W., see Anderson, R.L. (641) 334
- Miyahara, M., Utsumi, K. and Deamer, D.W.
Selective interaction of D- β -hydroxybutyrate dehydrogenase with intracellular membranes (641) 222
- Miyahara, M., Nishihara, Y., Moromizato, Y. and Utsumi, K.
Lipid-dependent interaction of D- β -hydroxybutyrate dehydrogenase with cellular membranes (641) 232
- Mølstad, P. and Bøhmer, T.
The effect of diphtheria toxin on the cellular uptake and efflux of L-carnitine. Evidence for a protective effect of prednisolone (641) 71
- Morin, G., see Neuzil, E. (641) 11
- Morino, Y., see Inoue, M. (641) 122
- Moromizato, Y., see Miyahara, M. (641) 232
- Neuzil, E., Fourche, J., Jensen, R., Jensen, H. and Morin, G.
Structural requirements of sterols for myelin tube formation with sodium oleate (641) 11
- Nishihara, Y., see Miyahara, M. (641) 232
- Okajima, K., see Inoue, M. (641) 122
- Laugier, R. and Petersen, O.H.
Two different types of electrogenic

- Ott, P., Hope, M.J., Verkleij, A.J., Roelofsen, B., Brodbeck, U. and van Deenen, L.L.M.
Effect of dimyristoyl phosphatidylcholine on intact erythrocytes. Release of spectrin-free vesicles without ATP depletion (641) 79
- Peters, W.H.M., de Pont, J.J.H.H.M., Koppers, A. and Bonting, S.L.
Studies on $(\text{Na}^+ + \text{K}^+)$ -activated ATPase. XLVII. Chemical composition, molecular weight and molar ratio of the subunits of the enzyme from rabbit kidney outer medulla (641) 55
- Petersen, O.H., see Laugier, R. (641) 216
- Pfeffer, S.R. and Redman, C.M.
Biosynthesis of mouse erythrocyte membrane proteins by Friend erythroleukemia cells (641) 254
- Plagemann, P.G.W., see Graff, J.C. (641) 320
- Prenzel, U., see Lichtenthaler, H.K. (641) 99
- Quinn, P.J., see Madden, T.D. (641) 265
- Ramanathan, R., Adoutte, A. and Dute, R.R.
Biochemical studies of the excitable membrane of *Paramecium tetraurelia*. V. Effects of proteases on the ciliary membrane (641) 349
- Ramjeesingh, M., Gaarn, A. and Rothstein, A.
The amino acid conjugate formed by interaction of the anion transport inhibitor 4,4'-diisothiocyano-2,2'-stilbenedisulfonic acid (DIDS) with band 3 protein from human red blood cell membranes (641) 173
- Razin, S., see Efrati, H. (641) 386
- Redman, C.M., see Pfeffer, S.R. (641) 254
- Rodriguez, H.J., Hogan, W.C., Sinha, S.K., Jacobson, M.P. and Klahr, S.
The K^+ -dependent phosphatase of rat kidney. Its properties and the effects of maneuvers that modify $(\text{Na}^+ + \text{K}^+)$ -ATPase activity (641) 36
- Rodriguez, H.J., see Sinha, S.K. (641) 20
- Roelofsen, B., see Ott, P. (641) 79
- Rothstein, A., see Ramjeesingh, M. (641) 173
- Rotman, A. and Linder, S.
Isolation of platelet plasma membrane proteins by affinity chromatography (641) 114
- Rottem, S., see Efrati, H. (641) 386
- Salem, N., Jr., Lauter, C.J. and Trams, E.G.
Selective chemical modification of plasma membrane ectoenzymes (641) 366
- Scheurich, P., see Zimmermann, U. (641) 160
- Sigrist, H., see Kempf, C. (641) 88
- Singer, I., see Geheb, M. (641) 422
- Sinha, S.K., Rodriguez, H.J., Hogan, W.C. and Klahr, S.
Mechanisms of activation of renal $(\text{Na}^+ + \text{K}^+)$ -ATPase in the rat. Effects of acute and chronic administration of dexamethasone (641) 20
- Sinha, S.K., see Rodriguez, H.J. (641) 36
- Smith, G.A., see Johannsson, A. (641) 416
- Somberg, E.W., see Stotish, R.L. (641) 289
- Stieger, J. and Luterbacher, S.
Some properties of the purified $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase from human red cell membranes (641) 270
- Stotish, R.L. and Somberg, E.W.
Electrophoretic analysis of the plasma membrane proteins of a mutant of *Neurospora crassa* which lacks a cell wall (641) 289
- Strehlow, U. and Jahnig, F.
Electrostatic interactions at charged lipid membranes. Kinetics of the electrostatically triggered phase transition (641) 301
- Sugiura, Y.
Structure of molecular aggregates of 1-(3-sn-phosphatidyl)-L-myoinositol 3,4-bis(phosphate) in water (641) 148
- Tanner, M.J.A., see Kempf, C. (641) 88
- Tatsumi, N.
The size of erythrocyte ghosts (641) 276
- Tilcock, C.P.S. and Cullis, P.R.
The polymorphic phase behaviour of mixed phosphatidylserine-phosphatidylethanolamine model systems as detected by ^{31}P -NMR. Effects of divalent cations and pH (641) 189
- Tippe, A.
Electrophoretic measurements about the relation between transition voltage and ζ -potential of biological membranes (641) 395
- Trams, E.G., see Salem, N., Jr. (641) 366
- Utsumi, K., see Miyahara, M. (641) 222
- Utsumi, K., see Miyahara, M. (641) 232
- Van Deenen, L.L.M., see Ott, P. (641) 79
- Verkleij, A.J., see Ott, P. (641) 79
- Walter, A., see Gutknecht, J. (641) 183

Walter, H., Krob, E.J. and Ascher, G.S.
Aging of erythrocytes results in altered cell surface properties in the rat, but not in the human. Studies by partitioning in two-polymer aqueous phase systems (641) 202

Wohlhueter, R.M., see Graff, J.C. (641) 320

Yoshida, S., see Hayashi, K. (641) 106

Zahler, P., see Kempf, C. (641) 88

Zimmerman, U. and Scheurich, P.
Fusion of *Avena sativa* mesophyll cell protoplasts by electrical breakdown (641) 160

ERRATA

BIOCHIMICA ET BIOPHYSICA ACTA, VOL. 640 (1981)

p. 365, second paragraph, line 8 should read:
tion reports that the aldehyde derivatives of lysine, α -aminoadipic acid- δ -semi-

p. 423, legend to Fig. 1, second line should read:

of 8.5 . 1 at different pH values: pH 7 (● — ● — ●), pH 6 (· · · · ·), pH 5 (— — —) and pH 4 (○ — ○ — ○)

p. 630, third paragraph, line 7 should read:
factor for the j th transition, normalized to unity. K is the local field factor

p. 736, fourth paragraph, line 4 should read:
vesicles were made by sonicating the multilamellar preparation (10 μ mol/ml) for

p. 809, Legend to Fig. 1 should read as follows:

Fig. 1. (a) Phosphotungstic acid negative-stain preparation of resealed singly lysed white ghosts showing the protrusions (arrows) and halo substructures (arrowhead) on the membrane surface. Magnification, $\times 40\,000$. (b) Freeze-fracture micrograph of singly lysed resealed white ghosts. The arrows indicate protrusions from the membrane. The protoplasmic fractured faces (PF) are covered by many 80–100 Å particles while the extracellular (EF) surfaces have fewer particles. Similar membrane fragmentation is observed for doubly lysed resealed ghosts. Arrow at the lower right-hand corner indicates the direction of shadowing. The membrane evaginations viewed from the cytoplasmic space are shown in the insert. Magnification, $\times 58\,500$.

BIOCHIMICA ET BIOPHYSICA ACTA, VOL. 603 (1980)

p. 322, 13th line of Summary, for 'increased' read 'decreased'