

AUTHOR INDEX

- Agutter, P.S. and Suckling, K.E.
Effects of cholesterol on the properties of the membranes of isolated sheep liver nuclei and nuclear envelopes (643) 182
- Akino, T., see Tsuda, M. (643) 63
- Alivisatos, S.G.A., Deliconstantinos, G., Papaphilis, A. and Theodosiadis, G.P.
Cooperative nature of the binding of cholesterol on to synaptosomal plasma membranes of dog brain (643) 642
- Alivisatos, S.G.A., Deliconstantinos, G. and Theodosiadis, G.P.
Specificity of binding of cholesterol, steroid hormones and other compounds in synaptosomal plasma membranes, and their effect on ouabain-sensitive ATPase (643) 650
- Allen, T.M., McAllister, L., Mausolf, S. and Gyorffy, E.
Liposome-cell interactions. A study of the interactions of liposomes containing entrapped anti-cancer drugs with the EMT6, S49 and AE₁ (transport-deficient) cell lines (643) 346
- Antolini, R., see Menestrina, G. (643) 616
- Arslan, P., Montecucco, C., Celi, D. and Pozzan, T.
Effect of monovalent ionophores on lymphocyte cellular metabolism (643) 177
- Ashcroft, R.G., Coster, H.G.L. and Smith, J.R.
The molecular organisation of bimolecular lipid membranes. The dielectric structure of the hydrophilic/hydrophobic interface (643) 191
- Aull, F.
Potassium chloride cotransport in steady-state ascites tumor cells. Does bumetanide inhibit? (643) 339
- Balerna, M., see Gulik-Krzywicki, T. (643) 101
- Barber, R.F., McKersie, B.D., Downer, R.G.H. and Thompson, J.E.
Perturbation of phospholipid membranes by juvenile hormone (643) 593
- Baskin, R.J., see Hanna, S. (643) 41
- Becker, J.M., see Haas, M.W. (643) 256
- Bentley, P.J., see McGahan, M.C. (643) 261
- Berk, P.D., see Reichen, J. (643) 126
- Berman, M.D., see Reichen, J. (643) 126
- Berndt, J., see Buff, K. (643) 205
- Bindels, R.J.M., see Festen, C.M.A.W. (643) 535
- Blasie, J.K., see McLaughlin, A.C. (643) 1
- Bonting, S.L., see Renckens, B.A.M. (643) 519
- Boonstra, J., Mummery, C.L., Tertoolen, L.G.J., Van der Saag, P.T. and De Laat, S.W.
Characterization of ⁴²K⁺ and ⁸⁶Rb⁺ transport and electrical membrane properties in exponentially growing neuroblastoma cells (643) 89
- Bösterling, B., Trudell, J.R. and Galla, H.J.
Phospholipid interactions with cytochrome P-450 in reconstituted vesicles. Preference for negatively-charged phosphatidic acid (643) 547
- Brandeis, G., see Schick, P.K. (643) 659
- Buckland, R.M., Radda, G.K. and Wakefield, L.M.
The role of phospholipids in the modulation of enzyme activities in the chromaffin granule membrane (643) 363
- Buff, K. and Berndt, J.
Interaction of DDT with liposomal phospholipids (643) 205
- Carvalho, A.P., see Vale, M.G.P. (643) 168
- Celi, D., see Arslan, P. (643) 177
- Chailley, B., Giraud, F. and Claret, M.
Alterations in human erythrocyte shape and the state of spectrin and phospholipid phosphorylation induced by cholesterol depletion (643) 636
- Claret, M., see Chailley, B. (643) 636
- Coster, H.G.L., see Ashcroft, R.G. (643) 191
- Creek, K.E. and Morré, D.J.
Translocation of cytidine 5'-monophosphosialic acid across Golgi apparatus membranes (643) 292
- Davies, M. and Stewart-Tull, D.E.S.
The affinity of bacterial polysaccharide-

- containing fractions for mammalian cell membranes and its relationship to immunopotentiating activity (643) 17
- Davoust, J., see Watts, A. (643) 673
- De Groot, P.G., see Hollemans, M. (643) 140
- De Laat, S.W., see Boonstra, J. (643) 89
- Deliconstantinos, G., see Alivisatos, S.G.A. (643) 642
- Deliconstantinos, G., see Alivisatos, S.G.A. (643) 650
- De Pont, J.J.H.H.M., see Renckens, B.A.M. (643) 519
- Deuticke, B., see Haest, C.W.M. (643) 319
- Devaux, P.F., see Watts, A. (643) 673
- Downer, R.G.H., see Barber, R.F. (643) 593
- Dulis, B.H. and Wilson, I.B.
The uptake of amines by polymorphonuclear leukocytes (643) 398
- Emerson, D.M., see Van der Meulen, J.A. (643) 601
- Falconer, A.R., see Nakornchai, S. (643) 152
- Farach, M.C., see Gonzalez-Ros, J.M. (643) 407
- Feller, D.J., see Schroeder, F. (643) 76
- Festen, C.M.A.W., Bindels, R.J.M. and Slegers, J.F.G.
Amphotericin B-induced sodium transport and water flow across rabbit corneal epithelium (643) 535
- Fisher, D., see Nakornchai, S. (643) 152
- Fleischer, S., see McLaughlin, A.C. (643) 1
- Fontaine, R.N., see Schroeder, F. (643) 76
- Forrester, J.A., see Sainis, K.B. (643) 134
- Galla, H.-J., see Bösterling, B. (643) 547
- Galla, H.-J., see Sixl, F. (643) 626
- Giraud, F., see Chailley, B. (643) 636
- Gonzalez-Ros, J.M., Paraschos, A., Farach, M.C. and Martinez-Carrion, M.
Characterization of acetylcholine receptor isolated from *Torpedo californica* electroplax through the use of an easily removable detergent, β -D-octylglucopyranoside (643) 407
- Goodall, A.H., see Nakornchai, S. (643) 152
- Gravis, C., see Ohki, S. (643) 495
- Grinstein, S., see Van der Meulen, J.A. (643) 601
- Gulik-Krzywicki, T., Balerna, M., Vincent, J.-P. and Lazdunski, M.
Freeze-fracture study of cardiotoxin action on axonal membrane and axonal membrane lipid vesicles (643) 101
- Gulik-Krzywicki, T., see Le Maire, M. (643) 115
- Gyorffy, E., see Allen, T.M. (643) 346
- Haas, M.W., Becker, J.M. and Miller, R.V.
Peptidase activity in the inner membrane of *Pseudomonas aeruginosa* (643) 256
- Haest, C.W.M., Kamp, D. and Deuticke, B.
Topology of membrane sulfhydryl groups in the human erythrocyte. Demonstration of non-reactive population in intrinsic proteins (643) 319
- Hallinan, T., see Nakornchai, S. (643) 152
- Hanna, S., Kawamoto, R., McNamee, M. and Baskin, R.J.
Enzymatic activity of dystrophic chicken sarcoplasmic reticulum (643) 41
- Hasselbach, H.-J., see Kramer, R.M. (643) 233
- Herbette, L., see McLaughlin, A.C. (643) 1
- Hermann, J. and Keil, B.
The isolation and characterization of a concanavalin A receptor from boar spermatozoa surface (643) 30
- Hinz, H.-J., Körner, O. and Nicolau, C.
Influence of gangliosides of GM₁ and GD_{1a} on structural and thermotropic properties of sonicated small 1,2-dipalmitoyl-L- α -phosphatidylcholine vesicles (643) 557
- Hochstadt, J., see Prasad, C. (643) 306
- Hollemans, M., Oude Elferink, R., De Groot, P.G., Strijland, A. and Tager, J.M.
Accumulation of weak bases in relation to intralysosomal pH in cultured human skin fibroblasts (643) 140
- Hyde, J.S., see Subczynski, W.K. (643) 283
- Hymel, L., see McLaughlin, A.C. (643) 1
- Kamp, D., see Haest, C.W.M. (643) 319
- Kasai, M. and Taguchi, T.
Inhibition of anion permeability of sarcoplasmic reticulum vesicles by stilbene derivatives and the identification of an inhibitor-binding protein (643) 213
- Kassir, S., see Meltzer, H.L. (643) 243
- Kawamoto, R., see Hanna, S. (643) 41
- Keil, B., see Hermann, J. (643) 30
- Klodos, I., Nørby, J.G. and Plesner, I.W.
The steady-state kinetic mechanism of ATP hydrolysis catalyzed by membrane-bound ($\text{Na}^+ + \text{K}^+$)-ATPase from ox brain. II. Kinetic characterization of phospho-intermediates (643) 463
- Klodos, I., see Plesner, I.W. (643) 483
- Knotková, A., see Sigler, K. (643) 572
- Knotková, A., see Sigler, K. (643) 583
- Körner, O., see Hinz, H.-J. (643) 557
- Kotyk, A., see Sigler, K. (643) 572
- Kotyk, A., see Sigler, K. (643) 583

- Kotyk, A., see Vacata, V. (643) 265
- Kramer, R.M., Hasselbach, H.-J. and Semenza, G.
Rapid transmembrane movement of phosphatidylcholine in small unilamellar lipid vesicles formed by detergent removal (643) 233
- Lazdunski, M., see Gulik-Krzywicki, T. (643) 101
- Lee, J.W. and Vidaver, G.A.
Active Ca^{2+} transport by membrane vesicles from pigeon erythrocytes. Stimulation by amino acids, ATP, GTP, P_i and some other cell constituents (643) 421
- Le Maire, M., Møller, J.V. and Gulik-Krzywicki, T.
Freeze-fracture study of water-soluble, standard proteins and of detergent-solubilized forms of sarcoplasmic reticulum Ca^{2+} -ATPase (643) 115
- Lew, R., see Tokutomi, S. (643) 276
- Leyko, W., see Surewicz, W.K. (643) 387
- Lucy, J.A., see Nakornchai, S. (643) 152
- McAllister, L., see Allen, T.M. (643) 346
- McGahan, M.C. and Bentley, P.J.
Inhibition of α -aminoisobutyric acid uptake by diisothiocyanostilbenedisulphonic acid in the amphibian cornea (643) 261
- McKersie, B.D., see Barber, R.F. (643) 593
- McLaughlin, A.C. Herbet, L., Blasie, J.K., Wang, C.T., Hymel, L. and Fleischer, S.
 ^{31}P -NMR studies of oriented multilayers formed from isolated sarcoplasmic reticulum and reconstituted sarcoplasmic reticulum. Evidence that 'boundary-layer' phospholipid is not immobilized (643) 1
- McNamee, M., see Hanna, S. (643) 41
- Makino, S., see Nakashima, H. (643) 509
- Marsh, D., see Watts, A. (643) 673
- Martinez-Carrion, M., see Gonzalez-Ros, J.M. (643) 407
- Mausolf, S., see Allen, T.M. (643) 346
- Mawatari, S. and Shinnoh, N.
Occurrence of creatine kinase activity in human erythrocyte membrane (643) 669
- Meltzer, H.L. and Kassir, S.
Enhanced activation of human erythrocyte Ca^{2+} -ATPase by calmodulin after storage or brief exposure to disulfite (643) 243
- Menestrina, G. and Antolini, R.
Ion transport through hemocyanin channels in oxidized cholesterol artificial bilayer membranes (643) 616
- Miller, R.V., see Haas, M.W. (643) 256
- Mills, D.C.B., see Schick, P.K. (643) 659
- Moeller, C.H., Mudd, J.B. and Thomson, W.W.
Lipid phase separations and intramembranous particle movements in the yeast tonoplast (643) 376
- Møller, J.V., see Le Maire, M. (643) 115
- Montecucco, C., see Arslan, P. (643) 177
- Morcos, N.C.
Isolation of frog heart sarcolemma possessing $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase and Ca^{2+} -pump activities (643) 55
- Morré, D.J., see Creek, K.E. (643) 292
- Mozhayeva, G.N., Naumov, A.P. and Negulyaev, Yu.A.
Evidence for existence of two acid groups controlling the conductance of sodium channel (643) 251
- Mudd, J.B., see Moeller, C.H. (643) 376
- Mummery, C.L., see Boonstra, J. (643) 89
- Nakagawa, Y., see Nakashima, H. (643) 509
- Nakashima, H., Nakagawa, Y. and Makino, S.
Detection of the associated state of membrane proteins by polyacrylamide gradient gel electrophoresis with non-denaturing detergents. Application to band 3 protein from erythrocyte membranes (643) 509
- Nakornchai, S., Falconer, A.R., Fisher, D., Goodall, A.H., Hallinan, T. and Lucy, J.A.
Effects of retinol, fatty acids and glycerol monooleate on the fusion of chick embryo myoblasts in vitro (643) 152
- Nash, G.B. and Wyard, S.J.
Erythrocyte membrane elasticity during in vivo ageing (643) 269
- Naumov, A.P., see Mozhayeva, G.N. (643) 251
- Negulyaev, A., see Mozhayeva, G.N. (643) 251
- Nicolau, C., see Hinz, H.-J. (643) 557
- Nørby, J.G., see Klodos, I. (643) 463
- Nørby, J.G., see Plesner, I.W. (643) 483
- Ockman, N.
Interaction of monolayers on concanavalin A with mono- and polysaccharides. A study by means of infrared attenuated total reflectance spectroscopy (643) 220
- Ohki, S., Gravis, C. and Pant, H.
Permeability of axon membranes to local anesthetics (643) 495
- Ohnishi, S.-i., see Tokutomi, S. (643) 276
- Opekarová, M., see Sigler, K. (643) 583

- Oude Elferink, R., see Hollemans, M. (643) 140
- Pant, H., see Ohki, S. (643) 495
- Papaphilis, A., see Alivisatos, S.G.A. (643) 642
- Paraschos, A., see Gonzalez-Ros, J.M. (643) 407
- Phondke, G.P., see Sainis, K.B. (643) 134
- Plesner, I.W., see Plesner, L., Nørby, J.G. and Klodos, I.
The steady-state kinetic mechanism of ATP hydrolysis catalyzed by membrane-bound ($\text{Na}^+ + \text{K}^+$)-ATPase from ox brain. III. A minimal model (643) 483
- Plesner, I.W., see Klodos, I. (643) 463
- Plesner, I.W., see Plesner, L. (643) 449
- Plesner, L. and Plesner, I.W.
The steady-state kinetic mechanism of ATP hydrolysis catalyzed by membrane-bound ($\text{Na}^+ + \text{K}^+$)-ATPase from ox brain. I. Substrate identity (643) 449
- Plesner, L., see Plesner, I.W. (643) 483
- Pozzan, T., see Arslan, P. (643) 177
- Prasad, R., Shopsis, C. and Hochstadt, J.
Distinct mechanisms of hypoxanthine and inosine transport in membrane vesicles isolated from Chinese hamster ovary and Balb 3T3 cells (643) 306
- Radda, G.K., see Buckland, R.M. (643) 363
- Radda, G.K., see Von Tschärner, V. (643) 435
- Reichen, J., Berman, M.D. and Berk, P.D.
The role of microfilaments and of microtubules in taurochlorate uptake by isolated rat liver cells (643) 126
- Renckens, B.A.M., Van Nooy, I.G.P., De Pont, J.J.H.H.M. and Bonting, S.L.
Role of calcium in exocrine pancreas secretion. VII. Effect of sodium on enzyme secretion and calcium metabolism in rabbit pancreatic fragments and acinar cells (643) 519
- Roozemon, R.C. and Urli, D.C.
Fluorescence polarization studies and biochemical properties of membranes exfoliated from the cell surface of rabbit thymocytes in situ (643) 327
- Sainis, K.B., Forrester, J.A. and Phondke, G.P.
Concanavalin A-induced modification of the electrophoretic mobility of lymphocytes. Effect of colchicine and cytochalasin B (643) 134
- Schick, B.P., see Schick, P.K. (643) 659
- Schick, P.K., Schick, B.P., Brandeis, G. and Mills, D.C.B.
Distribution of phosphatidylethanolamine arachidonic acid in platelet membranes (643) 659
- Schroeder, F., Fontaine, R.N., Feller, D.J. and Weston, K.G.
Drug-induced surface membrane phospholipid composition in murine fibroblasts (643) 76
- Scott, H.L., Jr.
Phosphatidylcholine bilayers. A theoretical model which describes the main and the lower transitions (643) 161
- Semenza, G., see Kramer, R.M. (643) 233
- Shinnoh, N., see Mawatari, S. (643) 669
- Shopsis, C., see Prasad, R. (643) 306
- Sigler, K., Knotková, A. and Kotyk, A.
Factors governing substrate-induced generation and extrusion of protons in the yeast *Saccharomyces cerevisiae* (643) 572
- Sigler, K., Kotyk, A., Knotková, A. and Opekarová, M.
Process involved in the creation of buffering capacity and in substrate-induced proton extrusion in the yeast *Saccharomyces cerevisiae* (643) 583
- Sigler, K., see Vacata, V. (643) 265
- Sixl, F. and Galla, H.-J.
Polymyxin interaction with negatively charged lipid bilayer membranes and the competitive effect of Ca^{2+} (643) 626
- Slegers, J.F.G., see Festen, C.M.A.W. (643) 535
- Smith, J.R., see Ashcroft, R.G. (643) 191
- Steponkus, P.L., see Wolfe, J. (643) 663
- Stewart-Tull, D.E.S., see Davies, M. (643) 17
- Strijland, A., see Hollemans, M. (643) 140
- Subczynski, W.K. and Hyde, J.S.
The diffusion-concentration product of oxygen in lipid bilayers using the spin-label T_1 method (643) 283
- Suckling, K.E., see Agutter, P.S. (643) 182
- Surewicz, W.K. and Leyko, W.
Interaction of propranolol with model phospholipid membranes. Monolayer, spin label and fluorescence spectroscopy studies (643) 387
- Tager, J.M., see Hollemans, M. (643) 140
- Taguchi, T., see Kasai, M. (643) 205
- Tertoolen, L.G.J., see Boonstra, J. (643) 89
- Theodosiadis, G.P., see Alivisatos, S.G.A. (643) 642
- Theodosiadis, G.P., see Alivisatos, S.G.A. (643) 650
- Thompson, J.E., see Barber, R.F. (643) 593

- Thomson, W.W., see Moeller, C.H. (643) 376
- Tokutomi, S., Lew, R. and Ohnishi, S.-i.
 Ca^{2+} -induced phase separation in phosphatidylserine, phosphatidylethanolamine and phosphatidylcholine mixed membranes (643) 276
- Trudell, J.R., see Bösterling, B. (643) 547
- Tsuda, M. and Akino, T.
 Lipid-protein interaction in the photolysis of octopus rhodopsin (643) 63
- Urli, D.C., see Roozmond, R.C. (643) 327
- Vacata, V., Kotyk, A. and Sigler, K.
 Membrane potential in yeast cells measured by direct and indirect methods (643) 265
- Vale, M.G.P. and Carvalho, A.P.
 Differentiation between Ca^{2+} transport and ATP-induced Ca^{2+} binding by sarcoplasmic reticulum (643) 168
- Van der Meulen, J.A., Emerson, D.M. and Grinstein, S.
 Isolation of chromaffin cell plasma membranes on polycationic beads (643) 601
- Van der Saag, P.T., see Boonstra, J. (643) 89
- Van Nooy, I.G.P., see Renckens, B.A.M. (643) 519
- Vidaver, G.A., see Lee, J.W. (643) 421
- Vincent, J.-P., see Gulik-Krzywicki, T. (643) 101
- Von Tscharner, V. and Radda, G.K.
 The effect of fatty acids on the surface potential of phospholipid vesicles measured by condensed phase radioluminescence (643) 435
- Wakefield, L.M., see Buckland, R.M. (643) 363
- Wang, C.T., see McLaughlin, A.C. (643) 1
- Watts, A., Davoust, J., Marsh, D. and Devaux, P.F.
 Distinct states of lipid mobility in bovine rod outer segment membranes. Resolution of spin label results (643) 673
- Weston, K.G., see Schroeder, F. (643) 76
- Wilson, I.B., see Dulis, B.H. (643) 398
- Wolfe, J. and Steponkus, P.L.
 The stress-strain relation of the plasma membrane of isolated plant protoplasts (643) 663
- Wyard, S.J., see Nash, G.B. (643) 269