

AUTHOR INDEX

- Aiton, J.F., Chipperfield, A.R., Lamb, J.F., Ogden, P. and Simmons, N.L.
Occurrence of passive furosemide-sensitive transmembrane potassium transport in cultured cells (646) 389
- Andersen, T.L., see Clausen, T. (646) 261
- Aragón, M.C., Giménez, C., Mayor, F., Jr., Marvizón, J.G. and Valdivieso, F.
Tyrosine transport by membrane vesicles isolated from rat brain (646) 465
- Azaz, E., Segal, R. and Milo-Goldzweig, I.
Hemolysis caused by polyoxyethylene-derived surfactants. Evidence for peroxide participation (646) 444
- Baker, P.F. and Singh, R.
Influence of vanadate on calcium fluxes and net movement of calcium in intact squid axons (646) 450
- Banerjee, S., Vandenbranden, M. and Ruyschaert, J.-M.
Tobacco mosaic virus protein induces fusion of liposome membranes (646) 360
- Benz, R. and Hancock, R.E.W.
Properties of the large ion-permeable pores formed from protein F of *Pseudomonas aeruginosa* in lipid bilayer membranes (646) 298
- Bhavanandan, V.P., see Umemoto, J. (646) 402
- Boens, N., see Eisinger, J. (646) 334
- Bond, G.H. and Hudgins, P.M.
Dog kidney (Na^+ , K^+)-ATPase is more sensitive to inhibition by vanadate than human red cell (Na^+ , K^+)-ATPase (646) 479
- Bourguignon, G.J. and Bourguignon, L.Y.W.
Isolation and initial characterization of a lymphocyte cap structure (646) 109
- Bourguignon, L.Y.W., see Bourguignon, G.J. (646) 109
- Borghetti, A.F., Tramacere, M., Ghiringhelli, P., Severini, A. Kay, J.E.
Amino acid transport in pig lymphocytes. Enhanced activity of transport system ASC following mitogenic stimulation (646) 218
- Boyer, B.P., see Haywood, A.M. (646) 31
- Brady, R.J., Parsons, R.H. and Coluccio, L.M.
Nocodazole inhibition of the vasopressin-induced water permeability increase in toad urinary bladder (646) 399
- Brodsky, W.A., see Nagel, W. (646) 77
- Chipperfield, A.R., see Aiton, J.F. (646) 389
- Chow, E.I., Chuang, S.Y. and Tseng, P.K.
Detection of a phase transition in red cell membranes using positronium as a probe (646) 356
- Chuang, S.Y., see Chow, E.I. (646) 356
- Ciani, S. and Enos, B.
A theory for the effects of diffusion-reaction coupling on the carrier-mediated ionic permeability in lipid bilayers (646) 61
- Clark, M.R., Guatelli, J.C., White, A.T. and Shohet, S.B.
Study on the dehydrating effect of the red cell Na^+/K^+ pump in Nystatin-treated cells with varying Na^+ and water contents (646) 422
- Clausen, T., Andersen, T.L., Türup-Johansen, M.S. and Petkova, O.
The relationship between the transport of glucose and cations across cell membranes in isolated tissues. IX. The effect of vanadate on ^{45}Ca -efflux and sugar transport in adipose tissue and skeletal muscle (646) 261
- Cohen, J.B., see Jeng, A.Y. (646) 411
- Coluccio, L.M., see Brady, R.J. (646) 399
- Coolbear, K.P., see Hawco, M.W. (646) 185
- Cox, K.O., see Cunliffe, D.A. (646) 275
- Crane, F.L., see Ramasarma, T. (646) 88
- Cunliffe, D.A. and Cox, K.O.
An immunological analysis of the effects of bromelain on the mouse erythrocyte membrane (646) 275
- Cybulski, R.L. and Fisher, R.R.
Uptake of oxidized folates by rat liver mitochondria (646) 329
- Dahl, G., see Ekerdt, R. (646) 10
- Davidson, E.A., see Umemoto, J. (646) 402
- Davis, P.J., see Hawco, M.W. (646) 185
- Degani, H., Simon, S. and McLaughlin, A.C.
The kinetics of ionophore X-537A-mediated transport of manganese through dipalmitoylphosphatidylcholine vesicles. A ^1H -NMR study (646) 320
- De Gier, J., see Noordam, P.C. (646) 483
- DeHaven, R., see Pong, S.-S. (646) 143
- De Kruijff, B., see Noordam, P.C. (646) 483
- Del Castillo, J.R., see Proverbio, F. (646) 99
- DuPre, A.M. and Rothstein, A.
Inhibition of anion transport associated with chymotryptic cleavages of red blood cell band 3 protein (646) 471
- Durham, J.H., see Nagel, W. (646) 77
- Dwyer, T.M.
The rising phase of the miniature endplate current at the frog neuromuscular junction (646) 51
- Eisinger, J., Boens, N. and Flores, J.
Fluorescence polarization study of human erythrocyte membranes with 1-phenyl-3-(2-naphthyl)-2-pyrazoline as orientational probe (646) 334
- Ekerdt, R., Dahl, G. and Gratzl, M.
Membrane fusion of secretory vesicles and liposomes. Two different types of fusion (646) 10

- Ellory, J.C., see Karlsh, S.J.D. (646) 353
 Enos, B., see Ciani, S. (646) 61
- Felle, H.
 A study of the current-voltage relationships of electrogenic active and passive membrane elements in *Riccia fluitans* (646) 151
- Fernández, M.S.
 Determination of surface potential in liposomes (646) 23
- Fernández, M.S.
 Disruption of liposomes by tetracaine micelles (646) 27
- Ferreira, H.G., see Ferreira, K.T.G. (646) 193
- Ferreira, K.T.G. and Ferreira, H.G.
 The regulation of volume and ion composition in frog skin (646) 193
- Fischbarg, J., see Liebovitch, L.S. (646) 71
- Fisher, R.R., see Cybulski, R.L. (646) 329
- Flores, J., see Eisinger, J. (646) 334
- Foreman, J.W., Wald, H., Reynolds, R.A. and Segal, S.
 Amino acid uptake by isolated renal brush border membrane vesicles in various buffers (646) 188
- Gains, N. and Hauser, H.
 Detergent-induced proteolysis of rabbit intestinal brush border vesicles (646) 211
- Genoni, G., see Toggenburger, G. (646) 433
- Ghiringhelli, P., see Borghetti, A.F. (646) 218
- Giménez, C., see Aragón, M.C. (646) 465
- Gratzl, M., see Ekerdt, R. (646) 10
- Greeff, K., see Yamamoto, S. (646) 348
- Guatelli, J.C., see Clark, M.R. (646) 422
- Hancock, R.E.W., see Benz, R. (646) 298
- Hauser, H.
 The polar group conformation of 1,2-dialkyl phosphatidylcholines. An NMR study (646) 203
- Hauser, H., see Gains, N. (646) 211
- Häusermann, M., see Toggenburger, G. (646) 433
- Hawco, M.W., Coolbear, K.P., Davis, P.J. and Keough, K.M.W.
 Exclusion of fluid lipid during compression of monolayers of mixtures of dipalmitoylphosphatidylcholine with some other phosphatidylcholines (646) 185
- Haywood, A.M. and Boyer, B.P.
 Initiation of fusion and disassembly of Sendai virus membranes into liposomes (646) 31
- Holman, G.D., see Rees, W.D. (646) 251
- Holman, G.D., Pierce, E.J. and Rees, W.D.
 Spatial requirements for insulin-sensitive sugar transport in rat adipocytes (646) 382
- Hornig, D., see Toggenburger, G. (646) 433
- Hudgins, P.M., see Bond, G.H. (646) 479
- Inoue, K., see Oku, N. (646) 36
- Inoue, K., see Kunimoto, M. (646) 169
- Ishinaga, M., see Takeuchi, Y. (646) 119
- Jeng, A.Y., St. John, P.A. and Cohen, J.B.
 Fractionation by velocity sedimentation of Torpedo nicotinic post-synaptic membranes (646) 411
- Jones-Mortimer, M.C., see Slater, A.C. (646) 365
- Kamaya, H., see Shibata, A. (646) 126
- Kamaya, H., Kaneshina, S. and Ueda, I.
 Equilibrium of inhalation anesthetics and alcohols between water and membranes of phospholipids with varying acyl chain-lengths (646) 135
- Kaneshina, S., see Kamaya, H. (646) 135
- Karlsh, S.J.D., Ellory, J.C. and Lew, V.L.
 Evidence against Na^+ -pump mediation of Ca^{2+} -activated K^+ transport and diuretic-sensitive Na^+/K^+ cotransport (646) 353
- Kawakami, H. and Terayama, H.
 Liver plasma membranes and proteoglycan prepared therefrom inhibit the growth of hepatoma cells in vitro (646) 161
- Kay, J.E., see Borghetti, A.F. (646) 218
- Keeffe, E.B., see Scharschmidt, B.F. (646) 369
- Keough, K.M.W., see Hawco, M.W. (646) 185
- Kessler, M., see Toggenburger, G. (646) 433
- Kim, S. and Martin, G.M.
 Preparation of cell-size unilamellar liposomes with high captured volume and defined size distribution (646) 1
- Kimelberg, H.K.
 Active accumulation and exchange transport of chloride in astroglial cells in culture (646) 179
- Kito, M., see Takeuchi, Y. (646) 119
- Koatz, R., see Liebovitch, L.S. (646) 71
- Kornberg, H.L., see Slater, A.C. (646) 365
- Kouvonen, I.
 The hydrophobic nature of the pig intrinsic factor receptor in the intestine (646) 268
- Kunimoto, M., Inoue, K. and Nojima, S.
 Effect of ferrous ion and ascorbate-induced lipid peroxidation on liposomal membranes (646) 169
- Lamb, J.F., see Aiton, J.F. (646) 389
- Lew, V.L., see Karlsh, S.J.D. (646) 353
- Liebovitch, L.S., Fischbarg, J. and Koatz, R.
 Osmotic water permeability of rabbit corneal endothelium and its dependence on ambient concentration (646) 71
- MacKellar, W.C., see Ramasarma, T. (646) 88
- Martin, G.M., see Kim, S. (646) 1
- Marvizón, J.G., see Aragón, M.C. (646) 465
- Mayor, F., Jr., see Aragón, M.C. (646) 465
- McLaughlin, A.C., see Degani, H. (646) 320
- Meier, P.J., Spycher, M.A. and Meyer, U.A.
 Isolation and characterization of rough endoplasmic reticulum associated with mitochondria from normal rat liver (646) 283
- Meyer, U.A., see Meier, P.J. (646) 283
- Milo-Goldzweig, I., see Azaz, E. (646) 444
- Mütsch, B., see Toggenburger, G. (646) 433
- Nagel, W., Durham, J.H. and Brodsky, W.A.

- Electrical characteristics of the apical and basal-lateral membranes in the turtle bladder epithelial cell layer (646) 77
- Nagamune, H., see Terada, H. (646) 488
- Nandi, J., Ray, T.K. and Sen, P.C.
Studies on gastric Ca^{2+} -stimulated adenosine triphosphatase. I. Characterization and general properties (646) 457
- Nojima, S., see Kunimoto, M. (646) 169
- Nojima, S., see Oku, N. (646) 36
- Noordam, P.C., Van Echteld, C.J.A., De Kruijff, B. and De Gier, J.
Rapid transbilayer movement of phosphatidylcholine in unsaturated phosphatidylethanolamine containing model membranes (646) 483
- Ogden, P., see Aiton, J.F. (646) 389
- Ohnishi, S.I., see Takeuchi, Y. (646) 119
- Oku, N., Nojima, S. and Inoue, K.
Studies on the interaction of Sendai virus with liposomal membranes. Sendai virus-induced agglutination of liposomes containing glycophorin (646) 36
- O'Neill, B., see Toggenburger, G. (646) 433
- Osaki, Y., see Terada, H. (646) 488
- Parsons, R.H., see Bray, R.J. (646) 399
- Petkova, O., see Clausen, T. (646) 261
- Pierce, E.J., see Holman, G.D. (646) 382
- Pong, S.-S., DeHaven, R. and Wang, C.C.
Stimulation of benzodiazepine binding to rat brain membranes and solubilized receptor complex by avermectin B_{1a} and α -aminobutyric acid (646) 143
- Proverbio, F. and Del Castillo, J.R.
 Na^+ -stimulated ATPase activities in kidney basal-lateral plasma membranes (646) 99
- Ramasarma, T., MacKellar, W.C. and Crane, F.L.
Vanadate-stimulated NADH oxidation in plasma membrane (646) 88
- Ray, T.K., see Nandi, J. (646) 457
- Reed, J.K.
Modification of the tetrodotoxin receptor in *Electrophorus Electricus* by phospholipase A_2 (646) 43
- Rees, W.D. and Holman, G.D.
Hydrogen bonding requirements for the insulin-sensitive sugar transport system of rat adipocytes (646) 251
- Rees, W.D., see Holman, G.D. (646) 382
- Reynolds, R.A., see Foreman, J.W. (646) 188
- Rothstein, A., see DuPre, A.M. (646) 471
- Roy-Burman, S. and Visser, D.W.
Uridine and uracil transport in *Escherichia coli* and transport-deficient mutants (646) 309
- Ruysschaert, J.-M., see Banerjee, S. (646) 360
- Scharschmidt, B.F. and Kecfe, E.B.
Isolation of a rat liver plasma membrane fraction of probable canalicular origin. Preparative technique, enzymatic profile, composition, and solute transport (646) 369
- Schwarz, L.R., see Schwenk, M. (646) 344
- Schwenk, M. and Schwarz, L.R.
Preincubation accelerates taurocholate uptake into isolated liver cells (646) 344
- Segal, R., see Azaz, E. (646) 444
- Segal, S., see Foreman, J.W. (646) 188
- Semenza, G., see Toggenburger, G. (646) 433
- Sen, P.C., see Nandi, J. (646) 457
- Severini, A., see Borghetti, A.F. (646) 218
- Shibata, A., Suezaki, Y., Kamaya, H. and Ueda, I.
Adsorption of inhalation anesthetics on the air/water interface and the effect of water structure (646) 126
- Shohet, S.B., see Clark, M.R. (646) 422
- Simmons, N.L.
Stimulation of Cl^- secretion by exogenous ATP in cultured MDCK epithelial monolayers (646) 231
- Simmons, N.L.
The action of ouabain upon chloride secretion in cultured MDCK epithelium (646) 243
- Simmons, N.L., see Aiton, J.F. (646) 389
- Simon, S., see Degani, H. (646) 320
- Singh, R., see Baker, P.F. (646) 450
- Slater, A.C., Jones-Mortimer, M.C. and Kornberg, H.L.
L-Sorbose phosphorylation in *Escherichia coli* K-12 (646) 365
- Speyher, M.A., see Meier, P.J. (646) 283
- St. John, P.A., see Jeng, A.Y. (646) 411
- Suezaki, Y., see Shibata, A. (646) 126
- Takeuchi, Y., Ohnishi, S.I., Ishinaga, M. and Kto, M.
Dynamic states of phospholipids in *Escherichia coli* B membrane. Electron spin resonance studies with biosynthetically generated phospholipid spin-labels (646) 119
- Terada, H., Nagamune, H., Osaki, Y. and Yoshikawa, K.
Specific requirement for inorganic phosphate for induction of bilayer membrane conductance by the cationic uncoupler carbocyanine dye (646) 488
- Terayama, H., see Kawakami, H. (646) 161
- Toggenburger, G., Häusermann, M., Mütsch, B., Genoni, G., Kessler, M., Weber, F., Hornig, D., O'Neill, B. and Semenza, G.
 Na^+ -dependent, potential sensitive L-ascorbate transport across brush border membrane vesicles from kidney cortex (646) 433
- Tramacere, M., see Borghetti, A.F. (646) 218
- Tseng, P.K., see Chow, E.I. (646) 356
- Türup-Johansen, M.S., see Clausen, T. (646) 261
- Ueda, I., see Shibata, A. (646) 126
- Ueda, I., see Kamaya, H. (646) 135
- Uemoto, J., Bhavanandan, V.P. and Davidson, E.A.
Isolation and partial characterization of a mucin-type glycoprotein from plasma membranes of human melanoma cells (646) 402

Valdivieso, F., see Aragón, M.C. (646) 465

Vandenbranden, M., see Banerjee, S. (646) 360

Van Echteld, C.J.A., see Noordam, P.C. (646) 483

Visser, D.W., see Roy-Burnam, S. (646) 309

Wald, H., see Foreman, J.W. (646) 188

Wang, C.C., see Pong, S.-S. (646) 143

Weber, F., see Toggenburger, G. (646) 433

White, A.T., see Clark, M.R. (646) 422

Yamamoto, S. and Greeff, K.

Effect of intracellular sodium on calcium uptake in isolated guinea-pig diaphragm and atria (646) 348

Yoshikawa, K., see Terada, H. (646) 488