

AUTHOR INDEX

- Ahlers, J.
Temperature effects on kinetic properties of plasma membrane ATPase from the yeast *Saccharomyces cerevisiae* (649) 550
- Ahnert-Hilger, G., see Habermann, E. (649) 481
- Aisen, P., see Marx, J.J.M. (649) 297
- Akamatsu, Y., see Kitagawa, T. (649) 76
- Alroy, J., Merk, F.B., Goyal, V. and Ucci, A.
Heterogeneous distribution of filipin-sterol complexes in nuclear membranes (649) 239
- Antolini, R. and Menestrina, G.
Effects of Aplysia hemocyanin on the conductance of oxidized cholesterol black lipid membranes (649) 121
- Araujo, P.S., see Schenkman, S. (649) 633
- Arnold, L.D., see Lepock, J.R. (649) 45
- Atkins, G.L.
Mean solute concentration for use with the Michaelis-Menten equation applied to the analysis of data from intestinal perfusion experiments (649) 143
- Balaram, P., see Mathew, M.K. (649) 336
- Bauer, H.C., see Speth, V. (649) 113
- Beekes, H.W., see Tijssen, J.P.F. (649) 529
- Beress, L., see Habermann, E. (649) 481
- Berger, E.G., see Hesford, F.J. (649) 709
- Berteloot, A., Khan, A.H. and Ramaswamy, K.
Characteristics of dipeptide transport in normal and papain-treated brush border membrane vesicles from mouse intestine. I. Uptake of glycyl-L-phenylalanine (649) 179
- Bilezikian, J.P., see Furukawa, H. (649) 625
- Binstock, L., see Ganot, G. (649) 487
- Bittman, R., see Rottem, S. (649) 572
- Blumenthal, R., see Ralston, E. (649) 133
- Bogé, G. and Rigal, A.
A chloride requirement for Na⁺-dependent amino-acid transport by brush border membrane vesicles isolated from the intestine of a mediterranean teleost (*Boops salpa*) (649) 455
- Bonting, S.L., see Peters, W.H.M. (649) 541
- Bonting, S.L., see Schrijen, J.J. (649) 1
- Bonting, S.L., see Schuurmans Stekhoven, F.M.A.H. (649) 533
- Borst-Pauwels, G.W.F.H., see Nieuwenhuis, B.J.W.M. (649) 83
- Bradley, R.J., Prasad, K.U. and Urry, D.W.
Single channel properties of D-Leu²-gramicidin A. Side chain modulation of channel lifetime (649) 281
- Brockerhoff, H., see Somerharju, P. (649) 521
- Brown, C.D.A. and Simmons, N.L.
Catecholamine-stimulation of Cl⁻ secretion in MDCK cell epithelium (649) 427
- Brunner, G., see Speth, V. (649) 113
- Busza, A.L., see Holman, G.D. (649) 503
- Cabezas, J.A., see Lanillo, M. (649) 229
- Cafiso, D.S., Petty, H.R. and McConnell, H.M.
Preparation of unilamellar lipid vesicles at 37°C by vaporization methods (649) 129
- Carrasquer, G., see Schwartz, M. (649) 253
- Cass, C.E., Kolassa, N., Uehara, Y., Dahlig-Harley, E., Harley, E.R. and Paterson, A.R.P.
Absence of binding sites for the transport inhibitor nitrobenzylthioinosine on nucleoside transport-deficient mouse lymphoma cells (649) 769
- Chaimovich, H., see Schenkman, S. (649) 633
- Chhatwal, G.S., see Habermann, E. (649) 481
- Christiansen, K., see Dubbelman, T.M.A.R. (649) 310
- Chu, T.C., see Schwartz, M. (649) 253
- Clark, A.F., see Rubin, A.L. (649) 202
- Clark, W.R., see Poon, R. (649) 58
- Crisp, E.A., see Ralston, G.B. (649) 98
- Cross, H.S., see Peterlik, M. (649) 138
- Dahlig-Harley, E., see Cass, C.E. (649) 769
- De Gier, J., see Van Echteld, C.J.A. (649) 211
- De Goeij, A.F.P.M., see Dubbelman, T.M.A.R. (649) 310
- De Kruijff, B., see Van Echteld, C.J.A. (649) 211
- De Pont, J.J.H.H.M., see Peters, W.H.M. (649) 541
- De Pont, J.J.H.H.M., see Schrijen, J.J. (649) 1
- De Pont, J.J.H.H.M., see Schuurmans Stekhoven, F.M.A.H. (649) 533
- Deschenes, R.J., Mautner, H.G. and Marquis, J.K.
Local anesthetics noncompetitively inhibit terbium binding to the exterior surface of nerve membrane vesicles (649) 515
- Deuticke, B., see Haest, C.W.M. (649) 701
- Diedrich, D.F., see Fannin, F.F. (649) 189
- Dijkman, R., see Schenkman, S. (649) 633
- Dingley, A.L., Kustin, K., Macara, I.G. and McLeod, G.C.
Accumulation of vanadium by tunicate blood cells occurs via a specific anion transport system (649) 493
- Dragsten, P., see Kleinfeld, A.M. (649) 471
- Dreiling, C.E.
Localization of 2',3'-cyclic nucleotide 3'-phosphodiesterase in human erythrocyte membranes (649) 587
- Dubbelman, T.M.A.R., De Goeij, A.F.P.M., Christiansen, K. and Van Steveninck, J.
Protoporphyrin-induced photodynamic effects on band 3 protein of human erythrocyte membranes (649) 310
- Dufourcq, J., Faucon, J.F., Maget-Dana, R., Pileni, M.P. and Hélène, C.
Peptide-membrane interactions. A fluorescence study of

- the binding of oligopeptides containing aromatic and basic residues to phospholipid vesicles (649) 67
 Düzgüneş, N., see Sundler, R. (649) 751
- Ehrenstein, G., see Ganot, G. (649) 487
 Ekerdt, R., see Gratzl, M. (649) 355
 Epand, R.M., Epand, R.F., Stewart, T.P. and Hui, S.W.
 The condensing effect of glucagon on phospholipid bilayers (649) 608
 Epand, R.F., see Epand, R.M. (649) 608
 Evans, J.O., see Fannin, F.F. (649) 189
- Fannin, F.F., Evans, J.O., Gibbs, E.M. and Diedrich, D.F.
 Phloretinyl-3'-benzylazide: a high affinity probe for the sugar transporter in human erythrocytes. I. Hexose transport inhibition and photolabeling of mutarotase (649) 189
 Faucon, J.F., see Dufourcq, J. (649) 67
 Feigenson, G.W., see London, E. (649) 89
 Fleuren-Jakobs, A.M.M., see Peters, W.H.M. (649) 541
 Foder, B. and Scharff, O.
 Decrease of apparent calmodulin affinity of erythrocyte ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase at low Ca^{2+} concentrations (649) 367
 Fossel, E.T. and Solomon, A.K.
 Relation between red cell membrane ($\text{Na}^+ + \text{K}^+$)-ATPase and band 3 protein (649) 557
 Fuchs, R., see Peterlik, M. (649) 138
 Furukawa, H., Bilezikian, J.P. and Loeb, J.N.
 Potassium fluxes in the rat reticulocyte. Ouabain sensitivity and changes during maturation (649) 625
- Ganot, W., Wong, B.S., Binstock, L. and Ehrenstein, G.
 Reversal potentials corresponding to mechanical stimulation and leakage current in *Myxicola* giant axons (649) 487
 Gibbs, E.M., see Fannin, F.F. (649) 189
 Godfraind, T., see Wibo, M. (649) 651
 Goyal, V., see Alroy, J. (649) 239
 Gratzl, M., Krieger-Brauer, H. and Ekerdt, R.
 Latent acetylcholinesterase in secretory vesicles isolated from adrenal medulla (649) 355
 Gulumian, M. and Manchester, K.L.
 Influence of serum and amino acids on the accumulation of aminoisobutyrate by rat hepatoma cells. A dedifferentiation of transport routes? (649) 24
 Gutknecht, J. and Walter, A.
 Histamine, theophylline and tryptamine transport through lipid bilayer membranes (649) 149
- Habermann, E., Ahnert-Hilger, G., Chhatwal, G.S. and Beress, L.
 Delayed haemolytic action of palytoxin. General characteristics (649) 481
 Haest, C.W.M., Plasa, G. and Deuticke, B.
 Selective removal of lipids from the outer membrane layer of human erythrocytes without hemolysis. Consequences for bilayer stability and cell shape (649) 701
- Hajjar, J.J. and Schedl, H.P.
 Amino acid influx across the mucosal border of the rat intestine in vivo (649) 759
 Harley, E.R., see Cass, C.E. (649) 769
 Harris, T.M., see Schraw, W.P. (649) 735
 Hasegawa-Sasaki, H., see Sasaki, T. (649) 449
 Hauer, R., Uhlemann, G., Neumann, J. and Höfer, M.
 Proton pumps of the plasmalemma of the yeast *Rhodotorula gracilis*. Their coupling to fluxes of potassium and other ions (649) 680
 Hayashi, R., see Nishimune, T. (649) 419
 Hélène, C., see Dufourcq, J. (649) 67
 Hesford, F.J. and Berger, E.G.
 Human erythrocyte galactosyltransferase. Characterization, membrane association and sidedness of active site (649) 709
 Hildebrand, E., see Martinac, B. (649) 244
 Hjelmeland, L.M., see Ralston, E. (649) 133
 Höfer, M., see Hauer, R. (649) 680
 Holman, G.D., Busza, A.L., Pierce, E.J. and Rees, W.D.
 Evidence for negative cooperativity in human erythrocyte sugar transport (649) 503
 Honda, K., see Ohno, H. (649) 221
 Horák, J., Rihová, L. and Kotyk, A.
 Energization of sulfate transport in yeast (649) 436
 Hui, S.W., see Epand, R.M. (649) 608
- Iwaki, M., see Ogiso, T. (649) 325
- Jacobs, L.R.
 Alterations in labeling of cell-surface glycoproteins from normal and diabetic rat intestinal microvillous membranes (649) 155
 Janoff, A.S., Pringle, M.J. and Miller, K.W.
 Correlation of general anesthetic potency with solubility in membranes (649) 125
- Kaplan, J.H., see Parola, A.H. (649) 616
 Katona, E., see Mărgineanu, D.-G. (649) 581
 Kelly, K., see Lepock, J.R. (649) 45
 Khan, A.H., see Berteloot, A. (649) 179
 Kido, T., see Yamakura, F. (649) 343
 Kimura, T., see Yamakura, F. (649) 343
 Kitagawa, T. and Akamatsu, Y.
 Control of passive permeability of Chinese hamster ovary cells by external and intracellular ATP (649) 76
 Klausner, R.D., see Kleinfeld, A.M. (649) 471
 Klausner, R.D., see Ralston, E. (649) 133
 Kleinfeld, A.M., Dragsten, P., Klausner, R.D., Pjura, W.J. and Matayoshi, E.D.
 The lack of relationship between fluorescence polarization and lateral diffusion in biological membranes (649) 471
 Koblin, D.D. and Wang, H.H.
 Chronic exposure to inhaled anesthetics increases cholesterol content in *Acholeplasma laidlawii* (649) 717
 Koizumi, K., Shimizu, S., Koizumi, K.T., Nishida, K., Sato, C., Ota, K. and Yamanaka, N. Rapid isolation and lipid

- characterization of plasma membranes from normal and malignant lymphoid cells of mouse (BBA 79481) (649) 393
- Koizumi, K.T., see Koizumi, K. (649) 393
- Kolassa, N., see Cass, C.E. (649) 769
- Kotyik, A., see Horák, J. (649) 436
- Krieger-Brauer, H., see Gratzl, M. (649) 355
- Kubak, B.M. and Yotis, W.W.
Analysis of *Staphylococcus aureus* cytoplasmic membrane proteins by isoelectric focusing (649) 642
- Kustin, K., see Dingley, A.L. (649) 493
- Lanillo, M. and Cabezas, J.A.
Isolation, characterization and chemical composition of the membrane from sheep platelets (649) 229
- Lepock, J.R., Arnold, L.D., Petkau, A. and Kelly, K.
Interaction of superoxide dismutase with phospholipid liposomes. An uptake, spin label and calorimetric study (649) 45
- Lockwood, S.H., see Parola, A.H. (649) 616
- Loeb, J.N., see Furukawa, H. (649) 625
- Lombardi, F.J.
Lactose- H^+ (OH) transport system of *Escherichia coli*. Multistate gated pore model based on half-sites stoichiometry for high-affinity substrate binding in a symmetrical dimer (649) 661
- London, E. and Feigenson, G.W.
Fluorescence quenching in model membranes. An analysis of the local phospholipid environments of diphenylhexatriene and gramicidin A' (649) 89
- Lord, S.T. and Richards, F.M.
The labeling with 8-azido-cyclic adenosine monophosphate of proteins in vesicles of sarcoplasmic reticulum from rabbit skeletal muscle (649) 13
- Lutz, H.U., see Müller, H. (649) 462
- Macara, I.G., see Dingley, A.L. (649) 493
- Maddy, A.H., see Thompson, S. (649) 31
- Maddy, A.H., see Thompson, S. (649) 38
- Maget-Dana, R., see Dufourcq, J. (649) 67
- Manchester, K.L., see Gulumian, M. (649) 24
- Mandersloot, J.G., see Van Echteld, C.J.A. (649) 211
- Margalit, R. and Shanzer, A.
A study of Li^+ -selective permeation through lipid bilayer membranes mediated by a new ionophore (AS701) (649) 441
- Mărgineanu, D.-G., Katona, E. and Popa, J.
Kinetics of nerve impulse blocking by protein cross-linking aldehydes. Apparent critical thermal points (649) 581
- Marquis, J.K., see Deschenes, R.J. (649) 515
- Martinac, B. and Hildebrand, E.
Electrically induced Ca^{2+} transport across the membrane of *Paramecium caudatum* measured by means of flow-through technique (649) 244
- Maruyama, H., see Yamauchi, T. (649) 385
- Marx, J.J.M. and Aisen, P.
Iron uptake by rabbit intestinal mucosal membrane vesicles (649) 297
- Matayoshi, E.D., see Kleinfeld, A.M. (649) 471
- Mathew, M.K., Nagaraj, R. and Balaram, P.
Fluorescent alamethicin fragments. A study of membrane activity and aqueous phase aggregation (649) 336
- Mautner, H.G., see Deschenes, R.J. (649) 515
- McConnell, H.M., see Cafiso, D.S. (649) 129
- McLeod, G.C., see Dingley, A.L. (649) 493
- Menestrina, G., see Antolini, R. (649) 121
- Merk, F.B., see Alroy, J. (649) 239
- Miller, K.W., see Janoff, A.S. (649) 125
- Moatti, J.-P., see Tixador, R. (649) 175
- Monrozies, E., see Tixador, R. (649) 175
- Morel, N., see Wibo, M. (649) 651
- Mori, K., see Ogiso, T. (649) 325
- Müller, H., Schmidt, U. and Lutz, H.U.
On the mechanism of vesicle release from ATP-depleted human red blood cells (649) 462
- Murphree, S.A., Tritton, T.R., Smith, P.L. and Sartorelli, A.C.
Adriamycin-induced changes in the surface membrane of sarcoma 180 ascites cells (649) 317
- Nagaraj, R., see Mathew, M.K. (649) 336
- Neumann, J., see Hauer, R. (649) 680
- Nieuwenhuis, B.J.W.M., Weijers, C.A.G.M. and Borst-Pauwels, G.W.F.H.
Uptake and accumulation of Mn^{2+} and Sr^{2+} in *Saccharomyces cerevisiae* (649) 83
- Nishida, K., see Koizumi, K. (649) 393
- Nishimune, T., Tomita, M., Yoshii, Z. and Hayashi, R.
Counterflow efflux of thiamin in *Escherichia coli* (649) 419
- Nozawa, Y., see Yamauchi, T. (649) 385
- Ogiso, T., Iwaki, M. and Mori, K.
Fluidity of human erythrocyte membrane and effect of chlorpromazine on fluidity and phase separation of membrane (649) 325
- Ohki, K., see Yamauchi, T. (649) 385
- Ohno, H., Shimidzu, N., Tsuchida, E., Sasakawa, S. and Honda, K.
Fluorescence polarization study on the increase of membrane fluidity of human erythrocyte ghosts induced by synthetic water-soluble polymers (649) 221
- Omachi, A., see Schrijen, J.J. (649) 1
- Ota, K., see Koizumi, K. (649) 393
- Papahadjopoulos, D., see Sundler, R. (649) 743
- Papahadjopoulos, D., see Sundler, R. (649) 751
- Parola, A.H., Kaplan, J.H., Lockwood, S.H. and Uzgiris, E.E.
Activation of human lymphocytes by concanavalin A or purified protein derivative results in no alteration of fluorescence polarization of lipid probes although the electrophoretic mobility of the cells is changed (649) 616
- Paterson, A.R.P., see Cass, C.E. (649) 769
- Pech, I.V., see Schellenberg, G.D. (649) 691
- Peterlik, M., Fuchs, R. and Cross, H.S.
Stimulation of D-glucose transport. A novel effect of

- vitamin D on intestinal membrane transport (649) 138
- Peters, W.H.M., Fleuren-Jakobs, A.M.M., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on ($\text{Na}^+ + \text{K}^+$)-activated ATPase. XLIX. Content and role of cholesterol and other neutral lipids in highly purified rabbit kidney enzyme preparation (649) 541
- Petkau, A., see Lepock, J.R. (649) 45
- Petty, H.R., see Cafiso, D.S. (649) 129
- Pierce, E.J., see Holman, G.D. (649) 503
- Pileni, M.P., see Dufourcq, J. (649) 67
- Pjura, W.J., see Kleinfeld, A.M. (649) 471
- Planel, H., see Tixador, R. (649) 175
- Plasa, G., see Haest, C.W.M. (649) 701
- Poon, R., Richards, J.M. and Clark, W.R.
The relationship between plasma membrane lipid composition and physical-chemical properties. II. Effect of phospholipid fatty acid modulation on plasma membrane physical properties and enzymatic activities (649) 58
- Popa, J., see Mărgineanu, D.-G. (649) 581
- Prasad, K.U., see Bradley, R.J. (649) 281
- Pringle, M.L., see Janoff, A.S. (649) 125
- Putzrath, R.M., see Wilson, D.M. (649) 377
- Quina, F.H., see Schenkman, S. (649) 633
- Rabito, C.A.
Localization of the Na^+ -sugar cotransport system in a kidney epithelial cell line (LLC PK₁) (649) 286
- Ralston, E., Hjelmeland, L.M., Klausner, R.D., Weinstein, J.N. and Blumenthal, R.
Carboxyfluorescein as a probe for liposome-cell interactions. Effect of impurities, and purification of the dye (649) 133
- Ralston, G.B. and Crisp, E.A.
The action of organic mercurials on the erythrocyte membrane (649) 98
- Ramaswamy, K., see Berteloot, A. (649) 179
- Rees, W.D., see Holman, G.D. (649) 503
- Regen, D.M., see Schraw, W.P. (649) 726
- Regen, D.M., see Schraw, W.P. (649) 735
- Rehm, W.S., see Schwartz, M. (649) 253
- Richards, F.M., see Lord, S.T. (649) 13
- Richards, J.M., see Poon, R. (649) 58
- Richoille, G., see Tixador, R. (649) 175
- Rigal, A., see Bogé, G. (649) 455
- Rihová, L., see Horák, J. (649) 436
- Romero, P.J.
Active calcium transport in red cell ghosts resealed in dextran solutions (649) 404
- Rosenberg, R.
A kinetic analysis of L-tryptophan transport in human red blood cells (649) 262
- Rottem, S., Shinar, D. and Bittman, R.
Symmetrical distribution and rapid transbilayer movement of cholesterol in *Mycoplasma gallisepticum* membranes (649) 572
- Rubin, A.L., Clark, A.F. and Stahl, W.L.
The insect brain ($\text{Na}^+ + \text{K}^+$)-ATPase. Binding of ouabain in the hawk moth, *Manduca sexta* (649) 202
- Sarcione, S.L., see Vandlen, R.L. (649) 595
- Sartorelli, A.C., see Murphree, S.A. (649) 317
- Sartorelli, A.C., see Tsiftoglou, A.S. (649) 105
- Sasakawa, S., Ohno, H. (649) 221
- Sasaki, T. and Hasegawa-Sasaki, H.
Effects of anchorage-modulating doses of concanavalin A, microtubule-disrupting drugs, and microfilament perturbants, cytochalasins, on the phosphatidylinositol response of rat lymph-node cells (649) 449
- Sato, C., see Koizumi, K. (649) 393
- Scharff, O., see Foder, B. (649) 367
- Schedl, H.P., see Hajjar, J.J. (649) 759
- Schellenberg, G.D., Pech, I.V. and Stahl, W.L.
Immunoreactivity of subunits of the ($\text{Na}^+ + \text{K}^+$)-ATPase. Cross-reactivity of the α , α^+ and β forms in different organs and species (649) 691
- Schenkman, S., Araujo, P.S., Dijkman, R., Quina, F.H. and Chaimovich, H.
Effects of temperature and lipid composition on the serum albumin-induced aggregation and fusion of small unilamellar vesicles (649) 633
- Schmidt, U., see Müller, H. (649) 462
- Schraw, W.P. and Regen, D.M.
Glucose transport in thymocyte plasma-membrane vesicles (649) 726
- Schraw, W.P., Regen, D.M. and Harris, T.M.
Inhibition of glucose transport by benzoquinone and the addition product of benzoquinone and dithiothreitol (649) 735
- Schrijen, J.J., Omachi, A., Van Groningen-Luyben, W.A.H.M., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on ($\text{K}^+ + \text{H}^+$)-ATPase. IV. Effects of phospholipase C treatment (649) 1
- Schroeder, F.
Altered phospholipid composition affects endocytosis in cultured LM fibroblasts (649) 162
- Schuurmans Stekhoven, F.M.A.H., Swarts, H.G.P., De Pont, J.J.H.H.M. and Bonting, S.L.
Studies on ($\text{Na}^+ + \text{K}^+$)-activated ATPase. XLV. Magnesium induces two low-affinity non phosphorylating nucleotide binding sites per molecule (649) 533
- Schwartz, M., Chu, T.C., Carrasquer, G. and Rehm, W.S.
Anomalous potential response and ($\text{Na}^+ + \text{K}^+$)-ATPase in *in vitro* frog gastric mucosa (649) 253
- Shanzer, A., see Margalit, R. (649) 441
- Shimidzu, N., see Ohno, H. (649) 221
- Shimizu, S., see Koizumi, K. (649) 393
- Shinar, D., see Rottem, S. (649) 572
- Simmons, N.L., see Brown, C.D.A. (649) 427
- Smith, P.L., see Murphree, S.A. (649) 317
- Solomon, A.K., see Fossel, E.T. (649) 557
- Somerharju, P., Brockerhoff, H. and Wirtz, K.W.A.
A new fluorimetric method to measure protein-catalyzed phospholipid transfer using 1-acyl-2-parinaroylphosphatidylcholine (649) 521

- Speth, V., Bauer, H.C. and Brunner, G.
Changes of the internal organization of the plasma membrane correlated to the regeneration potency of the cell (649) 113
- Stahl, W.L., see Rubin, A.L. (649) 202
- Stahl, W.L., see Schellenberg, G.D. (649) 691
- Stewart, T.P., see Epand, R.M. (649) 608
- Sundler, R., Düzgüneş, N. and Papahadjopoulos, D.
Control of membrane fusion by phospholipid head groups. II. The role of phosphatidylethanolamine in mixtures with phosphatidate and phosphatidylinositol (649) 751
- Sundler, R. and Papahadjopoulos, D.
Control of membrane fusion by phospholipid head groups. I. Phosphatidate/phosphatidylinositol specificity (649) 743
- Swarts, H.G.P., see Schuurmans Stekhoven, F.M.A.H. (649) 533
- Telakowski, C.A., see Vandlen, R.L. (649) 595
- Templier, J., see Tixador, R. (649) 175
- Thompson, S. and Maddy, A.H.
The abnormal phosphorylation of spectrin in human hereditary spherocytosis (649) 31
- Thompson, S. and Maddy, A.H.
The molecular basis of the defect in phosphorylation of spectrin in human hereditary spherocytosis (649) 38
- Tijssen, J.P.F., Beekes, H.W. and Van Steveninck, J.
Localization of polyphosphates at the outside of the yeast cell plasma membrane (649) 529
- Tixador, R., Richoille, G., Templier, J., Monrozier, E., Moatti, J.-P. et Planel, H.
Etude de la teneur intra et extracellulaire des électrolytes dans les cultures de paramécies réalisées pendant un vol spatial (Study of the intra- and extracellular electrolyte content in *Paramecia* cultures carried out during a space flight) (649) 175
- Tomita, M., see Nishimune, T. (649) 419
- Tritton, T.R., see Murphree, S.A. (649) 317
- Tsiftoglou, A.S. and Sartorelli, A.C.
Changes in surface architecture during murine erythroleukemia cell differentiation as detected by lectin binding and agglutination (649) 105
- Tsuchida, E., see Ohno, H. (649) 221
- Turner, R.J.
Kinetic analysis of a family of cotransport models (649) 269
- Ucci, A., see Alroy, J. (649) 239
- Uehara, Y., see Cass, C.E. (649) 769
- Uhlemann, G., see Hauer, R. (649) 680
- Urry, D.W., see Bradley, R.J. (649) 281
- Uzgiris, E.E., see Parola, A.H. (649) 616
- Van den Broek, P.J.A. and Van Steveninck, J.
Kinetic analysis of 2-deoxy-D-glucose uptake in *Saccharomyces fragilis* (649) 305
- Vandlen, R.L., Sarcione, S.L. and Telakowski, C.A.
Purification and characterization of plasma membrane fraction from cultured pituitary cells (649) 595
- Van Echteld, C.J.A., De Kruijff, B., Mandersloot, J.G. and De Gier, J.
Effects of lysophosphatidylcholines on phosphatidylcholine and phosphatidylcholine/cholesterol liposome systems as revealed by ^{31}P -NMR, electron microscopy and permeability studies (649) 211
- Van Groningen-Luyben, W.A.H.M., see Schrijen, J.J. (649) 1
- Van Steveninck, J., see Dubbelman, T.M.A.R. (649) 310
- Van Steveninck, J., see Tijssen, J.P.F. (649) 529
- Van Steveninck, J., see Van den Broek, P.J.A. (649) 305
- Walter, A., see Gutknecht, J. (649) 149
- Wang, H.H., see Koblin, D.D. (649) 717
- Weijers, C.A.G.M., see Nieuwenhuis, B.J.W.M. (649) 83
- Weinstein, J.N., see Ralston, E. (649) 133
- Wibo, M., Morel, N. and Godfraind, T.
Differentiation of Ca^{2+} pumps linked to plasma membrane and endoplasmic reticulum in the microsomal fraction from intestinal smooth muscle (649) 651
- Wilson, D.M., Putzrath, R.M. and Wilson, T.H.
Inhibition of growth of *Escherichia coli* by lactose and other galactosides (649) 377
- Wilson, T.H., see Wilson, D.M. (649) 377
- Wirtz, K.W.A., see Somerharju, P. (649) 521
- Wong, B.S., see Ganot, G. (649) 487
- Yamakura, F., Kido, T. and Kimura, T.
Characterization of cytochrome P-450_{sec}-containing liposomes (649) 343
- Yamanaka, N., see Koizumi, K. (649) 393
- Yamauchi, T., Ohki, K., Maruyama, H. and Nozawa, Y.
Thermal adaptation of *Tetrahymena* membranes with special reference to mitochondria. Role of cardiolipin in fluidity of mitochondrial membranes (649) 385
- Yoshii, Z., see Nishimune, T. (649) 419
- Yotis, W.W., see Kubak, B.M. (649) 642