

AUTHOR INDEX

- Aiuchi, T., Daimatsu, T., Nakaya, K. and Nakamura, Y.
Fluorescence changes of rhodamine 6G associated with changes in membrane potential in synaptosomes (685) 289
- Balasubramanian, A. and McLaughlin, S.
Electro-osmosis at the surface of phospholipid bilayer membranes (685) 1
- Baldini, G., see Sottocasa, G.L. (685) 123
- Banerjee, S., see Vandenbranden, M. (685) 177
- Bingeli, Y., see Ott, P. (685) 211
- Bittman, R., see Readio, J.D. (685) 219
- Bohnenberger, E. and Sandermann, H., Jr.
Diglyceride kinase from *Escherichia coli*. Modulation of enzyme activity by glycosphingolipids (685) 44
- Bonilla, E., see Fischbeck, K.H. (685) 207
- Boulanger, Y., see Westman, J. (685) 315
- Brain, A.P.R., see Sen, A. (685) 297
- Brasseur, R., see Guilmin, T. (685) 169
- Brauer, D., see Schneider, D. (685) 94
- Brodbeck, U., see Ott, P. (685) 211
- Brooker, G., Fleming, J.W. and Ross, E.M.
Radioimmunoassay of digitonin (685) 39
- Burnham, C., Munzesheimer, C., Rabon, E. and Sachs, G.
Ion pathways in renal brush border membranes (685) 260
- Butkus, D.E. and Jones, F.T.
Reversal of copper-induced inhibition of vasopressin responsiveness by reducing agents (685) 203
- Caspers, J., see Guilmin, T. (685) 169
- Cattieu, K., see Marinetti, G.V. (685) 109
- Cestaro, B., Pistolesi, E., Hershkowitz, N. and Gatt, S.
Preparation of asymmetric, cerebroside sulfate-containing phospholipid vesicles (685) 13
- Chen, D., see Chow, E.I. (685) 196
- Chen, K.Y. and Rinehart, C.A., Jr.
Identification of exposed surface glycoproteins in undifferentiated and differentiated mouse N-18 neuroblastoma cells (685) 61
- Chow, E.I. and Chen, D.
Kinetic characteristics of bicarbonate-chloride exchange across the neonatal human red cell membrane (685) 196
- Cuénoud, S., see Rüegg, U.T. (685) 241
- Czekanski, S., see Poznansky, M.J. (685) 182
- Daimatsu, T., see Aiuchi, T. (685) 289
- Daniel, R.M., see Jansen, G.J. (685) 191
- De Kruijff, B., see Goormaghtigh, E. (685) 137
- De Kruijff, B., see Taraschi, T.P. (685) 153
- De Kruijff, B., see Vasilenko, I. (685) 144
- Ehrenberg, A., see Westman, J. (685) 315
- Endo, T., see Sunamoto, J. (685) 283
- Epand, R.M. and Moscarello, M.A.
The effect of bovine myelin basic protein on the phase transition properties of sphingomyelin (685) 230
- Falke, D., see Schneider, D. (685) 94
- Ferreira, A.T., Lacaz-Vieira, F. and Paiva, A.C.M.
Role of diffusion potential on the flow of angiotensin II, bradykinin and related molecules through cellophane membranes (685) 32
- Field, J.B., see Kasai, K. (685) 225
- Fischbeck, K.H., Bonilla, E. and Schotland, D.L.
Freeze-fracture characterization of 'young' and 'old' human erythrocytes (685) 207
- Fisher, D., see Tilcock, C.P.S. (685) 340
- Fleming, J.W., see Brooker, G. (685) 39
- Fulpius, B.W., see Rüegg, U.T. (685) 241
- Gaber, B.P. and Sheridan, J.P.
Kinetic and thermodynamic studies of the fusion of small unilamellar phospholipid vesicles (685) 87
- García-Sancho, J., see Valdeolmillos, M. (685) 273
- Gatt, S., see Cestaro, B. (685) 13
- Gazzin, B., see Lunazzi, G. (685) 117
- Gimble, J.M., Gustin, M., Goodman, D.B.P. and Rasmussen, H.
Studies on the Ca^{2+} transport mechanism of human erythrocyte inside-out plasma membrane vesicles. V. Chlorotetracycline fluorescence (685) 253
- Goodman, D.B.P., see Gimble, J.M. (685) 253
- Goormaghtigh, E., Vandenbranden, M., Ruyschaert, J.M. and De Kruijff, B.
Adriamycin inhibits the formation of non-bilayer lipid structures in cardiolipin-containing model membranes (685) 137
- Goormaghtigh, E., see Guilmin, T. (685) 169
- Gotlib, L.J.
Isolation of cell plasma membranes on microcarrier culture beads (685) 21
- Grant, C.W.M., see Ketis, N.V. (685) 347
- Graves, C. and Sachs, G.
Quantitation of corneal endothelial potentials using a carbocyanine dye (685) 27
- Guilmin, T., Goormaghtigh, E., Brasseur, R., Caspers, J. and Ruyschaert, J.M.
Evaluation of the anesthetic-lipid association constant. A monolayer approach (685) 169
- Gustin, M., see Gimble, J.M. (685) 253

- Gutknecht, J. and Walter, A.
SCN⁻ and HSCN transport through lipid bilayer membranes. A model for SCN⁻ inhibition of gastric acid secretion (685) 233
- Hammerman, M.R.
Na⁺-independent L-arginine transport in rabbit renal brush border membrane vesicles (685) 71
- Herreros, B., see Valdeolmillos, M. (685) 273
- Hershkowitz, N., see Cestaro, B. (685) 13
- Holman, G.D. and Rees, W.D.
Side-specific analogues for the rat adipocyte sugar transport system (685) 78
- Huestis, W.H., see Nelson, M.J. (685) 279
- Inoue, K., see Sunamoto, J. (685) 283
- Iwamoto, K., see Sunamoto, J. (685) 283
- Jansen, G.J., Daniel, R.M., Nicholson, B.K. and Morgan, H.W.
Membrane phase transitions and succinate oxidase activity in an extremely thermophilic bacterium (685) 191
- Jones, F.T., see Butkus, D.E. (685) 203
- Kamaya, H., see Kaneshina, S. (685) 307
- Kaneshina, S., Kamaya, H. and Ueda, I.
Interfacial adsorption of an inhalation anesthetic onto ionic surfactant micelles and its desorption by high pressure (685) 307
- Kasai, K. and Field, J.B.
Ca²⁺-stimulated, Mg²⁺-dependent ATPase in bovine thyroid plasma membranes (685) 225
- Kayser, G., see Vandenbranden, M. (685) 177
- Ketis, N.V. and Grant, C.W.M.
Control of high affinity lectin binding to an integral membrane glycoprotein in lipid bilayers (685) 347
- Keynan, A., see Levy, R. (685) 214
- Kinoshita, M., see Yano, J. (685) 162
- Konigsberg, P.J.
Resistance of Ca²⁺-ATPase to dilution by excess phospholipid in reconstituted vesicles (685) 355
- Kristiansen, J.E.H., Mortensen, I. and Nissen, B.
Membrane stabilizers inhibit potassium efflux from *Staphylococcus aureus* Strain No. U 2275 (685) 379
- LaBelle, E.F. and Lee, S.O.
Inhibition by amiloride of sodium transport into rabbit kidney medulla microsomes (685) 367
- Lacaz-Vieira, F., see Ferreira, A.T. (685) 32
- Leal, F., see Santos, E. (685) 329
- Lee, S.O., see LaBelle, E.F. (685) 367
- Levitzki, A., see Newman, M. (685) 129
- Levy, R., Zimlichman, R., Keynan, A. and Livne, A.
The erythrocyte membrane in essential hypertension. Modified temperature-dependence of Li⁺ efflux (685) 214
- Livne, A., see Levy, R. (685) 214
- Lunazzi, G., Tiribelli, C., Gazzin, B. and Sottocasa, G.L.
Further studies on bilitranslocase, a plasma membrane protein involved in hepatic organic anion uptake (685) 117
- Lunazzi, G., see Sottocasa, G.L. (685) 123
- Marinetti, G.V. and Cattieu, K.
Tightly (covalently) bound fatty acids in cell membrane proteins (685) 109
- McIntosh, T.J., Ting-Beall, H.P. and Zampighi, G.
Alamethicin-induced changes in lipid bilayer morphology (685) 51
- McLaughlin, S., see Balasubramanian, A. (685) 1
- Misfeldt, D.S., see Sanders, M.J. (685) 383
- Morgan, H.W., see Jansen, G.J. (685) 191
- Mortensen, I., see Kristiansen, J.E.H. (685) 379
- Moscarello, M.A., see Epand, R.M. (685) 230
- Munzesheimer, C., see Burnham, C. (685) 260
- Nakamura, Y., see Aiuchi, T. (685) 289
- Nakaya, K., see Aiuchi, T. (685) 289
- Nelson, M.J. and Huestis, W.H.
Cholinergic stimulation of glucose transport in human erythrocytes (685) 279
- Newman, M. and Levitzki, A.
Characteristics of high-affinity [³H]adenosine binding to rat brain synaptosomes and turkey erythrocyte membranes (685) 129
- Nicholson, B.K., see Jansen, G.J. (685) 191
- Nissen, B., see Kristiansen, J.E.H. (685) 379
- Nojima, S., see Sunamoto, J. (685) 283
- Okada, Y., see Yano, J. (685) 162
- Ott, P., Binggeli, Y. and Brodbeck, U.
A rapid and sensitive assay for determination of cholesterol in membrane lipid extracts (685) 211
- Paiva, A.C.M., see Ferreira, A.T. (685) 32
- Pistolesi, E., see Cestaro, B. (685) 13
- Poznansky, M.J. and Czekanski, S.
Cholesterol movement between human skin fibroblasts and phosphatidylcholine vesicles (685) 182
- Quinn, P.J., see Sen, A. (685) 297
- Rabon, E., see Burnham, C. (685) 260
- Rasmussen, H., see Gimble, J.M. (685) 253
- Readio, J.D. and Bittman, R.
Equilibrium binding of amphotericin B and its methyl ester and borate complex to sterols (685) 219
- Rees, W.D., see Holman, G.D. (685) 78
- Rinehart, C.A., Jr., see Chen, K.Y. (685) 61
- Ross, E.M., see Brooker, G. (685) 39
- Rowe, E.S.
Effect of sucrose on the optical properties of di-palmitoylphosphatidylcholine (685) 105
- Rüegg, U.T., Cuénoud, S., Fulpius, B.W. and Simon, E.J.
Inactivation and solubilization of opiate receptors by phospholipases A₂ (685) 241
- Ruysschaert, J.M., see Guilmin, T. (685) 169
- Ruysschaert, J.M., see Goormaghtigh, E. (685) 137
- Ruysschaert, J.M., see Vandenbranden, M. (685) 177
- Sachs, G., see Burnham, C. (685) 260
- Sachs, G., see Graves, C. (685) 27

- Sandermann, H., Jr., see Bohnenberger, E. (685) 44
- Sanders, M.J. and Misfeldt, D.S.
Ouabain-sensitive $^{86}\text{Rb}(\text{K})$ influx is linked to transepithelial Na transport in pig kidney cell line (685) 383
- Sandri, G., see Sottocasa, G.L. (685) 123
- Santos, E., Leal, F. and Sentandreu, R.
The plasma membrane of *Saccharomyces cerevisiae*. Molecular structure and asymmetry (685) 329
- Schneider, D., Bauer, D. and Falke, D.
Alkaline phosphodiesterase I and alkaline phosphatase I in plasma membranes of Herpes simplex virus type I transformed hamster cells (685) 94
- Schotland, D.L., see Fischbeck, K.H. (685) 207
- Sen, A., Williams, W.P., Brain, A.P.R. and Quinn, P.J.
Bilayer and non-bilayer transformations in aqueous dispersions of mixed *sn*-3-galactosyldiacylglycerols isolated from chloroplasts. A freeze-fracture study (685) 297
- Sentandreu, R., see Santos, E. (685) 329
- Sheridan, J.P., see Gaber, B.P. (685) 87
- Simon, E.J., see Rüegg, U.T. (685) 241
- Smith, I.C.P., see Westman, J. (685) 315
- Sottocasa, G.L., Baldini, G., Sandri, G., Lunazzi, G. and Tiribelli, C.
Reconstitution in vitro of sulfobromophthalein transport by bilitranslocase (685) 123
- Sottocasa, G.L., see Lunazzi, G. (685) 117
- Sunamoto, J., Iwamoto, K., Inoue, K., Endo, T. and Nojima, S.
Liposomal membranes. XI. A suggestion to structural characteristics of acido-thermophilic bacterial membranes (685) 283
- Takahashi, K. and Tavassoli, M.
Biphasic uptake of iron-transferrin complex by L1210 murine leukemia cells and rat reticulocytes (685) 6
- Taraschi, T.F., De Kruijff, B., Verkleij, A. and Van Echteld, C.J.A.
Effect of glycophorin on lipid polymorphism. A ^{31}P -NMR study (685) 153
- Tavassoli, M., see Takahashi, K. (685) 6
- Tilcock, C.P.S. and Fisher, D.
Interactions of glycerol monooleate and dimethylsulphoxide with phospholipids. A differential scanning calorimetry and ^{31}P -NMR study (685) 340
- Ting-Beall, H.P., see McIntosh, T.J. (685) 51
- Tiribelli, C., see Lunazzi, G. (685) 117
- Tiribelli, C., see Sottocasa, G.L. (685) 123
- Tominaga, T., see Yano, J. (685) 162
- Tsuchiya, W., see Yano, J. (685) 162
- Ueda, I., see Kaneshina, S. (685) 307
- Valdeolmillos, M., García-Sancho, J. and Herreros, B.
 Ca^{2+} -dependent K^{+} transport in the Ehrlich ascites tumor cell (685) 273
- Vandenbranden, M., Kayser, G., Banerjee, S. and Ruyschaert, J.M.
Immunoglobulin-lipid interaction. A model membrane study (685) 177
- Vandenbranden, M., see Goormaghtigh, E. (685) 137
- Van Echteld, C.J.A., see Taraschi, T.F. (685) 153
- Vasilenko, I., De Kruijff, B. and Verkleij, A.J.
The synthesis and use of thionophospholipids in ^{31}P -NMR studies of lipid polymorphism (685) 144
- Verkleij, A., see Taraschi, T.F. (685) 153
- Verkleij, A.J., see Vasilenko, I. (685) 144
- Villegas, L.
Water diffusion under osmotic gradients in frog gastric mucosa (685) 249
- Walter, A., see Gutknecht, J. (685) 233
- Westman, J., Boulanger, Y., Ehrenberg, A. and Smith, I.C.P.
Charge and pH dependent drug binding to model membranes. A ^2H -NMR and light absorption study (685) 315
- Williams, W.P., see Sen, A. (685) 297
- Yano, J., Okada, Y., Tsuchiya, W., Kinoshita, M. and Tominaga, T.
Dependence of membrane potential on Ca^{2+} transport in cultured cytotrophoblasts of human immature placentas (685) 162
- Zampighi, G., see McIntosh, T.J. (685) 51
- Zimlichman, R., see Levy, R. (685) 214