

AUTHOR INDEX

- Acquaye, C.T.A., Young, J.D., Ellory, J.C., Gorecki, M. and Wilchek, M.
Mode of transport and possible mechanism of action of L-phenylalanine benzyl ester as an anti-sickling agent (693) 407
- Åkerman, K.E.O., see Wolff, C.H.J. (693) 315
- Allan, D., Thomas, P. and Limbrick, A.R.
Microvesiculation and sphingomyelinase activation in chicken erythrocytes treated with ionophore with A23187 and Ca^{2+} (693) 53
- Alvarez, O., see Cecchi, X. (693) 173
- Bacaner, M.B., see Ilani, A. (693) 503
- Barber, K.R., see Peters, M.W. (693) 417
- Bartos, G., Niewiarowska, J. and Judkiewicz, L.
Decreased deformability in aging erythrocytes (693) 262
- Bearer, E.L., Düzgüneş, N., Friend, D.S. and Papahadjopoulos, D.
Fusion of phospholipid vesicles arrested by quick-freezing. The question of lipidic particles as intermediates in membrane fusion (693) 93
- Beddard, G.S., see Thulborn, K.R. (693) 246
- Boer, P., see Bosman, G.J.C.G.M. (693) 444
- Boggs, J.M., see Mitranic, M.M. (693) 75
- Boos, K.-S.
ADP and ATP transport in mitochondria. Evidence for a metal-ion involved in transport catalysis by use of metalochromic indicators (693) 68
- Borghetti, A.F., see Petronini, P.G. (693) 13
- Bosman, G.J.C.G.M., Boer, P. and Steyn-Parvé, E.P.
Changes in the glycoprotein composition of plasma membrane during the differentiation of Friend erythroleukemia cells (693) 444
- Bourguet, J., see Ripoche, P. (693) 497
- Bovee, K.C., see Medow, M.S. (693) 85
- Bull, R., see Cecchi, X. (693) 173
- Buxser, S., see Massague, J. (693) 205
- Carbone, E.
Removal of Na^+ channels in squid giant axons by perfusion with trypsin (693) 188
- Casteels, R., see Wuytack, F. (693) 45
- Cecchi, X., Bull, R., Franzoy, R., Coronado, R. and Alvarez, O.
Probing the pore size of the hemocyanin channel (693) 173
- Chap, H., see Plantavid, M. (693) 451
- Chapman, D., see Pons, M. (693) 461
- Chevalier, J., see Ripoche, P. (693) 497
- Clausen, T., see Rasmussen, M.-J.K. (693) 389
- Comin, E.J., see Elias, M.M. (693) 265
- Coronado, R., see Cecchi, X. (693) 173
- Czech, M.P., see Massague, J. (693) 205
- Davis, H.T., see Falls, A.H. (693) 364
- De Gaetano, G., see Lampugnani, M.G. (693) 22
- De Kruijff, B., Verkleij, A.J., Leunissen-Bijvelt, J., Van Echteld, C.J.A., Hille, J. and Rijnbout, H.
Further aspects of the Ca^{2+} -dependent polymorphism of bovine heart cardiolipin (693) 1
- De Michelis, M.I., see Rasi-Caldogno, F. (693) 287
- De Schutter, G., see Wuytack, F. (693) 45
- Deuticke, B., see Grunze, M. (693) 237
- Douste-Blazy, L., see Plantavid, M. (693) 451
- Dubbelman, T.M.A.R. and Yamada, K.M.
A survey of differences between membrane polypeptides of transformed and nontransformed chick embryo fibroblasts (693) 177
- Düzgüneş, N., see Bearer, E.L. (693) 93
- East, J.M., see Simmonds, A.C. (693) 398
- Elfman, L., Heilbronn and Jørgensen, P.L.
Fractionation of protein components of plasma membranes from the electric organ of *Torpedo marmorata* (693) 273
- Elias, M.M., Comin, E.J., Grosman, M.E., Galeazzi, S.A. and Rodriguez Garay, E.A.
Inhibitory effect of unconjugated bilirubin on *p*-aminohippurate transport in rat kidney cortex slices (693) 265
- Ellory, J.C., see Acquaye, C.T.A. (693) 407
- Epand, R.M., see Fodor, D. (693) 27
- Falls, A.H., Davis, H.T., Scriven, L.E. and Talmon, Y.
Imaging vesicular dispersions with cold-stage electron microscopy (693) 364
- Fibach, E., see Morand, O. (693) 143
- Fitzsimons, J.T.R., see Poore, V.M. (693) 113
- Fodor, D., Epand, R.M. and Moscarello, M.A.
Volume properties of mixtures of lipophilin and dimyristoylphosphatidylcholine (693) 27
- Foreman, J.W., see Medow, M.S. (693) 85
- Franzoy, R., see Cecchi, X. (693) 173
- Friend, D.S., see Bearer, E.L. (693) 93
- Galeazzi, S.A., see Elias, M.M. (693) 265
- Galla, H.-J., see Sixl, F. (693) 466
- Gambale, F., Robello, M., Usai, C. and Marchetti, C.
Properties of ionic transport through phospholipid-glycolipid artificial bilayers (693) 165
- Ganapathy, V. and Leibach, F.H.
Transport and utilization of methionine sulfoxide in the rabbit (693) 305

- Gatt, S., see Morand, O. (693) 143
- Gmünder, H., Lerch, P. and Lesslauer, W.
Human lymphocyte membrane proteins treated with neuraminidase (693) 359
- Gmünder, H., see Lesslauer, W. (693) 351
- Gomez, R.F., see Herrero, A.A. (693) 195
- Gorecki, M., see Acquaye, C.T.A. (693) 407
- Goshima, K., see Wakabayashi, S. (693) 125
- Goto, M., Ohki, K. and Nozawa, Y.
Evidence for a correlation between swimming velocity and membrane fluidity of *Tetrahymena* cells (693) 335
- Grant, C.W.M., see Peters, M.W. (693) 417
- Grosman, M.E., see Elias, M.M. (693) 265
- Grunze, M., Haest, C.W.M. and Deuticke, B.
Lateral segregation of membrane lipids and formation of stable rod-shaped membrane projections in erythrocytes treated with long-chain alcohols (693) 237
- Haeffner, E.W., Heck, B. and Kolbe, K.
Difference in plasma membrane structure between two sublines of Ehrlich-Lettre ascites tumor cells (693) 280
- Haest, C.W.M., see Grunze, M. (693) 237
- Hahn, K.-D., see Lin, J.T. (693) 379
- Haynes, D.C., see Morris, S.J. (693) 425
- Heck, B., see Haeffner, E.W. (693) 280
- Heilbronn, E., see Elfman, L. (693) 273
- Herrero, A.A., Gomez, R.F. and Roberts, M.F.
Ethanol-induced changes in the membrane lipid composition of *Clostridium thermocellum* (693) 195
- Higgins, J.A. and Pigott, C.A.
Asymmetric distribution of phosphatidylethanolamine in the endoplasmic reticulum demonstrated using trinitrobenzenesulphonic acid as a probe (693) 151
- Hille, J., see De Kruijff, B. (693) 1
- Hirano, H., see Sase, S. (693) 253
- Hobbs, J., see Pickar, A.D. (693) 221
- Ilani, A., Lichtstein, D. and Bacaner, M.B.
Bretylium opens mucosal amiloride-sensitive sodium channels (693) 503
- Jackson, P. and Morgan, D.B.
The relation between the membrane cholesterol content and anion exchange in the erythrocytes of patients with cholestasis (693) 99
- Johnson, G.L., see Massague, J. (693) 205
- Johnston, D.S., see Pons, M. (693) 461
- Jones, O.T., see Simmonds, A.C. (693) 398
- Jørgensen, P.L., see Elfman, L. (693) 273
- Judkiewicz, L., see Bartosz, G. (693) 262
- Kamo, N., see Kuroki, M. (693) 326
- Kapakos, J.G. and Steinberg, M.
Fluorescent labeling of $(\text{Na}^+ + \text{K}^+)$ -ATPase by 5-iodoacetamidofluorescein (693) 493
- Kasahara, M., see Sase, S. (693) 253
- Katsura, I., see Tsukagoshi, N. (693) 134
- Kinne, R., see Lin, J.T. (693) 379
- Kobatake, Y., see Kuroki, M. (693) 326
- Kolbe, K., see Haeffner, E.W. (693) 280
- Krämer, R.
Cholesterol as activator of ADP-ATP exchange in reconstituted liposomes and in mitochondria (693) 296
- Kuroki, M., Kamo, N., Kobatake, Y., Okimasu, E. and Utsumi, K.
Measurement of membrane potential in polymorphonuclear leukocytes and its changes during surface stimulation (693) 326
- Kurtzer, R.J. and Roberts, M.L.
Calcium-dependent K^+ efflux from rat submandibular gland. The effects of trifluoperazine and quinidine (693) 479
- Lampe, P.D. and Nelsestuen, G.L.
Myelin basic protein-enhanced fusion of membranes (693) 320
- Lampugnani, M.G., De Gaetano, G. and Rossi, E.C.
Functional distinction between serotonin uptake and serotonin-induced shape change receptors in rat platelets (693) 22
- Lee, A.G., see Simmonds, A.C. (693) 398
- Leibach, F.H., see Ganapathy, V. (693) 305
- Lerch, P., see Gmünder, H. (693) 359
- Lerch, P., see Lesslauer, W. (693) 351
- Lesslauer, W., Lerch, P. and Gmünder, H.
Two detergent-insoluble proteins of the human lymphocyte membrane are enriched in an isolated membrane fraction (693) 351
- Lesslauer, W., see Gmünder, H. (693) 359
- Leunissen-Bijvelt, J., see De Kruijff, B. (693) 1
- Lichtstein, D., see Ilani, A. (693) 503
- Limbrick, A.R., see Allan, D. (693) 53
- Lin, J.T., Hahn, K.-D. and Kinne, R.
Synthesis of phlorizin derivatives and their inhibitory effect on the renal sodium/D-glucose cotransport system (693) 379
- Lopez, E., O'Brien, D.F. and Whitesides, T.H.
Effects of membrane composition and lipid structure on the photopolymerization of lipid diacetylenes in bilayer membranes (693) 437
- Marchetti, C., see Gambale, F. (693) 165
- Massague, J., Buxser, S., Johnson, G.L. and Czech, M.P.
Affinity labeling of a nerve growth factor receptor component on rat pheochromocytoma (PC12) cells (693) 205
- McWhirter, J., see Simmonds, A.C. (693) 398
- Medow, M.S., Foreman, J.W., Bovee, K.C. and Segal, S.
Developmental changes of glycine transport in the dog (693) 85
- Mitranic, M.M., Boggs, J.M. and Moscarello, M.A.
The effect of linoleic acid and benzyl alcohol on the activity of glycosyltransferases of rat liver Golgi membranes and some soluble glycosyltransferases (693) 75
- Monoï, H.
Possible existence of ion pairs at the mouths of ion channels (693) 159

- Morand, O., Fibach, E. and Gatt, S.
Effect of albumin, low temperature and metabolic inhibitors on transport of fatty acids into cultured human leukemic myeloid cells (693) 143
- Morgan, D.B., see Jackson, P. (693) 99
- Morris, S.J., Südhof, T.C. and Haynes, D.C.
Calcium-promoted resonance energy transfer between fluorescently labeled proteins during aggregation of chromaffin granule membranes (693) 425
- Moscarello, M.A., see Fodor, D. (693) 27
- Moscarello, M.A., see Mitranic, M.M. (693) 75
- Nelsestuen, G.L., see Lampe, P.D. (693) 320
- Niewiarowska, J., see Bartosz, G. (693) 262
- Nozawa, Y., see Goto, M. (693) 335
- Nozawa, Y., see Ohki, K. (693) 341
- O'Brien, D.F., see Lopez, E. (693) 437
- Ohki, K., Sekiya, T., Yamauchi, T. and Nozawa, Y.
Effect of phosphatidylinositol replacement by diacylglycerol on various physical properties of artificial membranes with respect to the role of phosphatidylinositol response (693) 341
- Ohki, K., see Goto, M. (693) 335
- Okimasu, E., see Kuroki, M. (693) 326
- Papahadjopoulos, D., see Bearer, E.L. (693) 93
- Parisi, M., see Ripoche, P. (693) 497
- Perret, B.P., see Plantavid, M. (693) 451
- Peters, M.W., Barber, K.R. and Grant, C.W.M.
Headgroup behaviour of an uncharged complex glycolipid (693) 417
- Peticolas, W.L., see Yager, P. (693) 485
- Petronini, P.G., Piedimonte, G. and Borghetti, A.F.
The regulation by cell density of amino acid transport system L in SV40 3T3 cells (693) 13
- Pfeiffer, D.R., see Sen, P.C. (693) 34
- Pickar, A.D. and Hobbs, J.
The influence of sterols on pentachlorophenol-induced charge transfer across lipid bilayers studied by alternating current methods (693) 221
- Piedimonte, G., see Petronini, P.G. (693) 13
- Pigott, C.A., see Higgins, J.A. (693) 151
- Plantavid, M., Perret, B.P., Chap, H., Simon, M.-F. and Douste-Blazy, L.
Asymmetry of arachidonic acid metabolism in the phospholipids of the human platelet membrane as studied with purified phospholipases (693) 451
- Pons, M., Johnston, D.S. and Chapman, D.
The optical activity and circular dichroic spectra of diacetylenic phospholipid polymers (693) 461
- Poore, V.M., Fitzsimons, J.T.R. and Ragan, C.I.
The effects of lipid fluidity on the rotational diffusion of Complex I and Complex III in reconstituted NADH-cytochrome *c* oxidoreductase (693) 113
- Poore, V.M. and Ragan, C.I.
A spin label study of the lipid boundary layer of mitochondrial NADH-ubiquinone oxidoreductase (693) 105
- Pugliarello, M.C., see Rasi-Caldogno, F. (693) 287
- Raeymaekers, L., see Wuytack, F. (693) 45
- Ragan, C.I., see Poore, V.M. (693) 105
- Ragan, C.I., see Poore, V.M. (693) 113
- Rasi-Caldogno, F., De Michelis, M.I. and Pugliarello, M.C.
Active transport of Ca^{2+} in membrane vesicles from pea. Evidence for a $\text{H}^+/\text{Ca}^{2+}$ antiport (693) 287
- Rasmussen, M.-J.K. and Clausen, T.
The stimulating effect of 3',5'-(cyclic) adenosine monophosphate and lipolytic hormones on 3-O-methylglucose transport and $^{45}\text{Ca}^{2+}$ -release in adipocytes and skeletal muscle of the rat (693) 389
- Rijnbout, H., see De Kruijff, B. (693) 1
- Ripoche, P., Parisi, M., Chevalier, J., Rivas, E. and Bourguet, J.
Detergent extraction of membrane proteins related to the action of antidiuretic hormone (693) 497
- Rivas, E., see Ripoche, P. (693) 497
- Robello, M., see Gambale, F. (693) 165
- Roberts, M.F., see Herrero, A.A. (693) 195
- Roberts, M.L., see Kurtzer, R.J. (693) 479
- Rodriguez Garay, E.A., see Elías, M.M. (693) 265
- Rooney, E.K., see Simmonds, A.C. (693) 398
- Rossi, E.C., see Lampugnani, M.G. (693) 22
- Sase, S., Takata, K., Hirano, H. and Kasahara, M.
Characterization and identification of the glucose transporter of human erythrocytes (693) 253
- Scriven, L.E., see Falls, A.H. (693) 364
- Segal, S., see Medow, M.S. (693) 85
- Sekiya, T., see Ohki, K. (693) 341
- Sen, P.C. and Pfeiffer, D.R.
Characterization of partially purified $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$, from porcine lens (693) 34
- Sheridan, J.P., see Yager, P. (693) 485
- Simmonds, A.C., East, J.M., Jones, O.T., Rooney, E.K., McWhirter, J. and Lee, A.G.
Annular and non-annular binding sites on the $(\text{Ca}^{2+} + \text{Mg}^{2+})\text{-ATPase}$ (693) 398
- Simon, M.-F., see Plantavid, M. (693) 451
- Sixl, F. and Galla, H.-J.
Calorimetric investigation of polymyxin binding to phosphatidic acid bilayers (693) 466
- Steinberg, M., see Kapakos, J.G. (693) 493
- Steyn-Parvé, E.P., see Bosman, G.J.C.G.M. (693) 444
- Südhof, T.C., see Morris, S.J. (693) 425
- Takata, K., see Sase, S. (693) 253
- Talmon, Y., see Falls, A.H. (693) 364
- Thomas, P., see Allan, D. (693) 53
- Thulborn, K.R. and Beddard, G.S.
The effects of cholesterol on the time-resolved emission anisotropy of 12-(9-anthroyloxy)stearic acid in dipalmitoylphosphatidylcholine bilayers (693) 246
- Tsuboi, A., see Tsukagoshi, N. (693) 134
- Tsukagoshi, N., Yamada, H., Tsuboi, A., Udaka, S. and Katsura, I.
Hexagonal surface array in a protein secreting bacterium, *Bacillus brevis* 47 (693) 134
- Udaka, S., see Tsukagoshi, N. (693) 134

- Usai, C., see Gambale, F. (693) 165
- Utsumi, K., see Kuroki, M. (693) 326
- Van den Broek, P.J.A. and Van Steveninck, J.
Kinetic analysis of H^+ /methyl β -D-thiogalactoside sym-
port in *Saccharomyces fragilis* (693) 213
- Van Echteld, C.J.A., see De Kruijff, B. (693) 1
- Van Steveninck, J., see Van den Broek, P.J.A. (693) 213
- Verkleij, A.J., see De Kruijff, B. (693) 1
- Wakabayashi, S. and Goshima, K.
Partial purification of Na^+ - Ca^{2+} antiporter from plasma
membrane of chick heart (693) 125
- Whitesides, T.H., see Lopez, E. (693) 437
- Wilchek, M., see Acquaye, C.T.A. (693) 407
- Wolff, C.H.J. and Åkerman, K.E.O.
Concanavalin A binding and Ca^{2+} fluxes in rat spleen cells
(693) 315
- Wuytack, F., Raeymaekers, L., De Schutter, G. and Casteels, R.
Demonstration of the phosphorylated intermediates of the
 Ca^{2+} -transport ATPase in a microsomal fraction and in a
(Ca^{2+} + Mg^{2+})-ATPase purified from smooth muscle by
means of calmodulin affinity chromatography (693) 45
- Yager, P., Sheridan, J.P. and Peticolas, W.L.
Changes in size and shape of liposomes undergoing chain
melting transitions as studied by optical microscopy (693)
485
- Yamada, H., see Tsukagoshi, N. (693) 134
- Yamada, K.M., see Dubbelman, T.M.A.R. (693) 177
- Yamauchi, T., see Ohki, K. (693) 341
- Young, J.D., see Acquaye, C.T.A. (693) 407