

AUTHOR INDEX

- Andersen, J.P., Skriver, E., Mahrous, T.S. and Møller, J.V.
Reconstitution of sarcoplasmic reticulum Ca^{2+} -ATPase with excess lipid. Dispersion of the pump units (728) 1
- Arnold, K., Pratsch, L. and Gawrisch, K.
Effect of poly(ethylene glycol) on phospholipid hydration and polarity of the external phase (728) 121
- Beaugé, L., Rojas, H. and DiPolo, R.
In squid axons intracellular Mg^{2+} is essential for ATP-dependent Na^+ efflux in the absence and presence of strophanthidin (728) 463
- Bercovici, T., see Kaplan, M.R. (728) 112
- Biber, J., Weber, J. and Semenza, G.
Small-intestinal Na^+ /D-glucose transport. Inactivation of sugar transport and phlorizin binding by thiol-group and amino-group reagents (728) 429
- Bienvenue, A., see MacKay, A.L. (728) 460
- Bloom, M., see MacKay, A.L. (728) 460
- Böhmer, F.D., see Spitzer, E. (728) 50
- Borghgraef, R., see De Smedt, H. (728) 409
- Boumendil-Podevin, E.F. and Podevin, R.A.
Effects of ATP on Na^+ transport and membrane potential in inside-out renal basolateral vesicles (728) 39
- Bourguignon, L.Y.W. and Hsing, Y.-C.
The participation of adenylate cyclase in lymphocyte capping (728) 186
- Brain, A.P.R., see Gounaris, K. (728) 129
- Brasitus, T.A.
Lipid dynamics and protein-lipid interactions in rat colonic epithelial cell basolateral membranes (728) 20
- Brasitus, T.A. and Keresztes, R.S.
Isolation and partial characterization of basolateral membranes from rat proximal colonic epithelial cells (728) 11
- Breitbart, H., Stern, B. and Rubinstein, S.
Calcium transport and Ca^{2+} -ATPase activity in ram spermatozoa plasma membrane vesicles (728) 349
- Bruder, G., see Heid, H.W. (728) 228
- Burnell, E.E., see MacKay, A.L. (728) 460
- Butler, K.W., see Mantsch, H.H. (728) 325
- Calef, E., see Kaplan, M.R. (728) 112
- Cameron, D.G., see Mantsch, H.H. (728) 325
- Capony, J.-P., Rinaldi, M.L., Guilleux, F. and Demaille, J.G.
Isolation of cardiac membrane proteolipids by high pressure liquid chromatography. A comparison of reticular and sarcolemmal proteolipids, phospholamban and calmodulin (728) 83
- Caputo, C., see DiPolo, R. (728) 311
- Carruthers, A. and Melchior, D.L.
Asymmetric or symmetric? Cytosolic modulation of human erythrocyte hexose transfer (728) 254
- Chang, H. and Epand, R.M.
The existence of a highly ordered phase in fully hydrated dilauroylphosphatidylethanolamine (728) 319
- Chi, E.Y., see Kim, S. (728) 339
- Church, J.G. and Sen, A.K.
Regulation of canine heart sarcolemmal Ca^{2+} -pumping ATPase by cyclic AMP (728) 191
- Coughlan, S., see Mollenhauer, A. (728) 331
- Dangreau, H., see Hanssens, I. (728) 293
- De Gier, J., see Killian, J.A. (728) 141
- De Kruijff, B., see Killian, J.A. (728) 141
- Demaille, J.G., see Capony, J.-P. (728) 83
- De Smedt, H., Parys, J.B., Borghgraef, R. and Wuytack, F.
Phosphorylated intermediates of $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase and alkaline phosphatase in renal plasma membranes (728) 409
- Devaux, P.F., see MacKay, A.L. (728) 460
- DiPolo, R., Rojas, H., Vergara, J., Lopez, R. and Caputo, C.
Measurements of intracellular ionized calcium in squid giant axons using calcium-selective electrodes (728) 311
- DiPolo, R., see Beaugé, L. (728) 463
- East, J.M., see Rooney, E.K. (728) 159
- Epand, R.M., see Chang, H. (728) 319
- Eriksson, H., Liljeqvist, G. and Heilbronn, E.
Extraction of peripheral proteins from nicotinic acetylcholine receptor-enriched membranes (728) 449
- Fellenius, E., see Wallmark, B. (728) 31
- Gad, A.E.
Cationic polypeptide-induced fusion of acidic liposomes (728) 377
- Gawrisch, K., see Arnold, K. (728) 121
- Ghali, N.I., see Hung, S.C. (728) 171
- Giannaccini, G., see Martini, C. (728) 289
- Gielens, C., see Hanssens, I. (728) 293
- Gitler, C., see Kaplan, M.R. (728) 112
- González, E. and Zambrano, F.
Possible role of sulphatide in the K^+ -activated phosphatase activity (728) 66
- Gounaris, K., Sen, A., Brain, A.P.R., Quinn, P.J. and Williams, W.P.
The formation of non-bilayer structures in total polar lipid extracts of chloroplast membranes (728) 129

- Grosse, R., see Spitzer, E. (728) 50
- Guilleux, F., see Capony, J.-P. (728) 83
- Gulevsky, A.K., Sakharov, B.V. and Volkov, V.Ya.
Role of dehydration in changing the permeability of erythrocyte plasma membranes by freeze-thawing (728) 371
- Gutierrez-Merino, C
On the rate of association and dissociation processes of intrinsic membrane proteins (728) 179
- Hanssens, I., Herreman, W., Van Ceunebroeck, J.-C., Dangreau, H., Gielens, C., Preaux, G. and Van Cauwelaert, F.
Interaction of α -lactalbumin with dimyristoylphosphatidylcholine vesicles. III. Influence of the temperature and of the lipid-to-protein molar ratio on the complex formation (728) 293
- Harvey, A.L., Hider, R.C. and Khader, F.
Effect of phospholipase A on actions of cobra venom cardiotoxins on erythrocytes and skeletal muscle (728) 215
- Heber, U., see Mollenhauer, A. (728) 331
- Heid, H.W., Winter, S., Bruder, G., Keenan, T.W. and Jarasch, E.-D.
Butyrophilin, an apical plasma membrane-associated glycoprotein characteristic of lactating mammary glands of diverse species (728) 228
- Heilbronn, E., see Eriksson, H. (728) 449
- Hennessey, T.M. and Nelson, D.L.
Biochemical studies of the excitable membrane of *Paramecium tetraurelia*. VIII. Temperature-induced changes in lipid composition and in thermal avoidance behavior (728) 145
- Herreman, W., see Hanssens, I. (728) 293
- Hider, R.C., Khader, F. and Tatham, A.S.
Lytic activity of monomeric and oligomeric melittin (728) 206
- Hider, R.C., see Harvey, A.L. (728) 215
- Hjertén, S. and Pan, H.
Purification and characterization of two forms of a low-affinity Ca^{2+} -ATPase from erythrocyte membranes (728) 281
- Horwitz, A.F., see Sessions, A. (728) 103
- Hsi, S.C., see Mantsch, H.H. (728) 325
- Hsing, Y.-C., see Bourguignon, L.Y.W. (728) 186
- Hung, S.C., Ghali, N.I., Venton, D.L. and Le Breton, G.C.
Specific binding of the thromboxane A_2 antagonist 13-azaprostanoic acid to human platelet membranes (728) 171
- Israël, M., Lesbats, B., Manaranche, R. and Morel, N.
Acetylcholine release from proteoliposomes equipped with synaptosomal membrane constituents (728) 438
- Jarasch, E.-D., see Heid, H.W. (728) 228
- Jones, O.T., see Rooney, E.K. (728) 159
- Jung, G., see Schwarz, G. (728) 419
- Kaplan, M.R., Calef, E., Bercovici, T. and Gitler, C.
The selective detection of cell surface determinants by means of antibodies and acetylated avidin attached to highly fluorescent polymer microspheres (728) 112
- Keenan, T.W., see Heid, H.W. (728) 228
- Keresztes, R.S., see Brasitus, T.A. (728) 11
- Khader, F., see Harvey, A.L. (728) 215
- Khader, F., see Hider, R.C. (728) 206
- Kim, S., Turker, M.S., Chi, E.Y., Sela, S. and Martin, G.M.
Preparation of multivesicular liposomes (728) 339
- Killian, J.A., De Kruijff, B., Van Echteld, C.J.A., Verkleij, A.J., Leunissen-Bijvelt, J. and De Gier, J.
Mixtures of gramicidin and lysophosphatidylcholine form lamellar structures (728) 141
- Kupriyanov, V.V., Preobrazhensky, A.N. and Saks, V.A.
Mechanism of passive Ca^{2+} permeability of vesicular sarcolemmal preparations from rat hearts (728) 239
- Larsen, E.H. and Rasmussen, B.E.
Membrane potential plays a dual role for chloride transport across toad skin (728) 455
- Le Breton, G.C., see Hung, S.C. (728) 171
- Lee, A.G., see Rooney, E.K. (728) 159
- Leonards, K.S. and Ohki, S.
Isolation and characterization of large (0.5–1.0 μm) cytoskeleton-free vesicles from human and rabbit erythrocytes (728) 383
- Lesbats, B., see Israël, M. (728) 438
- Leunissen-Bijvelt, J., see Killian, J.A. (728) 141
- Liljeqvist, G., see Eriksson, H. (728) 449
- Lopez, R., see DiPolo, R. (728) 311
- Lucacchini, A., see Martini, C. (728) 289
- MacGregor, R.R., see Smith, G.P. (728) 222
- MacKay, A.L., Burnell, E.E., Bienvenue, A., Devaux, P.F. and Bloom, M.
Flexibility of membrane proteins by broad-line proton magnetic resonance (728) 460
- McWhirter, J., see Rooney, E.K. (728) 159
- Madelmont, G., see Ter-Minassian-Saraga, L. (728) 394
- Mahrous, T.S., see Andersen, J.P. (728) 1
- Manaranche, R., see Israël, M. (728) 438
- Mantsch, H.H., Hsi, S.C., Butler, K.W. and Cameron, D.G.
Studies on the thermotropic behavior of aqueous phosphatidylethanolamines (728) 325
- Mårdh, S., see Wallmark, B. (728) 31
- Martin, G.M., see Kim, S. (728) 339
- Martini, C., Giannaccini, G. and Lucacchini, A.
Solubilization of rat kidney benzodiazepine binding sites (728) 289
- Melchior, D.L., see Carruthers, A. (728) 254
- Mollenhauer, A., Schmitt, J.M., Coughlan, S. and Heber, U.
Loss of membrane proteins from thylakoids during freezing (728) 331
- Møller, J.V., see Andersen, J.P. (728) 1
- Molski, T.F.P., see Shefcyk, J. (728) 97
- Morel, N., see Israël, M. (728) 438
- Morgan, C.G., Thomas, E.W. and Yianni, Y.P.
The use of fluorescence energy transfer to distinguish between poly(ethylene glycol)-induced aggregation and fusion of phospholipid vesicles (728) 356
- Morse, P.D., II, see Rimle, D. (728) 92
- Moscarello, M.A., Neumann, A.W. and Wood, D.D.
Thermotropic phase transitions in normal human myelin as observed in a sensitive microcalorimeter (728) 201

- Mulready, P., see Wagner, G.J. (728) 267
- Naccache, P.H., see Shefcyk, J. (728) 97
- Navarrete, R. and Serrano, R.
Solubilization of yeast plasma membranes and mitochondria by different types of non-denaturing detergents (728) 403
- Nelson, D.L., see Hennessey, T.M. (728) 145
- Neumann, A.W., see Moscarello, M.A. (728) 201
- Njus, D., see Rimle, D. (728) 92
- Ohki, S., see Leonards, K.S. (728) 383
- Pan, H., see Hjertén, S. (728) 281
- Parys, J.B., see De Smedt, H. (728) 409
- Peters, T.J., see Smith, G.P. (728) 222
- Podevin, R.A., see Boumendil-Podevin, E.F. (728) 39
- Poduslo, S.E.
Proteins and glycoproteins in plasma membranes and in the membrane lamellae produced by purified oligodendroglia in culture (728) 59
- Pratsch, L., see Arnold, K. (728) 121
- Preaux, G., see Hanssens, I. (728) 293
- Preobrazhensky, A.N., see Kupriyanov, V.V. (728) 239
- Quinn, P.J., see Gounaris, K. (728) 129
- Rasmussen, B.E., see Larsen, E.H. (728) 455
- Rimle, D., Morse, P.D., II and Njus, D.
A spin-label study of plasma membranes of adrenal chromaffin cells (728) 92
- Rinaldi, M.L., see Capony, J.-P. (728) 83
- Rojas, H., see Beaugé, L. (728) 463
- Rojas, H., see DiPolo, R. (728) 311
- Rooney, R.K., East, J.M., Jones, O.T., McWhirter, J., Simmonds, A.C. and Lee, A.G.
Interaction of fatty acids with lipid bilayers (728) 159
- Royt, P.W.
Asymmetry of glucose transport in the yeast, *Kluyveromyces lactis* (728) 363
- Rubinstein, S., see Breitbart, H. (728) 349
- Sachs, G., see Wallmark, B. (728) 31
- Sakharov, B.V., see Gulevsky, A.K. (728) 371
- Saks, V.A., see Kupriyanov, V.V. (728) 239
- Savko, P., see Schwarz, G. (728) 419
- Schmitt, J.M., see Mollenhauer, A. (728) 331
- Schwarz, G., Savko, P. and Jung, G.
Solvent-dependent structural features of the membrane active peptide trichotoxin A40 as reflected in its dielectric dispersion (728) 419
- Sela, S., see Kim, S. (728) 339
- Semenza, G., see Biber, J. (728) 429
- Sen, A., see Gounaris, K. (728) 129
- Sen, A.K., see Church, J.G. (728) 191
- Serrano, R., see Navarrete, R. (728) 403
- Sessions, A. and Horwitz, A.F.
Differentiation-related differences in the plasma membrane phospholipid asymmetry of myogenic and fibrogenic cells (728) 103
- Sevcik, C., see Siem-Fung, D.J. (728) 305
- Sha'afi, R.I., see Shefcyk, J. (728) 97
- Shefcyk, J., Molski, T.F.P., Volpi, M., Naccache, P.H. and Sha'afi, R.I.
Phloretin is a potent inhibitor of rabbit neutrophil activation by chemotactic factors (728) 97
- Siem-Fung, D.J. and Sevcik, C.
The effect of temperature on veratridine action in squid giant axons (728) 305
- Simmonds, A.C., see Rooney, E.K. (728) 159
- Skriver, E., see Andersen, J.P. (728) 1
- Smith, G.P., MacGregor, R.R. and Peters, T.J.
Subcellular localisation of leucine aminopeptidase in human polymorphonuclear leukocytes (728) 222
- Spitzer, E., Böhmer, F.D. and Grosse, R.
Identification of Ca^{2+} -pump-related phosphoprotein in plasma membrane vesicles of Ehrlich ascites carcinoma cells (728) 50
- Stern, B., see Breitbart, H. (728) 349
- Tatham, A.S., see Hider, R.C. (728) 206
- Ter-Minassian-Saraga, L. and Madelmont, G.
Enhanced hydration of dipalmitoylphosphatidylcholine multibilayer by vinblastine sulphate (728) 394
- Thomas, E.W., see Morgan, C.G. (728) 356
- Turker, M.S., see Kim, S. (728) 339
- Van Cauwelaert, F., see Hanssens, I. (728) 293
- Van Ceunebroeck, J.-C., see Hanssens, I. (728) 293
- Van den Bercken, J., see Vijverberg, H.P.M. (728) 73
- Van der Zalm, J.M., see Vijverberg, H.P.M. (728) 73
- Van Echteld, C.J.A., see Killian, J.A. (728) 141
- Van Kleef, R.G.D.M., see Vijverberg, H.P.M. (728) 73
- Venton, D.L., see Hung, S.C. (728) 171
- Vergara, J., see DiPolo, R. (728) 311
- Verkleij, A.J., see Killian, J.A. (728) 141
- Volkov, V.Ya., see Gulevsky, A.K. (728) 371
- Volpi, M., see Shefcyk, J. (728) 97
- Vijverberg, H.P.M., Van der Zalm, J.M., Van Kleef, R.G.D.M. and Van den Bercken, J.
Temperature and structure-dependent interaction of pyrethroids with the sodium channels in frog node of Ranvier (728) 73
- Wagner, G.J. and Mulready, P.
Characterization and solubilization of nucleotide-specific, Mg^{2+} -ATPase and Mg^{2+} -pyrophosphatase of tonoplast (728) 267
- Wallmark, B., Sachs, G., Mårdh, S. and Fellenius, E.
Inhibition of gastric ($\text{H}^{+} + \text{K}^{+}$)-ATPase by the substituted benzimidazole, picoprazole (728) 31
- Weber, J., see Biber, J. (728) 429
- Williams, W.P., see Gounaris, K. (728) 129
- Winter, S., see Heid, H.W. (728) 228
- Wood, D.D., see Moscarello, M.A. (728) 201
- Wuytack, F., see De Smedt, H. (728) 409
- Yianni, Y.P., see Morgan, C.G. (728) 356
- Zambrano, F., see González, E. (728) 66