

AUTHOR INDEX

- Abidor, I.G., see Melikyan, G.B. (730) 395
- Allan, D., see Thomas, P. (730) 351
- Arienti, G., see Corazzi, L. (730) 104
- Ashcroft, R.G., Coster, H.G.L., Laver, D.R. and Smith, J.R.
The effects of cholesterol inclusion on the molecular organization of bimolecular lipid membranes (730) 231
- Bader, J.P., see Balaban, R.S. (730) 271
- Bakker, E.P. and Mangerich, W.E.
The effects of weak acids on potassium uptake by *Escherichia coli* K-12. Inhibition by low cytoplasmic pH (730) 379
- Balaban, R.S. and Bader, J.P.
The efficiency of $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ in tumorigenic cells (730) 271
- Barden, A., Lemieux, G. and Pallotta, D.
Purification and characterization of plasma membranes from *Physarum polycephalum* amoebae (730) 25
- Barzilai, A. and Rahamimoff, H.
Inhibition of Ca^{2+} -transport ATPase from synaptosomal vesicles by flavonoids (730) 245
- Benz, R., Gimple, M., Poole, K. and Hancock, R.E.W.
An anion-selective channel from the *Pseudomonas aeruginosa* outer membrane (730) 387
- Biber, J., see Scalera, V. (730) 321
- Binaglia, L., see Corazzi, L. (730) 104
- Bissonnette, J.M., see Ingermann, R.L. (730) 57
- Blasie, J.K., see Herbette, L. (730) 369
- Borst-Pauwels, G.W.F.H., see Theuvenet, A.P.R. (730) 255
- Boss, W.F.
Poly(ethylene glycol)-induced fusion of plant protoplasts. A spin-label study (730) 111
- Bragman, K.S., Heath, T.D. and Papahadjopoulos, D.
Simultaneous interaction of monoclonal antibody-targeted liposomes with two receptors on K562 cells (730) 187
- Brodsky, W.A., see Youmans, S.J. (730) 173
- Buonanno, A. and Villegas, R.
Sodium channel activity in brain membrane fractions isolated from rats of different ages (730) 161
- Campbell, C.D., Ross, T.E. and Sharom, F.J.
Functional reassembly of lymphocyte lentil lectin receptor glycoproteins into lipid bilayer vesicles (730) 95
- Cannon, M.J., see Lucas, M.L. (730) 41
- Chadwick, C.C. and Thomas, E.W.
Inactivation of sarcoplasmic reticulum $(\text{Ca}^{2+} + \text{Mg}^{2+})\text{-ATPase}$ by *N*-cyclohexyl-*N'*-(4-dimethylamino- α -naphthyl) carbodiimide (730) 201
- Chailakhyan, L.M., see Melikyan, G.B. (730) 395
- Chapman, D., see Pons, M. (730) 306
- Chernomordik, L.V., see Melikyan, G.B. (730) 395
- Corazzi, L., Binaglia, L., Roberti, R., Freysz, L., Arienti, G. and Porcellati, G.
Compartmentation of membrane phosphatidylethanolamine formed by base-exchange reaction in rat brain microsomes (730) 104
- Cossins, A.R., see Macdonald, A.G. (730) 239
- Coster, H.G.L., see Ashcroft, R.G. (730) 231
- Cowan, D.L., see Demediuk, P. (730) 263
- Dallner, G., see Elhammer, Å. (730) 76
- Decker, E.R. and Levitt, D.G.
Comparison of the gramicidin A potassium/sodium permeability and single channel conductance ratio (730) 178
- De Jong, M.D., see Ghijsen, W.E.J.M. (730) 85
- Demediuk, P., Cowan, D.L. and Moscatelli, E.A.
Effects of plasmenylethanolamine on the dynamic properties of the hydrocarbon region of mixed phosphatidylcholine-phosphatidylethanolamine aqueous dispersions. A spin label study (730) 263
- Deuticke, B., see Köhne, W. (730) 139
- Ducis, I. and Koepsell, H.
A simple liposomal system to reconstitute and assay highly efficient $\text{Na}^+/\text{D-glucose}$ cotransport from kidney brush-border membranes (730) 119
- Elhammer, Å., Peterson, E. and Dallner, G.
Distribution and transport of apo- and holocytochrome b_5 in the endoplasmic reticulum of rat liver (730) 76
- Felle, H.
Driving forces and current-voltage characteristics of amino acid transport in *Riccia fluitans* (730) 342
- Fleischer, S., see Herbette, L. (730) 369
- Foder, B., see Scharff, O. (730) 295
- Freysz, L., see Corazzi, L. (730) 104
- Frunder, H., see Wetzker, R. (730) 196
- Ghijsen, W.E.J.M., De Jong, M.D. and Van Os, C.H.
Kinetic properties of $\text{Na}^+/\text{Ca}^{2+}$ exchange in basolateral plasma membranes of rat small intestine (730) 85
- Gimple, M., see Benz, R. (730) 387
- Goto, M., see Nakayama, H. (730) 17
- Grant, C.W.M., see Ketis, N.V. (730) 359
- Green, J.D., see Narahara, H.T. (730) 71
- Gunter, T.E., see Terman, B.I. (730) 151
- Gupta, C.M., see Kumar, A. (730) 1

- Haest, C.W.M., see Köhne, W. (730) 139
- Hancock, R.E.W., see Benz, R. (730) 387
- Hayden, L.J. and Severson, D.L.
Correlation of membrane phosphorylation and epidermal growth factor binding to hepatic membranes isolated from triiodothyronine-treated rats (730) 226
- Heath, T.D., see Bragman, K.S. (730) 187
- Herbette, L., Scarpa, A., Blasie, J.K., Wang, C.T., Hymel, L., Seelig, J. and Fleischer, S.
The determination of the separate Ca^{2+} pump protein and phospholipid profile structures within reconstituted sarcoplasmic reticulum membranes via X-ray and neutron diffraction (730) 369
- Herreman, W., see Pottel, H. (730) 181
- Ho, M.M., Scales, D.J. and Inesi, G.
The effect of trifluoroperazine on the sarcoplasmic reticulum membrane (730) 64
- Hymel, L., see Herbette, L. (730) 369
- Inesi, G., see Ho, M.M. (730) 64
- Ingermann, R.L., Bissonnette, J.M. and Koch, P.L.
D-Glucose-sensitive and -insensitive cytochalasin B binding proteins from microvillous plasma membranes of human placenta. Identification of the D-glucose transporter (730) 57
- Jeanrenaud, B., see Wardzala, L.J. (730) 49
- Johnston, A.M., see Martin, C.E. (730) 10
- Ketis, N.V. and Grant, C.W.M.
Time-dependent lectin binding to isolated receptors in model membranes (730) 359
- Klinger, R., see Wetzker, R. (730) 196
- Koch, P.L., see Ingermann, R.L. (730) 57
- Koepsell, H., see Ducis, I. (730) 119
- Köhne, W., Deuticke, B. and Haest, C.W.M.
Phospholipid dependence of the anion transport system of the human erythrocyte membrane. Studies on reconstituted band 3/lipid vesicles (730) 139
- Kumar, A. and Gupta, C.M.
Effect of altered polar headgroup of phosphatidylethanolamines on transbilayer aminophospholipid distribution in sonicated vesicles (730) 1
- Lau, Y.H.
Effects of adenosine diphosphate on Ca^{2+} fluxes and Ca^{2+} accumulation of sarcoplasmic reticulum (730) 276
- Laver, D.R., see Ashcroft, R.G. (730) 231
- Leblanc, R.M., see Robert, S. (730) 217
- Lemieux, G., see Barden, A. (730) 25
- Leserman, L.D., see Machy, P. (730) 313
- Levitt, D.G., see Decker, E.R. (730) 178
- Limbrick, A.R., see Thomas, P. (730) 351
- Lucas, M.L. and Cannon, M.J.
Measurement of sodium ion concentration in the unstirred layer of rat small intestine by polymer Na^{+} -sensitive electrodes (730) 41
- Macdonald, A.G. and Cossins, A.R.
Effects of pressure and pentanol on the phase transition in the membrane of *Acholeplasma laidlawii* B (730) 239
- Machy, P. and Leserman, L.D.
Small liposomes are better than large liposomes for specific drug delivery in vitro (730) 313
- Mangerich, W.E., see Bakker, E.P. (730) 379
- Martin, C.E. and Johnston, A.M.
Changes in fatty acid distribution and thermotropic properties of phospholipids following phosphatidylcholine depletion in a choline-requiring mutant of *Neurospora crassa* (730) 10
- Melikyan, G.B., Abidor, I.G., Chernomordik, L.V. and Chailakhyan, L.M.
Electrostimulated fusion and fission of bilayer lipid membranes (730) 395
- Mitsui, T., see Nakayama, H. (730) 17
- Morris, S.J., see Südhof, T.C. (730) 207
- Moscattelli, E.A., see Demediuk, P. (730) 263
- Murer, H., see Scalera, V. (730) 321
- Nakayama, H., Goto, M., Ohki, K., Mitsui, T. and Nozawa, Y.
An X-ray diffraction study on phase transition temperatures of various membranes isolated from *Tetrahymena pyriformis* cells grown at different temperatures (730) 17
- Narahara, H.T. and Green, J.D.
Selective loss of a plasma membrane protein associated with contraction of skeletal muscle (730) 71
- Nozawa, Y., see Nakayama, H. (730) 17
- Ohki, K., see Nakayama, H. (730) 17
- Op den Kamp, J.A.F., see Rawlyer, A.J. (730) 130
- Pallotta, D., see Barden, A. (730) 25
- Papahadjopoulos, D., see Bragman, K.S. (730) 187
- Pappert, G. and Schubert, D.
The state of association of band 3 protein of the human erythrocyte membrane in solution of nonionic detergents (730) 32
- Peterson, E., see Elhammer, Å. (730) 76
- Pons, M., Villaverde, C. and Chapman, D.
A ^{13}C -NMR study of 10,12-tricosadiynoic acid and the corresponding phospholipid and phospholipid polymer (730) 306
- Poole, K., see Benz, R. (730) 387
- Porcellati, G., see Corazzi, L. (730) 104
- Pottel, H., Van der Meer, W. and Herreman, W.
Correlation between the order parameter and the steady-state fluorescence anisotropy of 1,6-diphenyl-1,3,5-hexatriene and an evaluation of membrane fluidity (730) 181
- Rahamimoff, H., see Barzilai, A. (730) 245
- Rawlyer, A.J., Roelofsen, B., Op den Kamp, J.A.F. and Van Deenen, L.L.M.
Isolation and characterization of plasma membranes from Friend erythroleukaemic cells. A study with sphingomyelinase C (730) 130

- Robert, S., Tancrede, P., Salesse, C. and Leblanc, R.M.
Interactions in mixed monolayers between distearoyl-L-phosphatidylethanolamine, rod outer segment phosphatidylethanolamine and all-*trans* retinal. Effect of pH (730) 217
- Roberti, R., see Corazzi, L. (730) 104
- Roelofsen, B., see Rawlyer, A.J. (730) 130
- Ross, T.E., see Campbell, C.D. (730) 95
- Salesse, C., see Robert, S. (730) 217
- Scalera, V., Biber, J. and Murer, H.
The effect of cyclic nucleotides and cholera toxin on in vivo and in vitro phosphorylation of small intestinal brush border membranes (730) 321
- Scales, D.J., see Ho, M.M. (730) 64
- Scarpa, A., see Herbette, L. (730) 369
- Scharff, O., Foder, B. and Skibsted, U.
Hysteretic activation of the Ca^{2+} pump revealed by calcium transients in human red cells (730) 295
- Schubert, D., see Pappert, G. (730) 32
- Seelig, J., see Herbette, L. (730) 369
- Severson, D.L., see Hayden, L.J. (730) 226
- Sharkey, R.G.
Lactoperoxidase-catalyzed iodination of sodium and potassium ion-activated adenosine triphosphatase in the Madin-Darby canine kidney epithelial cell line and canine renal membranes (730) 327
- Sharom, F.J., see Campbell, C.D. (730) 95
- Skibsted, U., see Scharff, O. (730) 295
- Smith, J.R., see Ashcroft, R.G. (730) 231
- Südhof, T.C. and Morris, S.J.
Characteristics and determinants of osmotic lysis in chromaffin granules (730) 207
- Sundler, R. and Wijkander, J.
Protein-mediated intermembrane contact specifically enhances Ca^{2+} -induced fusion of phosphatidate-containing membranes (730) 391
- Tancrede, P., see Robert, S. (730) 217
- Terman, B.I. and Gunter, T.E.
Characterization of the submandibular gland microsomal calcium transport system (730) 151
- Theuvenet, A.P.R., Van de Wijngaard, M.H. and Borst-Pauwels, G.W.F.H.
9-Aminoacridine, a fluorescent probe of the thiamine carrier in yeast cells (730) 255
- Thomas, E.W., see Chadwick, C.C. (730) 201
- Thomas, P., Limbrick, A.R. and Allan, D.
Limited breakdown of cytoskeletal proteins by an endogenous protease controls Ca^{2+} -induced membrane fusion events in chicken erythrocytes (730) 351
- Van Deenen, L.L.M., see Rawlyer, A.J. (730) 130
- Van der Meer, W., see Pottel, H. (730) 181
- Van de Wijngaard, M.H., see Theuvenet, A.P.R. (730) 255
- Van Os, C.H., see Ghijsen, W.E.J.M. (730) 85
- Vestergaard-Bogind, B.
Spontaneous inactivation of the Ca^{2+} -sensitive K^{+} channels of human red cells at high intracellular Ca^{2+} activity (730) 285
- Villaverde, C., see Pons, M. (730) 306
- Villegas, R., see Buonanno, A. (730) 161
- Wang, C.T., see Herbette, L. (730) 369
- Wardzala, L.J. and Jeanrenaud, B.
Identification of the D-glucose-inhibitable cytochalasin B binding site as the glucose transporter in rat diaphragm plasma and microsomal membranes (730) 49
- Wetzker, R., Klinger, R. and Frunder, H.
Effects of fatty acids on activity and calmodulin binding of Ca^{2+} -ATPase of human erythrocyte membranes (730) 196
- Worman, H.J., see Youmans, S.J. (730) 173
- Wijkander, J., see Sundler, R. (730) 391
- Youmans, S.J., Worman, H.J. and Brodsky, W.A.
ATPase activity and ATP-dependent proton translocation in plasma membrane vesicles of turtle bladder epithelial cells (730) 173