

AUTHOR INDEX

- Allegrini, P.R., Van Scharrenburg, G., De Haas, G.H. and Seelig, J.
 ^2H - and ^{31}P -NMR studies of bilayers composed of 1-acyl-lysophosphatidylcholine and fatty acids (731) 448
- Allietta, M., see Brown, R.E. (731) 495
- Anagnostopoulos, T., see Edelman, A. (731) 211
- Autuori, F., see Piacentini, M. (731) 151
- Bakker-Grunwald, T.
 Potassium permeability and volume control in isolated rat hepatocytes (731) 239
- Bakker-Grunwald, T., see Ueberschär, S. (731) 243
- Balakrishnan, K., Lewis, J.T., Mehdi, S.Q. and McConnell, H.
 Fusion and biochemical expression of membrane receptors in foreign living cells (731) 121
- Balakrishnan, K., see Maeda, T. (731) 115
- Barber, K.R., see Peters, M. (731) 475
- Beaumier, P.L. and Hwang, K.J.
 Effects of liposome size on the degradation of bovine brain sphingomyelin/cholesterol liposomes in the mouse liver (731) 23
- Bendahan, A., see Kanner, B.I. (731) 54
- Beninati, S., see Piacentini, M. (731) 151
- Blott, B.H., see Braganza, L.F. (731) 137
- Bonay, P. and Cohén, B.E.
 Neutral amino acid transport in *Leishmania* promastigotes (731) 222
- Boni, L.T. and Hui, W.W.
 Polymorphic phase behaviour of dilinoleoylphosphatidylethanolamine and palmitoylphosphatidylcholine mixtures. Structural changes between hexagonal, cubic and bilayer phases (731) 177
- Bonting, S.L., see Schrijen, J.J. (731) 329
- Bowman, C.L. and Tedeschi, H.
 Kinetics of Lucifer yellow CH efflux in giant mitochondria (731) 261
- Braganza, L.F., Blott, B.H., Coe, T.J. and Melville, D.
 Dye permeability at phase transitions in single and binary component phospholipid bilayers (731) 137
- Bredoux, R., see Le Peuch, C.J. (731) 456
- Brissette, R., see Cunningham, E.B. (731) 378
- Brotherus, J.R., Jacobsen, L. and Jørgensen, P.L.
 Soluble and enzymatically stable ($\text{Na}^+ + \text{K}^+$)-ATPase from mammalian kidney consisting predominantly of protomer $\alpha\beta$ -units. Preparation, assay, and reconstitution of active Na^+, K^+ transport (731) 290
- Brown, R.E., Allietta, M., Tillack, T.W. and Thompson, T.E.
 Glycolipids are not extracted from phospholipid bilayers by binding to ferritin-lectin conjugates (731) 495
- Brown, W.E., see Wohlhueter, R.M. (731) 168
- Bryant, L., see Stillwell, W. (731) 483
- Burckhardt, G., see Sabolić, I. (731) 354
- Burgess, G.M., Giraud, F., Poggioli, J. and Claret, M.
 α -Adrenergically mediated changes in membrane lipid fluidity and Ca^{2+} binding in isolated rat liver plasma membranes (731) 387
- Caen, J., see Le Peuch, C.J. (731) 456
- Cassoly, R., see Chetrite, G. (731) 16
- Châlpin, D.B. and Kleinfeld, A.M.
 Interaction of fluorescence quenchers with the *n*-(9-anthroxyl) fatty acid membrane probes (731) 465
- Chang, E.L., see Yager, P. (731) 491
- Chang, T., Sharpless, P.B., Davenport, D.A., Radunsky, M.B. and Yu, H.
 Osmotic deformation of red blood cell ghosts induced by carbohydrates (731) 346
- Chetrite, G., Lemiagre Debreuil, Y. and Cassoly, R.
 Studies on the fragmentation of erythrocyte ghost membrane with *p*-chloromercuribenzoate in the micromolar range (731) 16
- Claret, M., see Burgess, G.M. (731) 387
- Coe, T.J., see Braganza, L.F. (731) 137
- Cohén, B.E., see Bonay, P. (731) 222
- Cunningham, E.B., Varghese, S., Lee, S., Brissette, R. and Swislocki, N.I.
 Modulation of the activity of the ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-dependent adenosine triphosphatase of the human erythrocyte (731) 378
- D'Aquino, M., Gaetani, S. and Spadoni, M.A.
 Effect of factors of favism on the protein and lipid components of rat erythrocyte membrane (731) 161
- Davenport, D.A., see Chang, T. (731) 346
- De Bongioanni, L.C., see Ramos, E.H. (731) 361
- De Haas, G.H., see Allegrini, P.R. (731) 448
- Demaille, J.G., see Le Peuch, C.J. (731) 456
- De Pont, J.J.H.H.M., see Schrijen, J.J. (731) 329
- Deuticke, B., Poser, B., Lütke-meier, P. and Haest, C.W.M.
 Formation of aqueous pores in the human erythrocyte membrane after oxidative cross-linking of spectrin by diamide (731) 196
- Dubinsky, W.P., see Langridge-Smith, J.E. (731) 318
- Edelman, A., Teulon, J. and Anagnostopoulos, T.
 Peculiarities of the Na^+/D -glucose cotransport system in *Necturus* renal tubules (731) 211
- Enouf, J., see Le Peuch, C.J. (731) 456

- Fant, M.E., Yeakley, J. and Harrison, R.W.
Evidence for carrier-mediated transport of glucocorticoids by human placental membrane vesicles (731) 415
- Fernández, M.S., see García-Soto, J. (731) 275
- Field, M., see Langridge-Smith, J.E. (731) 318
- Gaetani, S., see D'Aquino, M. (731) 161
- Gains, N. and Hauser, H.
Characterization of small unilamellar vesicles produced in unsonicated phosphatidic acid and phosphatidylcholine-phosphatidic acid dispersions by pH adjustment (731) 31
- Galván, A., see Lucas, M. (731) 129
- García-Soto, J. and Fernández, M.S.
The effect of neutral and charged micelles on the acid-base dissociation of the local anesthetic tetracaine (731) 275
- Garrahan, P.J., see Kratje, R.B. (731) 40
- Giraud, F., see Burgess, G.M. (731) 387
- Giudicelli, Y., see Pecquery, R. (731) 397
- Goberna, R., see Lucas, M. (731) 129
- Grant, C.W.M., see Peters, M. (731) 475
- Haest, C.W.M., see Deuticke, B. (731) 196
- Hancock, A.J., see Singer, M.A. (731) 373
- Hansen, J.S., see Takemoto, L.J. (731) 267
- Harrison, R.W., see Fant, M.E. (731) 415
- Hauser, H., see Gains, N. (731) 31
- Herchuelz, A., see Lebrun, P. (731) 145
- Hincke, M.T., see Le Peuch, C.J. (731) 456
- Horwitz, J., see Takemoto, L.J. (731) 267
- Hui, W.W., see Boni, L.T. (731) 177
- Hunkapiller, M., see Takemoto, L.J. (731) 267
- Hwang, K.J., see Beaumier, P.L. (731) 23
- Ikeda, K., see Yotsuyanagi, T. (731) 304
- Isler, R.E., see Knowles, A.F. (731) 88
- Iwasa, T., Iwasa, Y. and Krishnaraj, R.
A high-affinity ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase in plasma membranes of rat ascites hepatoma AH109A cells (731) 229
- Iwasa, Y., see Iwasa, T. (731) 229
- Iwata, M., see Yotsuyanagi, T. (731) 304
- Jackson, R.J., Mendlein, J. and Sachs, G.
Interaction of fluorescein isothiocyanate with the ($\text{H}^{+} + \text{K}^{+}$)-ATPase (731) 9
- Jacobsen, L., see Brothier, J.R. (731) 290
- Jain, M.K., see Singer, M.A. (731) 373
- Jensen, J. and Ottolenghi, P.
ATP binding to solubilized ($\text{Na}^{+} + \text{K}^{+}$)-ATPase. The abolition of subunit-subunit interaction and the maximum weight of the nucleotide-binding unit (731) 282
- Jørgensen, P.L., see Brothier, J.R. (731) 290
- Kanner, B.I., Bendahan, A. and Radian, R.
Efflux and exchange of γ -aminobutyric acid and nipecotic acid catalysed by synaptic plasma membrane vesicles isolated from immature rat brain (731) 54
- Katz, S., see Le Peuch, C.J. (731) 456
- Kleinfeld, A.M., see Chalpin, D.B. (731) 465
- Knowles, A.F., Isler, R.E. and Reece, J.F.
The common occurrence of ATP diphosphohydrolase in mammalian plasma membranes (731) 88
- Kranias, E.G., Samaha, F.J. and Schwartz, A.
Mechanism of the stimulation of Ca^{2+} -dependent ATPase of skeletal muscle sarcoplasmic reticulum by protein kinase (731) 79
- Kratje, R.B., Garrahan, P.J. and Rega, A.F.
The effects of alkali metal ions on active Ca^{2+} transport in reconstituted ghosts from human red cells (731) 40
- Krishnaraj, R., see Iwasa, T. (731) 229
- Krob, E.J., see Walter, H. (731) 487
- Langridge-Smith, J.E., Field, M. and Dubinsky, W.P.
Isolation of transporting plasma membrane vesicles from bovine tracheal epithelium (731) 318
- Lebrun, P., Malaisse, W.J. and Herchuelz, A.
Activation, but not inhibition, by glucose of Ca^{2+} -dependent K^{+} permeability in the rat pancreatic B-cell (731) 145
- Lee, S., see Cunningham, E.B. (731) 378
- Lemiagre Dubreuil, Y., see Chetrite, G. (731) 16
- Leneveu, M.-C., see Pecquery, R. (731) 397
- Le Peuch, C.J., Le Peuch, D.A.M., Katz, S., Demaille, J.G., Hincke, M.T., Bredoux, R., Enouf, J., Levy-Toledano, S. and Caen, J.
Regulation of calcium accumulation and efflux from platelet vesicles. Possible role for cyclic AMP-dependent phosphorylation and calmodulin (731) 456
- Le Peuch, D.A.M., see Le Peuch, C.J. (731) 456
- Levine, G.M., see Robinson, J.D. (731) 406
- Levy-Toledano, S., see Le Peuch, C.J. (731) 456
- Lew, R.R. and Spanswick, R.M.
Chlorpromazine induces membrane potential depolarization and ATP loss, and inhibits microsomal ATPase in soybean (*Glycine max* L.) roots (731) 421
- Lewis, J.T., see Balakrishnan, K. (731) 121
- Lister, M.D., see Singer, M.A. (731) 373
- Lucas, M., Galván, A., Solano, P. and Goberna, R.
Compartmentation of calcium in digitonin-disrupted guinea pig pancreatic acinar cells (731) 129
- Lütke-meier, P., see Deuticke, B. (731) 196
- Maeda, T., Balakrishnan, K. and Mehdi, S.Q.
A simple and rapid method for the preparation of plasma membranes (731) 115
- Malaisse, W.J., see Lebrun, P. (731) 145
- Mantulin, W.M., see Singer, M.A. (731) 373
- McConnell, H., see Balakrishnan, K. (731) 121
- McDaniel, R.V., McIntosh, T.J. and Simon, S.A.
Nonelectrolyte substitution for water in phosphatidylcholine bilayers (731) 97
- McDaniel, R.V., see McIntosh, T.J. (731) 109
- McIntosh, T.J., McDaniel, R.V. and Simon, S.A.
Induction of an interdigitated gel phase in fully hydrated phosphatidylcholine bilayers (731) 109
- McIntosh, T.J., see McDaniel, R.V. (731) 97
- Mehdi, S.Q., see Balakrishnan, K. (731) 121
- Mehdi, S.Q., see Maeda, T. (731) 115

- Melville, D., see Braganza, L.F. (731) 137
- Mendlein, J., see Jackson, R.J. (731) 9
- Mizutani, J., see Yotsuyanagi, T. (731) 304
- Mohri, T., see Ohyashiki, T. (731) 312
- Mouritsen, O.G.
Studies on the lack of cooperativity in the melting of lipid bilayers (731) 217
- Nauta, H., see Schrijen, J.J. (731) 329
- Nicholson, B.J., see Takemoto, L.J. (731) 267
- Ohyashiki, T. and Mohri, T.
Effect of ionic strength on the membrane fluidity of rabbit intestinal brush-border membranes. A fluorescence probe study (731) 312
- O'Leary, T.J.
A simple theoretical model for the effects of cholesterol and polypeptides on lipid membranes (731) 47
- Ottolenghi, P., see Jensen, J. (731) 282
- Patton, S., see Sokka, T.K. (731) 1
- Pecquery, R., Leneveu, M.-C. and Giudicelli, Y.
Characterization of β -adrenergic receptors of hamster white fat cells. Evidence against an important role for the α_2 -receptor subtype in the adrenergic control of lipolysis (731) 397
- Pedram, A., see Walter, H. (731) 487
- Peters, M., Singleton, C., Barber, K.R. and Grant, C.W.M.
Glycolipid crypticity in membranes – not a simple shielding effect of macromolecules (731) 475
- Philipson, K.D., see Trosper, T.L. (731) 63
- Piacentini, M., Spinedi, A., Beninati, S. and Autuori, F.
Mechanism of release of integral proteins from rat liver microsomal membranes (731) 151
- Plagemann, P.G.W., see Wohlhueter, R.M. (731) 168
- Poggioli, J., see Burgess, G.M. (731) 387
- Pohl, B. and Schmidt, W.
Comparative studies of purified and reconstituted monoamine oxidase from bovine liver mitochondria (731) 338
- Poser, B., see Deuticke, B. (731) 196
- Pownall, H.J., see Singer, M.A. (731) 373
- Racine, F.M., see Skomurski, J.F. (731) 428
- Radian, R., see Kanner, B.I. (731) 54
- Radunsky, M.B., see Chang, T. (731) 346
- Raison, J.K. and Wright, L.C.
Thermal phase transitions in the polar lipids of plant membranes. Their induction by disaturated phospholipids and their possible relation to chilling injury (731) 69
- Ramesha, C.S. and Thompson, G.A., Jr.
Cold stress induces in situ phospholipid molecular species changes in cell surface membranes (731) 251
- Ramos, E.H., De Bongioanni, L.C., Wainer, S.J. and Stoppani, A.O.M.
Effect of thiol reagents on L-leucine transport in *Saccharomyces cerevisiae* (731) 361
- Reece, J.F., see Knowles, A.F. (731) 88
- Rega, A.F., see Kratje, R.B. (731) 40
- Revel, J.P., see Takemoto, L.J. (731) 267
- Robinson, J.D., Levine, G.M. and Robinson, L.J.
A model for the reaction pathways of the K^+ -dependent phosphatase activity of the $(Na^+ + K^+)$ -dependent ATPase (731) 406
- Robinson, L.J., see Robinson, J.D. (731) 406
- Sable, H.Z., see Singer, M.A. (731) 373
- Sabolić, I. and Burckhardt, G.
Apparent inhibition of Na^+/H^+ exchange by amiloride and harmaline in acridine orange studies (731) 354
- Sachs, G., see Jackson, R.J. (731) 9
- Samaha, F.J., see Kranias, E.G. (731) 79
- Schmidt, W., see Pohl, B. (731) 338
- Schrijen, J.J., Van Groningen-Luyben, W.A.H.M., Nauta, H., De Pont, J.J.H.M. and Bonting, S.L.
Studies on $(K^+ + H^+)$ -ATPase. VI. Determination of the molecular size by radiation inactivation analysis (731) 329
- Schwartz, A., see Kranias, E.G. (731) 79
- Seelig, J., see Allegrini, P.R. (731) 448
- Semenza, G., see Weber, J. (731) 437
- Sharpless, P.B., see Chang, T. (731) 346
- Simon, S.A., see McDaniel, R.V. (731) 97
- Simon, S.A., see McIntosh, T.J. (731) 109
- Singer, M.A., Jain, M.K., Sable, H.Z., Pownall, H.J., Mantulin, W.M., Lister, M.D. and Hancock, A.J.
The properties of membranes formed from cyclopentanoid analogues of phosphatidylcholine (731) 373
- Singleton, C., see Peters, M. (731) 475
- Skomurski, J.F., Racine, F.M. and Vary, J.C.
Steady-state fluorescence anisotropy changes of 1,6-diphenyl-1,3,5-hexatriene in membrane from *Bacillus megaterium* spores (731) 428
- Sokka, T.K. and Patton, S.
In vivo effects of colchicine on milk fat globule membrane (731) 1
- Solano, P., see Lucas, M. (731) 129
- Somerharju, P., Van Paridon, P. and Wirtz, K.W.A.
Phosphatidylinositol transfer protein from bovine brain. Substrate specificity and membrane binding properties (731) 186
- Spadoni, M.A., see D'Aquino, M. (731) 161
- Spanswick, R.M., see Lew, R.R. (731) 421
- Spinedi, A., see Piacentini, M. (731) 151
- Stillwell, W. and Bryant, L.
Membrane permeability changes with vitamin A-vitamin E mixed bilayers (731) 483
- Stoppani, A.O.M., see Ramos, E.H. (731) 361
- Swislocki, N., see Cunningham, E.B. (731) 378
- Takemoto, L.J., Hansen, J.S., Nicholson, B.J., Hunkapiller, M., Revel, J.-P. and Horwitz, J.
Major intrinsic polypeptide of lens membrane. Biochemical and immunological characterization of the major cyanogen bromide fragment (731) 267
- Tedeschi, H., see Bowman, C.L. (731) 261
- Teulon, J., see Edelman, A. (731) 211
- Thompson, G.A., Jr., see Ramesha, C.S. (731) 251
- Thompson, T.E., see Brown, R.E. (731) 495

- Tillack, T.W., see Brown, R.E. (731) 495
- Trosper, T.L. and Philipson, K.D.
Effects of divalent and trivalent cations on Na^+ - Ca^{2+} exchange in cardiac sarcolemmal vesicles (731) 63
- Ueberschär, S. and Bakker-Grunwald, T.
Bumetanide-sensitive potassium transport and volume regulation in turkey erythrocytes (731) 243
- Van Scharrenburg, G., see Allegrini, P.R. (731) 448
- Van Groningen-Luyben, W.A.H.M., see Schrijen, J.J. (731) 329
- Van Paridon, P., see Somerharju, P. (731) 186
- Varghese, S., see Cunningham, E.B. (731) 378
- Vary, J.C., see Skomurski, J.F. (731) 428
- Wainer, S.J., see Ramos, E.H. (71) 361
- Walter, H., Krob, E.J. and Pedram, A.
Differential effect of neuraminidase-treatment on the surface charge-associated properties of rat reticulocytes and erythrocytes. Studies of partitioning in two-polymer aqueous phases (731) 487
- Weber, J. and Semenza, G.
Chemical modification of the small intestinal Na^+ /D-glucose cotransporter by amino group reagents. Evidence for a role of amino group(s) in the binding of the sugar (731) 437
- Wirtz, K.W.A., see Somerharju, P. (731) 186
- Wohlhueter, R.M., Brown, W.E. and Plagemann, P.G.W.
Kinetic and thermodynamic studies on nitrobenzylthioinosine binding to the nucleoside transporter of Chinese hamster ovary cells (731) 168
- Wright, L.C., see Raison, J.K. (731) 69
- Yager, P. and Chang, E.L.
Destabilization of a lipid non-bilayer phase by high pressure (731) 491
- Yeakley, J., see Fant, M.E. (731) 415
- Yotsuyanagi, T., Mizutani, J., Iwata, M. and Ikeda, K.
Kinetic aspects and mechanism of liposome disintegration in polyoxyethylene lauryl ether and sodium cholate solutions (731) 304
- Yu, H., see Radunsky, M.B. (731) 346