

AUTHOR INDEX

- Ackermann, R., see Schmidt, R. (732) 421
- Ahrens, M.-L.
Electrostatic control by lipids upon the membrane-bound ($\text{Na}^+ + \text{K}^+$)-ATPase. II. The influence of surface potential upon the activating ion-equilibria (732) 1
- Åkerman, K.E.O. and Heinonen, E.
Qualitative measurements of cytosolic calcium ion concentration within isolated guinea pig nerve endings using entrapped arsenazo III (732) 117
- Aktories, K., see Jakobs, K.H. (732) 352
- Ålbertsson, P.-A., see Westrin, H. (732) 83
- Alonso, A., see Leaver, J. (732) 210
- Amati, P., see Foresti, M. (732) 251
- Anagnostopoulos, T., see Edelman, A. (732) 300
- Atkins, G.L.
A comparison of methods for estimating the kinetic parameters of two simple types of transport process (732) 455
- Balgavý, P., see Ondriaš, K. (732) 627
- Balsan, S., see Edelman, A. (732) 300
- Banga, J.P., see Tatham, P.E.R. (732) 509
- Barber, M.J., Rosen, G.M. and Rauckman, E.J.
Studies of the mobility of maleimide spin labels within the erythrocyte membrane (732) 126
- Baskin, R.J., see Kawamoto, R.M. (732) 620
- Baumann, K., see Beyer, G. (732) 372
- Beyer, G., Bode, F. and Baumann, K.
Binding of lysozyme to brush border membranes of rat kidney (732) 372
- Blumenthal, K.M., see Toth, G.P. (732) 160
- Bode, F., see Beyer, G. (732) 372
- Bonting, S.L., see Schuurmans Stekhoven, F.M.A.H. (732) 607
- Borst-Pauwels, G.W.F.H., Theuvenet, A.P.R. and Stols, A.L.H.
All-or-none interactions of inhibitors of the plasma membrane ATPase with *Saccharomyces cerevisiae* (732) 186
- Boyanov, A.I., Tenchov, B.G., Koynova, R.D. and Koumanov, K.S.
Absence of subtransition in racemic dipalmitoylphosphatidylcholine vesicles (732) 711
- Brain, A.P.R., see Gounaris, K. (732) 229
- Braun-Werness, J.L., Jackson, B.A., Werness, P.G. and Dousa, T.P.
Binding of nicotinamide adenine dinucleotide by the renal brush border membrane from rat kidney cortex (732) 553
- Brenza, J.M., see Sokolove, P.M. (732) 41
- Breitbart, H. and Rubinstein, S.
Calcium transport by bull spermatozoa plasma membranes (732) 464
- Brosstad, F., see Hagen, I. (732) 600
- Burckhardt, G., see Stieger, B. (732) 324
- Casali, E., see Spisni, A. (732) 58
- Cavatorta, P., see Spisni, A. (732) 58
- Chapman, D., see Leaver, J. (732) 210
- Chapman, D., see Murray, E.K. (732) 347
- Coolbear, K.P. and Keough, K.M.W.
Lipid oxidation and gel to liquid-crystalline transition temperatures of synthetic polyunsaturated mixed-acid phosphatidylcholines (732) 531
- Corcelli, A. and Storelli, C.
The role of potassium and chloride ions on the Na^+ /acidic amino acid cotransport system in rat intestinal brush-border membrane vesicles (732) 24
- Cornell, B.A., Hiller, R.G., Raison, J., Separovic, F., Smith, R., Vary, J.C. and Morris, C.
Biological membranes are rich in low-frequency motion (732) 473
- Cornell, B.A. and Keniry, M.
The effect of cholesterol and gramicidin A' on the carbonyl groups of dimyristoylphosphatidylcholine dispersions (732) 705
- Cornell, B.A., see Smith, R. (732) 492
- Corpus, V.M., see Hammerman, M.R. (732) 110
- Da Cruz, M.E.M., Kinne, R. and Lin, J.T.
Temperature dependence of D-glucose transport in reconstituted liposomes (732) 691
- Damen, J., see Scherphof, G. (732) 595
- De Bruijne, A.W., Vreeburg, H. and Van Steveninck, J.
Kinetic analysis of L-lactate transport in human erythrocytes via the monocarboxylate-specific carrier system (732) 562
- Delves, P.J., see Tatham, P.E.R. (732) 509
- Demel, R.A., see Ginsburg, H. (732) 316
- De Pont, J.J.H.H.M., see Schuurmans Stekhoven, F.M.A.H. (732) 607
- De Rosa, M., see Lelkes, P.I. (732) 714
- Deuticke, B., see Dressler, V. (732) 304
- Dousa, T.P., see Braun-Werness, J.L. (732) 553
- Dressler, V., Schwister, K., Haest, C.W.M. and Deuticke, B.
Dielectric breakdown of the erythrocyte membrane enhances transbilayer mobility of phospholipids (732) 304
- Durrani, A.A., see Leaver, J. (732) 210
- Düzgüneş, N., Wilschut, J., Hong, K., Fraley, R., Perry, C., Friend, D.S., James, T.L. and Papahadjopoulos, D.
Physicochemical characterization of large unilamellar phospholipid vesicles prepared by reverse-phase evaporation (732) 289
- Earnest, D.L., see Hatch, M. (732) 699
- East, J.M., see Lee, A.G. (732) 441

- Edelman, A., Thil, C.L., Garabédian, M., Anagnostopoulos, T. and Balsan, S.
Genome-independent effects of 1,25-dihydroxy vitamin D-3 on membrane potential (732) 300
- Ehrenspeck, G.
Effect of calcium ionophore A23178 on electrogenic acid-base transport in turtle bladder. Inhibition of acidification and stimulation of alkalization (732) 146
- Eibl, H., see Grünhagen, H.H. (732) 675
- Elbe, W., see Schnell, K.F. (732) 266
- Erjomin, A.N. and Metelitz, D.I.
Catalysis by hemoproteins and their structural organization in reversed micelles of surfactants in octane (732) 377
- Exerowa, D., see Kashchiev, D. (732) 133
- Festen, C.M.A.W., Slegers, J.F.G. and Van Os, C.H.
Intracellular activities of chloride, potassium and sodium ions in rabbit corneal epithelium (732) 394
- Findlay, J.B.C., see Harris, R. (732) 75
- Fleming, B.D., Raynor, C.M. and Keough, K.M.W.
Some characteristics of monolayers of 1-palmitoyl-2-oleoyl-phosphatidylglycerol with and without dipalmitoylphosphatidylcholine during dynamic compression and expansion (732) 243
- Forbes, I.J., Zalewski, P.D. and Valente, L.
Agglutination of mouse erythrocytes by binding of non-choline phospholipids to a 70000-dalton protein (732) 179
- Foresti, M. and Amati, P.
Influence of amphotericin B on leucine uptake in 3T3 cells (732) 251
- Fraley, R., see Düzgüneş, N. (732) 289
- Franks, L.M., see Steele, J.G. (732) 219
- Freel, R.W., see Hatch, M. (732) 699
- Frehland, E., Hoshiko, T. and Machlup, S.
Competitive blocking of apical sodium channels in epithelia (732) 636
- Friend, D.S., see Düzgüneş, N. (732) 289
- Friend, D.S., see Hong, K. (732) 320
- Fuller, S., see Morgan, C.G. (732) 668
- Gaestel, M., Herrmann, A., Heinrich, R., Pratsch, L., Ladhoff, A.-M. and Hillebrecht, B.
Lateral lipid distribution and phase transition in phosphatidylethanolamine/phosphatidylserine vesicles. A cross-linking study (732) 405
- Gambacorta, A., see Lelkes, P.I. (732) 714
- Ganapathy, V. and Leibach, F.H.
Electrogenic transport of 5-oxoproline in rabbit renal brush-border membrane vesicles. Effect of intravesicular potassium (732) 32
- Garabédian, M., see Edelman, A. (732) 300
- Ginsberg, D., see Israel, S. (732) 337
- Ginsburg, H. and Demel, R.A.
The effect of ferriprotoporphyrin IX and chloroquine on phospholipid monolayers and the possible implications to antimalarial activity (732) 316
- Glabe, C.G., see Hong, K. (732) 320
- Glozzi, A., see Lelkes, P.I. (732) 714
- Gogstad, G.O., Krutnes, M.-B., Hetland, Ø. and Solum, N.O.
Comparison of protein and lipid composition of the human platelet α -granule membranes and glycerol lysis membranes (732) 519
- Gogstad, G.O., see Hagen, I. (732) 600
- Goldenberg, D., see Lelkes, P.I. (732) 714
- Goldner, A.M., see Hatch, M. (732) 699
- Gottwald, B.A., see Sandermann, H., Jr. (732) 332
- Gounaris, K., Mannock, D.A., Sen, A., Brain, A.P.R., Williams, W.P., and Quinn, P.J.
Polyunsaturated fatty acyl residues of galactolipids are involved in the control of bilayer-non-bilayer lipid transitions in higher plant chloroplasts (732) 229
- Gray, J.P., see Hunter, C.K. (732) 256
- Grelac, F., see Soumarmon, A. (732) 579
- Grünhagen, H.H., Eibl, H., Krebs, G. and Reiter, P.
Phospholipid and fatty acid composition of tetrodotoxin receptor-rich membrane fragments from *Electrophorus electricus* (732) 675
- Haest, C.W.M., see Dressler, V. (732) 304
- Hagen, I., Gogstad, G.O., Brosstad, F. and Solum, N.O.
Demonstration of 125 I-labelled thrombin binding platelet proteins by use of crossed immunoelectrophoresis and autoradiography (732) 600
- Halter, S.A., see Hunter, C.K. (732) 256
- Hammarström, S., see Uehara, N. (732) 69
- Hammerman, M.R., Corpus, V.M. and Morrissey, J.J.
 NAD^+ -induced inhibition of phosphate transport in canine renal brush-border membranes. Mediation through a process other than or in addition to NAD^+ hydrolysis (732) 110
- Harris, R. and Findlay, J.B.C.
Investigation of the organization of the major proteins in bovine myelin membranes. Use of chemical probes and bifunctional crosslinking reagents (732) 75
- Hasselbach, W., see Lüdi, H. (732) 479
- Hatch, M., Freel, R.W., Goldner, A.M. and Earnest, D.L.
Vanadate ion stimulation of chloride secretion by rabbit colonic epithelium (732) 699
- Heinonen, E., see Åkerman, K.E.O. (732) 117
- Heinrich, R., see Gaestel, M. (732) 405
- Hellmann, G., see Plank, B. (732) 99
- Henderson, P.J.F., Kagawa, Y. and Hirata, H.
Reconstitution of the GalP galactose transport activity of *Escherichia coli* into liposomes made from soybean phospholipids (732) 204
- Hern, E.P. and Varandani, P.T.
Topology of glutathione-insulin transhydrogenase in rat liver microsomes (732) 170
- Herrmann, A., see Gaestel, M. (732) 405
- Herrmann, T.R. and Shamoo, A.E.
Ionophorous properties of the 13000-dalton fragment from sarcoplasmic reticulum ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase (732) 647
- Hetland, Ø., see Gogstad, G.O. (732) 519
- Hill, R.J.
Thermotropic changes occur at fixed temperatures in *Tetrahymena* in spite of variations in culture temperature (732) 11

- Hillebrecht, B., see Gaestel, M. (732) 405
- Hiller, R.G., see Cornell, B.A. (732) 473
- Himukai, M., Kameyama, A. and Hoshi, T.
Interaction of glycylglycine and Na^+ at the mucosal border of guinea-pig small intestine. A non-mutual stimulation of transport (732) 659
- Hoekstra, D., Wilschut, J. and Scherphof, G.
Kinetics of calcium phosphate-induced fusion of human erythrocyte ghosts monitored by mixing of aqueous contents (732) 327
- Hollán, S.R., see Lelkes, Gábor (732) 48
- Hong, K., Friend, D.S., Glabe, C.G. and Papahadjopoulos, D.
Liposomes containing colloidal gold are a useful probe of liposome-cell interactions (732) 320
- Hong, K., Schuber, F. and Papahadjopoulos, D.
Polyamines. Biological modulators of membrane fusion (732) 469
- Hong, K., see Düzgüneş, N. (732) 289
- Horváth, L.I., see Ondriaš, K. (732) 627
- Hoshi, T., see Himukai, M. (732) 659
- Hoshiko, T., see Frehland, E. (732) 636
- Hoyumpa, A., Jr., see Hunter, C.K. (732) 256
- Hudson, B., see Morgan, C.G. (732) 668
- Hunter, C.K., Treanor, L.L., Gray, J.P., Halter, S.A., Hoyumpa, A., Jr. and Wilson, F.A.
Effects of ethanol in vitro on rat intestinal brush-border membranes (732) 256
- Hütter, J.F., see Piper, H.M. (732) 193
- Ikeda, I. and Sugano, M.
Some aspects of mechanism of inhibition of cholesterol absorption by β -sitosterol (732) 651
- Israel, S., Ginsberg, D., Laster, Y., Zakai, N., Milner, Y. and Loyter, A.
A possible involvement of virus-associated protease in the fusion of Sendai virus envelopes with human erythrocytes (732) 337
- Iwashima, A., see Yoshioka, K. (732) 308
- Jackson, B.A., see Braun-Werness, J.L. (732) 553
- Jacobson, B., see Schmidt, R. (732) 421
- Jakobs, K.H. and Aktories, K.
Synergistic inhibition of human platelet adenylate cyclase by stable GTP analogs and epinephrine (732) 352
- James, T.L., see Düzgüneş, N. (732) 289
- Jones, O.T., see Lee, A.G. (732) 441
- Judah, J.D., see Taylor, J.A. (732) 154
- Kameyama, A., see Himukai, M. (732) 659
- Käsbaumer, J., see Schnell, K.F. (732) 266
- Kashchiev, D., and Exerowa, D.
Bilayer lipid membrane permeation and rupture due to hole formation (732) 133
- Kaufmann, E., see Schnell, K.F. (732) 266
- Kawamoto, R.M. and Baskin, R.J.
Calcium transport, ATPase activity and lipid composition in sarcoplasmic reticulum isolated from isogenic lines of normal and dystrophic chickens (732) 620
- Kawamura, S.
Involvement of ATP in activation and inactivation sequence of phosphodiesterase in frog rod outer segments (732) 276
- Keniry, M., see Cornell, B.A. (732) 705
- Keniry, M.A., see Smith, R. (732) 492
- Keough, K.M.W., see Coolbear, K.P. (732) 531
- Keough, K.M.W., see Fleming, B.D. (732) 243
- Kinne, R., see Da Cruz, M.E.M. (732) 691
- Koumanov, K.S., see Boyanov, A.I. (732) 711
- Koyama, J., see Tamoto, K. (732) 569
- Koynova, R.D., see Boyanov, A.I. (732) 711
- Kratky, Z., see Schmidt, R. (732) 421
- Krebs, G., see Grünhagen, H.H. (732) 675
- Krutnes, M.-B., see Gogstad, G.O. (732) 519
- Ladhoff, A.-M., see Gaestel, M. (732) 405
- Lakowicz, J.R. and Thompson, R.B.
Differential polarized phase fluorometric studies of phospholipid bilayers under high hydrostatic pressure (732) 359
- Laster, Y., see Israel, S. (732) 337
- Latorre, R., see Moczydlowski, E.G. (732) 412
- Lawson, D., see Taylor, J.A. (732) 154
- Leaver, J., Alonso, A., Durrani, A.A. and Chapman, D.
The physical properties and photopolymerization of diacetylene-containing phospholipid liposomes (732) 210
- Lee, A.G., East, J.M., Jones, O.T., McWhirter, J., Rooney, E.K. and Simmonds, A.C.
Binding of dansyl propranolol to the $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase (732) 441
- Lee, A.G., see Rooney, E.K. (732) 428
- Leibach, F.H., see Ganapathy, V. (732) 32
- Lélkes, Gábor, Lelkes, György, Szinyei Merse, K. and Hollán, S.R.
Intense, reversible aggregation of intramembrane particles in non-haemolyzed human erythrocytes. A freeze-fracture study (732) 48
- Lelkes, György, see Lelkes, Gábor (732) 48
- Lelkes, P.I., Goldenberg, D., Gliozzi, A., De Rosa, M., Gambacorta, A. and Miller, I.R.
Vesicles from mixtures of bipolar archaeobacterial lipids with egg phosphatidylcholine (732) 714
- Lewin, M.J.M., see Soumarmon, A. (732) 579
- Lin, G.S.B., Macey, R.I. and Mehlhorn, R.J.
Determination of the electric potential at the external and internal bilayer-aqueous interfaces of the human erythrocyte membrane using spin probes (732) 683
- Lin, J.T., see Da Cruz, M.E.M. (732) 691
- Lindner, L., see Spisni, A. (732) 58
- Louw, A.I., see Tönsing, L. (732) 282
- Loyter, A., see Israel, S. (732) 337
- Lüdi, H. and Hasselbach, W.
The influence of sodium trichloroacetate on the tryptophan fluorescence of sarcoplasmic reticulum ATPase (732) 479
- Macey, R.I., see Lin, G.S.B. (732) 683
- Machlup, S., see Frehland, E. (732) 636
- Mannock, D.A., see Gounaris, K. (732) 229
- Mantsch, H.R., see Wong, P.T.T. (732) 92

- Masotti, L., see Spisni, A. (732) 58
- Mattocks, K., see Williamson, P. (732) 387
- McWhirter, J., see Lee, A.G. (732) 441
- Mehlhorn, R.J., see Lin, G.S.B. (732) 683
- Metelitz, D.I., see Erjomin, A.N. (732) 377
- Miller, I.R., see Lelkes, P.I. (732) 714
- Milner, Y., see Israel, S. (732) 337
- Moczydlowski, E.G. and Latorre, R.
Saxitoxin and ouabain binding activity of isolated skeletal muscle membrane as indicators of surface origin and purity (732) 412
- Morgan, C.G., Williamson, H., Fuller, S. and Hudson, B.
Melittin induces fusion of unilamellar phospholipid vesicles (732) 668
- Morris, C., see Cornell, B.A. (732) 473
- Morrissey, J.J., see Hammerman, M.R. (732) 110
- Murer, H., see Stieger, B. (732) 324
- Murray, E.K., Restall, C.J. and Chapman, D.
Monitoring membrane protein rotational diffusion using time-averaged phosphorescence (732) 347
- Nishimura, H., see Yoshioka, K. (732) 308
- Ondriaš, K., Balgavý, P., Štolc, S. and Horváth, L.I.
A spin label study of the perturbation effect of tertiary amine anesthetics on brain lipid liposomes and synaptosomes (732) 627
- Ormstad, K., see Uehara, N. (732) 69
- Örning, L., see Uehara, N. (732) 69
- Papahadjopoulos, D., see Düzgüneş, N. (732) 289
- Papahadjopoulos, D., see Hong, K. (732) 320
- Papahadjopoulos, D., see Hong, K. (732) 469
- Pasquali-Ronchetti, I., see Spisni, A. (732) 58
- Perry, C., see Düzgüneş, N. (732) 289
- Piper, H.M., Sezer, O., Schwartz, P., Hütter, J.F. and Spieckermann, P.G.
Fatty acid-membrane interactions in isolated cardiac mitochondria and erythrocytes (732) 193
- Plank, B., Wiskovsky, W., Hellmann, G. and Suko, J.
Calmodulin-dependent elevation of calcium transport associated with calmodulin-dependent phosphorylation in cardiac sarcoplasmic reticulum (732) 99
- Potgieter, D.J.J., see Tönsing, L. (732) 282
- Pratsch, L., see Gaestel, M. (732) 405
- Quinn, P.J., see Gounaris, K. (732) 229
- Raison, J., see Cornell, B.A. (732) 473
- Ranck, J.-L., see Thérétz, A. (732) 499
- Rauckman, E.J., see Barber, M.J. (732) 126
- Raynor, C.M., see Fleming, B.D. (732) 243
- Reiter, P., see Grünhagen, H.H. (732) 675
- Reithmeier, R.A.F.
Inhibition of anion transport in human red blood cells by 5,5'-dithiobis(2-nitrobenzoic acid) (732) 122
- Restall, C.J., see Murray, E.K. (732) 347
- Rindlisbacher, B. and Zahler, P.
Interaction of phosphatidylcholine liposomes and plasma lipoproteins with sheep erythrocyte membranes. Preferential transfer of phosphatidylcholine containing unsaturated fatty acids (732) 485
- Roitt, I.M., see Tatham, P.E.R. (732) 509
- Rooney, E.K. and Lee, A.G.
Binding of hydrophobic drugs to lipid bilayers and to the $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase (732) 428
- Rooney, E.K., see Lee, A.G. (732) 441
- Rosen, G.M., see Barber, M.J. (732) 126
- Rowlatt, C., see Steele, J.G. (732) 219
- Rubinstein, S., see Breitbart, H. (732) 464
- Sandall, J.K., see Steele, J.G. (732) 219
- Sandermann, H., Jr. and Gottwald, B.A.
Cooperative lipid activation of $(\text{Na}^{+} + \text{K}^{+})$ -ATPase as a consequence of non-cooperative lipid-protein interactions (732) 332
- Scherphof, G., Van Leeuwen, B., Wilschut, J. and Damen, J.
Exchange of phosphatidylcholine between small unilamellar liposomes and human plasma high-density lipoprotein involves exclusively the phospholipid in the outer monolayer of the liposomal membrane (732) 595
- Scherphof, G., see Hoekstra, D. (732) 327
- Schlegel, R.A., see Williamson, P. (732) 387
- Schmidt, R., Ackermann, R., Kratky, Z., Wasserman, B. and Jacobson, B.
Fast and efficient purification of yeast plasma membranes using cationic silica microbeads (732) 421
- Schnell, K.F., Elbe, W., Käsbaier, J. and Kaufmann, E.
Electron spin resonance studies on the inorganic anion transport system of the human red blood cell. Binding of disulfonatostilbene spin label (NDS-TEMPO) and inhibition of anion transport (732) 266
- Schuber, F., see Hong, K. (732) 469
- Schuermans Stekhoven, F.M.A.H., Swarts, H.G.P., De Pont, J.J.H.H.M. and Bonting, S.L.
Properties of the Mg^{2+} -induced low-affinity nucleotide binding site of $(\text{Na}^{+} + \text{K}^{+})$ -activated ATPase (732) 607
- Schwartz, P., see Piper, H.M. (732) 193
- Schwister, K., see Dressler, V. (732) 304
- Sen, A., see Gounaris, K. (732) 229
- Separovic, F., see Cornell, B.A. (732) 473
- Separovic, F., see Smith, R. (732) 492
- Sezer, O., see Piper, H.M. (732) 193
- Shamoo, A.E., see Herrmann, T.R. (732) 647
- Shamoo, A.E., see Sokolove, P.M. (732) 41
- Shanbhag, V.P., see Westrin, H. (732) 83
- Simmonds, A.C., see Lee, A.G. (732) 441
- Sims, P.J.
Complement pores in erythrocyte membranes. Analysis of C8/C9 binding required for functional membrane damage (732) 541
- Slegers, J.F.G., see Festen, C.M.A.W. (732) 394
- Smith, R., Cornell, B.A., Keniry, M.A. and Separovic, F.
 ^{31}P nuclear magnetic resonance studies of the association of basic proteins with multilayers of diacyl phosphatidylserine (732) 492
- Smith, R., see Cornell, B.A. (732) 473
- Sokolove, P.M., Brenza, J.M. and Shamoo, A.E.
 Ca^{2+} -cardiolipin interaction in a model system. Selectivity and apparent high affinity (732) 41
- Solum, N.O., see Gogstad, G.O. (732) 519
- Solum, N.O., see Hagen, U. (732) 600

- Soumarmon, A., Grelac, F. and Lewin, M.J.M.
Solubilization of active ($H^+ + K^+$)-ATPase from gastric membrane (732) 579
- Spieckermann, P.G., see Piper, H.M. (732) 193
- Spisni, A., Pasquali-Ronchetti, I., Casali, E., Lindner, L., Cavatorta, P., Masotti, L. and Urry, D.W.
Supramolecular organization of lysophosphatidylcholine-packaged gramicidin A' (732) 58
- Steele, J.G., Rowlatt, C., Sandall, J.K. and Franks, L.M.
Identification of exposed surface glycoproteins of four human bladder carcinoma cell lines (732) 219
- Stieger, B., Burckhardt, G. and Murer, H.
The application of a potential-sensitive cyanine dye to rat small intestinal brush border membrane vesicles (732) 324
- Štolc, S., see Ondriaš, K. (732) 627
- Stols, A.L.H., see Borst-Pauwels, G.W.F.H. (732) 186
- Storelli, C., see Corcelli, A. (732) 24
- Sugano, M., see Ikeda, I. (732) 651
- Suko, J., see Plank, B. (732) 99
- Swarts, H.G.P., see Schuurmans Stekhoven, F.M.A.H. (732) 607
- Sze, H.
Proton-pumping adenosine triphosphatase in membrane vesicles of tobacco callus. Sensitivity to vanadate and K^+ (732) 586
- Szinyei Merse, K., see Lelkes, Gábor (732) 48
- Takayama, H., see Tamoto, K. (732) 569
- Tamoto, K., Washida, N., Yukishige, K., Takayama, H. and Koyama, J.
Electrophoretic isolation of a membrane-bound NADPH oxidase from guinea-pig polymorphonuclear leukocytes (732) 569
- Tatham, P.E.R., Delves, P.J., Banga, J.P. and Roitt, I.M.
Cell-surface changes during mitogenic stimulation of lymphocytes assessed by the binding of wheat-germ agglutinin and other plant lectins (732) 509
- Taylor, J.A., Lawson, D. and Judah, J.D.
Analysis and purification of the blood-sinusoidal domain of rat liver plasma membrane (732) 154
- Tenchov, B.G., see Boyanov, A.I. (732) 711
- Théretz, A., Ranck, J.-L. and Tocanne, J.-F.
Polymyxin B-induced phase separation and acyl chain interdigitation in phosphatidylcholine/ phosphatidylglycerol mixtures (732) 499
- Theuvenet, A.P.R., see Borst-Pauwels, G.W.F.H. (732) 186
- Thil, C.L., see Edelman, A. (732) 300
- Thompson, R.B., see Lakowicz, J.R. (732) 359
- Tocanne, J.-F., see Théretz, A. (732) 499
- Tönsing, L., Potgieter, D.J.J., Louw, A.I. and Visser, L.
The binding of snake venom cardiotoxins to heart cell membranes (732) 282
- Toth, G.P. and Blumenthal, K.M.
Structure and action of heteronemertine polypeptide toxins. Binding of *Cerebratulus lacteus* toxin B-IV to axon membrane vesicles (732) 160
- Treanor, L.L., see Hunter, C.K. (732) 256
- Uehara, N., Ormstad, K., Örrning, L. and Hammarström, S.
Characteristics of the uptake of cysteine-containing leukotrienes by isolated hepatocytes (732) 69
- Urry, D.W., see Spisni, A. (732) 58
- Valente, L., see Forbes, I.J. (732) 179
- Van Leeuwen, B., see Scherphof, G. (732) 595
- Van Os, C.H., see Festen, C.M.A.W. (732) 394
- Van Steveninck, J., see De Bruijne, A.W. (732) 562
- Varandani, P.T., see Hern, E.P. (732) 170
- Vary, J.C., see Cornell, B.A. (732) 473
- Visser, L., see Tönsing, L. (732) 282
- Vreeburg, H., see De Bruijne, A.W. (732) 562
- Washida, N., see Tamoto, K. (732) 569
- Wasserman, B., see Schmidt, R. (732) 421
- Werness, P.G., see Braun-Werness, J.L. (732) 553
- Westrin, H., Shanbhag, V.P. and Ålbertsson, P.-A.
Isoelectric points of membrane surfaces of three spinach chloroplast classes determined by cross-partition (732) 83
- Williams, W.P., see Gounaris, K. (732) 229
- Williamson, H., see Morgan, C.G. (732) 668
- Williamson, P., Mattocks, K. and Schlegel, R.A.
Merocyanine 540, a fluorescent probe sensitive to lipid packing (732) 387
- Wilschut, J., see Düzgüneş, N. (732) 289
- Wilschut, J., see Hoekstra, D. (732) 327
- Wilschut, J., see Scherphof, G. (732) 595
- Wilson, F.A., see Hunter, C.K. (732) 256
- Wong, P.T.T. and Mantsch, H.R.
A low-temperature structural phase transition of 1,2-di-palmitoyl-*sn*-glycero-3-phosphocholine bilayers in the gel phase (732) 92
- Wyskovsky, W., see Plank, B. (732) 99
- Yingst, D.R.
Hemolysate increases calcium inhibition of the Na,K pump of resealed human red cell ghosts (732) 312
- Yoshioka, K., Nishimura, H. and Iwashima, A.
Active transport of dimethylalum in isolated rat hepatocytes (732) 308
- Yukishige, K., see Tamoto, K. (732) 569
- Zahler, P., see Rindlisbacher, B. (732) 485
- Zakai, N., see Israel, S. (732) 337
- Zalewski, P.D., see Forbes, I.J. (732) 179