

AUTHOR INDEX

- Abeywardena, M.Y., see McMurchie, E.J. (734) 114
- Aiton, J.F. and Simmons, N.L.
Effect of ouabain upon diuretic-sensitive K^+ transport in cultured cells. Evidence for separate modes of operation of the transporter (734) 279
- Akamatsu, Y., see Kitagawa, T. (734) 25
- Alving, C.R., see Roerdink, F. (734) 33
- Anderson, R.E., see Fliesler, S.J. (734) 144
- Ando, A., Irie, S., Masuda, L.M., Matsushita, T., Fujii, T., Yabuki, M. and Kusaka, I.
 H^+ - or K^+ -dependent transport systems of phosphate in alkalophilic *Bacillus* (734) 290
- Ariki, M. and Shamoo, E.A.
Oxidation of reactive sulfhydryl groups of sarcoplasmic reticulum ATPase (734) 83
- Batenburg, A.M., see Van Hoogevest, P. (734) 1
- Beeler, T.J., Gable, K.S. and Keffer, J.M.
Characterization of the membrane-bound Mg^{2+} -ATPase of rat skeletal muscle (734) 221
- Belágyi, J., see Gróf, P. (734) 319
- Benos, D.J., Reyes, J. and Shoemaker, D.G.
Amiloride fluxes across erythrocyte membranes (734) 99
- Binaglia, L., see Dominski, J. (734) 257
- Bissonnette, J.M., see Ingemann, R.L. (734) 329
- Borst-Pauwels, G.W.F.H., see Theuvenet, A.P.R. (734) 62
- Bottema, C.D.K., McLean-Bowen, C.A. and Parks, L.W.
Role of sterol structure in the thermotropic behavior of plasma membranes of *Saccharomyces cerevisiae* (734) 235
- Bovee-Geurts, P.H.M., see De Grip, W.J. (734) 168
- Burckhardt, G., see Sabolić, I. (734) 210
- Butler, A.M., see Houston, D.S. (734) 267
- Calderwood, S.K. and Hahn, G.M.
Thermal sensitivity and resistance of insulin-receptor binding in thermotolerant cells (734) 76
- Caride, A.J., Rega, A.F. and Garrahan, P.J.
Effects of *p*-nitrophenylphosphate on Ca^{2+} transport in inside-out vesicles from human red-cell membranes (734) 363
- Charnock, J.S., see McMurchie, E.J. (734) 114
- Cherek, H., see Lakowicz, J.R. (734) 295
- Chesnut, D.B., see Vergara, J.A. (734) 18
- Chinard, F.P., see Garrick, R.A. (734) 105
- Cirillo, V.P., see Franzusoff, A.J. (734) 153
- Curatolo, W., Kanodia, S. and Roberts, M.F.
The effect of ethanol on the phase behavior of membrane lipids extracted from *Clostridium thermocellum* strains (734) 336
- Darmon, M., see Keil-Dlouha, V. (734) 249
- De Gier, J., see Van Hoogevest, P. (734) 1
- De Grip, W.J., Olive, J. and Bovee-Geurts, P.H.M.
Reversible modulation of rhodopsin photolysis in pure phosphatidylserine membranes (734) 168
- De Kruiff, B., see Van Hoogevest, P. (734) 1
- Dominski, J., Binaglia, L., Dreyfus, H., Massarelli, R., Mersel, M. and Freysz, L.
A study on the topological distribution of phospholipids in microsomal membranes of chick brain using phospholipase C and trinitrobenzenesulfonic acid (734) 257
- Dreyfus, H., see Dominski, J. (734) 257
- Düzgüneş, N., see Wilschut, J. (734) 309
- Filipowicz, C.M. and McCauley, R.B.
The effect of choline deficiency on the outer membranes of rat liver mitochondria (734) 373
- Fliesler, S.J., Maude, M.B. and Anderson, R.E.
Lipid composition of photoreceptor membranes from goldfish retinas (734) 144
- Franzusoff, A.J. and Cirillo, V.P.
Solubilization and reconstitution of the glucose transport system from *Saccharomyces cerevisiae* (734) 153
- Freedman, R.B., see Mills, E.N.C. (734) 160
- Freysz, L., see Dominski, J. (734) 257
- Fujii, T., see Ando, A. (734) 290
- Gable, K.S., see Beeler, T.J. (734) 221
- Garrahan, P.J., see Caride, A.J. (734) 363
- Garrick, R.A., Patel, B.C. and Chinard, F.P.
Effects of sulhydryl and other reagents on the diffusional permeability of dog erythrocytes to small solutes (734) 105
- Gerdes, U. and Möller, J.V.
The Ca^{2+} permeability of sarcoplasmic reticulum vesicles. II. Ca^{2+} efflux in the energized state of the calcium pump (734) 191
- Gerdes, U., Nakhla, A.M. and Möller, J.V.
The Ca^{2+} permeability of sarcoplasmic reticulum vesicles. I. Ca^{2+} outflow in the non-energized state of the calcium pump (734) 180
- Gerrard, J.M., see Houston, D.S. (734) 267
- Gibson, R.A., see McMurchie, E.J. (734) 114
- Glover, S., see Houston, D.S. (734) 267
- Govil, G., see Srivastava, S. (734) 353
- Gróf, P. and Belágyi, J.
The effect of anaesthetics on protein conformation in membranes as studied by the spin-labelling technique (734) 319
- Hagiwara, H., Ohtsu, Y., Shimonaka, M. and Inada, Y.
 Ca^{2+} - or Mg^{2+} -dependent ATPase in plasma membrane of

- cultured endothelial cells from bovine carotid artery (734) 133
- Hahn, G.M., see Calderwood, S.K. (734) 76
- Hoekstra, D., see Wilschut, J. (734) 309
- Hong, K., see Wilschut, J. (734) 309
- Houston, D.S., Gerrard, J.M., McCrea, J., Glover, S. and Butler, A.M.
The influence of amines on various platelet responses (734) 267
- Inada, Y., see Hagiwara, H. (734) 133
- Ingermann, R.L. and Bissonnette, J.M.
Effect of temperature on kinetics of hexose uptake by human placental plasma membrane vesicles (734) 329
- Irie, S., see Ando, A. (734) 290
- Kanodia, S., see Curatolo, W. (734) 336
- Kao, C.Y., see Koehn, F.E. (734) 129
- Kaye, R.D., see Seddon, J.M. (734) 347
- Keffer, J.M., see Beeler, T.J. (734) 221
- Keil-Dlouha, V. and Darmon, M.
Changes in pattern and accessibility for ^{125}I -labelling of cell-surface proteins after mesenchymal differentiation of embryonal carcinoma cells (734) 249
- Kelley, L.K., Smith, C.H. and King, B.F.
Isolation and partial characterization of the basal cell membrane of human placental trophoblast (734) 91
- King, B.F., see Kelley, L.K. (734) 91
- Kitagawa, T. and Akamatsu, Y.
Modulation of passive permeability by external ATP and cytoskeleton-attacking agents in cultured mammalian cells (734) 25
- Koehn, F.E., Schnoes, H.K. and Kao, C.Y.
On the structure and biological properties of decarbamoylsaxitoxin (734) 129
- Kotliar, N. and Ramos, E.H.
Systems of L-leucine transport into *Saccharomyces cerevisiae* protoplasts (734) 378
- Krob, E.J., see Walter, H. (734) 368
- Kusaka, I., see Ando, A. (734) 290
- Lakowicz, J.R., Thompson, R.B. and Cherek, H.
Phase fluorimetric studies of spectral relaxation at the lipid-water interface of phospholipid vesicles (734) 295
- Liautard, J.P., see Philippot, J. (734) 137
- Lichtenberg, D., see Slater, J.L. (734) 125
- MacDonald, R.C., see Oku, N. (734) 54
- Marsh, D., see Seddon, J.M. (734) 347
- Massarelli, R., see Dominski, J. (734) 257
- Masuda, L.M., see Ando, A. (734) 290
- Matsushita, T., see Ando, A. (734) 290
- Maude, M.B., see Fliesler, S.J. (734) 144
- Mayer, L.D. and Nelsestuen, G.L.
Membrane lateral phase separation induced by proteins of the prothrombinase complex (734) 48
- McCauley, R.B., see Filipowicz, C.M. (734) 373
- McCrea, J., see Houston, D.S. (734) 267
- McLean-Bowen, C.A., see Bottema, C.D.K. (734) 235
- McMurchie, E.J., Abeywardena, M.Y., Charnock, J.S. and Gibson, R.A.
The effect of dietary lipids on the thermotropic behavior of rat liver and heart mitochondrial membrane lipids (734) 114
- Mersel, M., see Dominski, J. (734) 257
- Mills, E.N.C. and Freedman, R.B.
Two-dimensional electrophoresis of membrane proteins. Factors affecting resolution of rat liver microsomal proteins (734) 160
- Møller, J.V., see Gerdes, U. (734) 180
- Møller, J.V., see Gerdes, U. (734) 191
- Mutaftschiev, S., see Philippot, J. (734) 137
- Nakhla, A.M., see Gerdes, U. (734) 180
- Nelsestuen, G.L., see Mayer, L.D. (734) 48
- Nishide, H., see Tsuchida, E. (734) 274
- Ohtsu, Y., see Hagiwara, H. (734) 133
- Oku, N. and MacDonald, R.C.
Formation of giant liposomes from lipids in chaotropic ion solutions (734) 54
- Olive, J., see De Grip, W.J. (734) 168
- Parks, L.W., see Bottema, C.D.K. (734) 235
- Papahadjopoulos, D., see Wilschut, J. (734) 309
- Patel, B.C., see Garrick, R.A. (734) 105
- Petersen, D.C.
The water permeability of the monoolein/triolein bilayer membrane (734) 201
- Phadke, R.S., see Srivastava, S. (734) 353
- Philippot, J., Mutaftschiev, S. and Liautard, J.P.
A very mild method allowing the encapsulation of very high amounts of macromolecules into very large (100 nm) unilamellar liposomes (734) 137
- Ramos, E.H., see Kotliar, N. (734) 378
- Rao, C.N.R., see Srivastava, S. (734) 353
- Rega, A.F., see Caride, A.J. (734) 363
- Reyes, J., see Benos, D.J. (734) 99
- Richardson, E.C., see Roerdink, F. (734) 33
- Roberts, M.F., see Curatolo, W. (734) 336
- Roerdink, F., Wassef, N.M., Richardson, E.C. and Alving, C.R.
Effects of negatively charged lipids on phagocytosis of liposomes opsonized by complement (734) 33
- Rugolo, M., see Zoccarato, F. (734) 381
- Sabolić, I. and Burckhardt, G.
Proton pathways in rat renal brush-border and basolateral membranes (734) 210
- Scherphof, G.L., see Spanjer, H.H. (734) 40
- Schnoes, H.K., see Koehn, F.E. (734) 129
- Schünke, M. and Wodtke, E.
Cold-induced increase of Δ^9 - and Δ^6 -desaturase activities in endoplasmic membranes of carp liver (734) 70
- Seaman, G.V.F., see Walter, H. (734) 368
- Seddon, J.M., Kaye, R.D. and Marsh, D.
Induction of the lamellar-inverted hexagonal phase transition in cardiolipin by protons and monovalent cations (734) 347

- Sekine, M., see Tsuchida, E. (734) 274
- Shamoo, E.A., see Ariki, M. (734) 83
- Shimonaka, M., see Hagiwara, H. (734) 133
- Shoemaker, D.G., see Benos, D.J. (734) 99
- Siliprandi, N., see Zoccarato, F. (734) 381
- Simmons, N.L., see Aiton, J.F. (734) 279
- Slater, J.L., Lichtenberg, D. and Thompson, T.E.
The internal aqueous volume of small unilamellar vesicles changes at the phase transition temperature of the phospholipid (734) 125
- Smith, C.H., see Kelley, L.K. (734) 91
- Spanjer, H.H. and Scherphof, G.L.
Targeting of lactosylceramide-containing liposomes to hepatocytes in vivo (734) 40
- Srivastava, S., Phadke, R.S., Govil, G. and Rao, C.N.R.
Fluidity, permeability and antioxidant behaviour of model membranes incorporated with α -tocopherol and vitamin E acetate (734) 353
- Tamblyn, C.H., see Walter, H. (734) 368
- Theuvenet, A.P.R. and Borst-Pauwels, G.W.F.H.
Effect of surface potential of Rb^+ uptake in yeast. The effect of pH (734) 62
- Thompson, R.B., see Lakowicz, J.R. (734) 295
- Thompson, T.E., see Slater, J.L. (734) 125
- Tsuchida, E., Nishide, H., Sekine, M. and Yamagishi, A.
Liposomal heme as oxygen carrier under semi-physiological conditions. Orientation study of heme embedded in a phospholipid bilayer by an electrooptical method (734) 274
- Ueda, T.
 Na^+ - Ca^{2+} exchange activity in rabbit lymphocyte plasma membranes (734) 342
- Van Duijn, G., see Van Hoogevest, P. (734) 1
- Van Hoogevest, P., Van Duijn, G., Batenburg, A.M., De Kruijff, B. and De Gier, J.
The anion permeability of vesicles reconstituted with intrinsic proteins from the human erythrocyte membrane (734) 1
- Vergara, J.A. and Chesnut, D.B.
A spin label study of the urinary bladder luminal membrane (734) 18
- Walter, H., Tamblyn, C.H., Krob, E.J. and Seaman, G.V.F.
The effect of neuraminidase on the relative surface charge-associated properties of rat red blood cells of different ages (734) 368
- Wassef, N.M., see Roerdink, F. (734) 33
- Wilschut, J., Düzgüneş, N., Hong, K., Hoekstra, D. and Papa-hadjopoulos, D.
Retention of aqueous contents during divalent cation-induced fusion of phospholipid vesicles (734) 309
- Wodtke, E., see Schünke, M. (734) 70
- Yabuki, M., see Ando, A. (734) 290
- Yamagishi, A., see Tsuchida, E. (734) 274
- Zoccarato, F., Siliprandi, N. and Rugolo, M.
Studies on the transport of carnitine in the brain using synaptosomes isolated from guinea-pig cerebral cortex (734) 381