

AUTHOR INDEX

- Allan, D., see Taylor, J.A. (769) 171
 Araujo, P.S., see Schreier, S. (769) 231
 Arvidson, G., see Ljungström, M. (769) 209
 Asami, K., Irimajiri, A.
 Dielectric dispersion of a single spherical bilayer membrane in suspension (769) 370
 Ashley, R.H. and Brammer, M.J.
 A fluorescence polarization study of calcium and phase behaviour in synaptosomal lipids (769) 363
 Azzar, G., see Persat, F. (769) 377
- Bacher, A., see Talmon, A. (769) 505
 Bamford, C.H., see Ikeda, T. (769) 57
 Basset, M., Smith, G.D., Pease, R. and Peters, T.J.
 Uptake and processing of prolactin by alternative pathways in rat liver (769) 79
 Bayerl, T., Klose, G., Ruckpaul, K., Gast, K. and Möps, A.
 Temperature-dependent lateral diffusion of phospholipids in hepatic microsomes as studied by ^{31}P -NMR (769) 399
 Beattie, M., see LeBel, D. (769) 611
 Beattie, M., see LeBel, D. (769) 622
 Ben-Shaul, Y., see Talmon, A. (769) 505
 Benson, A.L., see Kinsky, S.C. (769) 543
 Benz, R., Tokunaga, H. and Nakae, T.
 Properties of chemically modified porin from *Escherichia coli* in lipid bilayer membranes (769) 348
 Bergmann, W.L., Dressler, V., Haest, C.W.M. and Deuticke, B.
 Cross-linking of SH-groups in the erythrocyte membrane enhances transbilayer reorientation of phospholipids. Evidence for a limited access of phospholipids to the reorientation sites (769) 390
 Biber, J., see Brown, C.D.A. (769) 471
 Bidard, J.-N., Rossi, B., Renaud, J.-F. and Lazdunski, M.
 A search for an 'ouabain-like' substance from the electric organ of *Electrophorus electricus* which led to arachidonic acid and related fatty acids (769) 245
 Bittman, R., Sakaki, T., Tsuji, A., Devaux, P.F. and Ohnishi, S.-I.
 Spin-label studies of the oligomeric structure of band 3 protein in erythrocyte membranes and in reconstituted systems (769) 85
 Blume, A., see Elamrani, K. (769) 578
 Bodmer, M., see Brown, C.D.A. (769) 471
 Brammer, M.J., see Ashley, R.H. (769) 363
 Brenner, R.R., see Garda, H.A. (769) 160
 Brophy, P.J., see McKenzie, R.C. (769) 357
 Brown, C.D.A., Bodmer, M., Biber, J. and Murer, H.
 Sodium-dependent phosphate transport by apical membrane vesicles from a cultured renal epithelial cell line (LLC-PK₁) (769) 471
 Bruckdorfer, K.R. and Sherry, M.K.
 The solubility of cholesterol and its exchange between membranes (769) 187
 Bruner, L.J., see Kleijn, W.B. (769) 33
 Buchwald, M., see Grinstein, S. (769) 270
- Carrasquer, G., see Schwartz, M. (769) 105
 Chadwick, C.C. and Thomas, E.W.
 Ligand binding properties of the sarcoplasmic reticulum ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase labelled with *N*-cyclohexyl-*N'*-(4-dimethylamino- α -naphthyl)carbodiimide (769) 291
 Chaimovich, H., see Schreier, S. (769) 231
 Chang, H.H. and Michaelis, E.K.
 Depolarization-induced release of L-glutamic acid from isolated-resealed synaptic membrane vesicles (769) 499
 Chapman, D., see Crowe, J.H. (769) 151
 Chapman, D., see Lee, D.C. (769) 49
 Cheema, H.K., see Smith, I.K. (769) 317
 Clarke, C.A., see Grinstein, S. (769) 270
 Cohen, E., see Talmon, A. (769) 505
 Condrescu, M., Osses, L. and DiPollo, R.
 Partial purification and characterization of the ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase from squid optic nerve plasma membrane (769) 261
 Costello, B., see Volpe, P. (769) 67
 Crabb, J.H., see Lienhard, G.E. (769) 404
 Crowe, J.H., Whittam, M.A., Chapman, D. and Crowe, L.M.
 Interactions of phospholipid monolayers with carbohydrates (769) 151
 Crowe, J.H., see Crowe, L.M. (769) 141
 Crowe, L.M., Mouradian, R., Crowe, J.H., Jackson, S.A. and Womersley, C.
 Effects of carbohydrates on membrane stability at low water activities (769) 141
 Crowe, L.M., see Crowe, J.H. (769) 151
 Csordas, A. and Schauenstein, K.
 Structure- and configuration-dependent effects of C18 unsaturated fatty acids on the chicken and sheep erythrocyte membrane (769) 571
 Cuccovia, I.M., see Schreier, S. (769) 231
- De Kruijff, B., see Gallay, J. (769) 96
 Demel, R.A., see Gallay, J. (769) 96
 Deuticke, B., see Bergmann, W.L. (769) 390
 Devaux, P.F., see Bittman, R. (769) 85
 Devès, R. and Krupka, R.M.
 The relationship between substrate dissociation constants derived from transport experiments and from equilibrium

- binding assays. Implications of the conventional carrier model (769) 455
- DiPolo, R., see Condrescu, M. (769) 261
- Dressler, V., see Bergmann, W.L. (769) 390
- Duñach, M., see Padrós, E. (769) 1
- Dunn, F., see Strom-Jensen, P.R. (769) 179
- Durham, J.H. and Matons, C.
Chloride-induced increment in short-circuiting current of the turtle bladder. Effects of in-vivo acid-base state (769) 297
- Durrani, A.A., see Lee, D.C. (769) 49
- Eilam, Y.
Effects of phenothiazines on inhibition of plasma membrane ATPase and hyperpolarization of cell membranes in the yeast *Saccharomyces cerevisiae* (769) 601
- Elamrani, K. and Blume, A.
Phase transition kinetics of phosphatidic acid bilayers. A stopped-flow study of the electrostatically induced transition (769) 578
- Elder, B., see Grinstein, S. (769) 270
- Fanestil, D.D., see Schäli, C. (769) 277
- Fasold, H., see Ziegler, K. (769) 117
- Ferreira, K.T.G., see Giraldez, F. (769) 625
- Fleischer, S., see Volpe, P. (769) 67
- Frezzatti, W.A., Jr., see Schreier, S. (769) 231
- Frimmer, M., see Ziegler, K. (769) 117
- Fuhrmann, G.F., Hüttermann, J. and Knauf, P.A.
The mechanism of vanadium action on selective K^+ -permeability in human erythrocytes (769) 130
- Gaarn, A., see Ramjeesingh, M. (769) 381
- Gaestel, M., Herrmann, A. and Hillebrecht, B.
The influence of Ca^{2+} on the lateral lipid distribution and phase transition in phosphatidylethanolamine/phosphatidylserine vesicles (769) 511
- Gallay, J., De Kruijff, B. and Demel, R.A.
Sterol-phospholipid interactions in model membranes. Effect of polar group substitutions in the cholesterol side-chain at C_{20} and C_{22} (769) 96
- Garda, H.A. and Brenner, R.R.
Short-chain aliphatic alcohols increase rat liver microsomal membrane 'fluidity' and affect the activities of some microsomal membrane-bound enzymes (769) 160
- Gast, K., see Bayerl, T. (769) 399
- George, J.N., see Turner, R.J. (769) 23
- Gibson, S.M. and Strauss, G.
Reaction characteristics and mechanisms of lipid bilayer vesicle fusion (769) 531
- Ginsberg, L., see Gregory, D.P. (769) 238
- Giraldez, F. and Ferreira, K.T.G.
Intracellular chloride activity and membrane potential in stripped frog skin (*Rana temporaria*) (769) 625
- Got, R., see Persat, F. (769) 377
- Goto, M., see Ohki, K. (769) 563
- Gottlieb, M.H.
Comparison of cholesterol-phospholipid interaction in bilayers of liposomes and the red cell membrane (769) 519
- Gregory, D.P. and Ginsberg, L.
Calcium association with phosphatidylserine. Modification by cholesterol and phosphatidylcholine in monolayers and bilayers (769) 238
- Grinstein, S., Elder, B., Clarke, C.A. and Buchwald, M.
Is cytoplasmic Ca^{2+} in lymphocytes elevated in cystic fibrosis? (769) 270
- Gross, C.J., see Karnitz, L.M. (769) 486
- Gupta, C.M., see Kumar, A. (769) 419
- Haest, C.W.M., see Bergmann, W.L. (769) 390
- Hann, R.A., see Ikeda, T. (769) 57
- Hanss, M. and Koutsouris, D.
Thermal transitions of red blood cell deformability. Correlation with membrane rheological properties (769) 461
- Hashimoto, K., see Kinsky, S.C. (769) 543
- Heber, U., see Hinch, D.K. (769) 8
- Henderson, L.M., see Karnitz, L.M. (769) 486
- Herrmann, A., see Gaestel, M. (769) 511
- Hertsens, R., Jacob, W. and Van Bogaert, A.
Effect of hypnorm, chloralose and pentobarbital on the ultrastructure of the inner membrane of rat heart mitochondria (769) 411
- Hillebrecht, B., see Gaestel, M. (769) 511
- Hinch, D.K., Schmidt, J.E., Heber, U. and Schmitt, J.M.
Colligative and non-colligative freezing damage to thylakoid membranes (769) 8
- Hirayama, B., see Levine, R. (769) 508
- Hori, R., see Inui, K.-I. (769) 449
- Hori, R., see Inui, K.-I. (769) 514
- Hosoda, S., see Yawata, Y. (769) 440
- Hüttermann, J., see Fuhrmann, G.F. (769) 130
- Iida, H., see Yawata, Y. (769) 440
- Ikeda, T., Ledwith, A., Bamford, C.H. and Hann, R.A.
Interaction of a polymeric biguanide biocide with phospholipid membranes (769) 57
- Ikegami, A., see Kinoshita, K., Jr. (769) 523
- Inui, K.-I., Okano, T., Takano, M., Saito, H. and Hori, R.
Carrier-mediated transport of cephalixin via the dipeptide transport system in rat renal brush-border membrane vesicles (769) 449
- Inui, K.-I., Saito, H., Takano, M., Okano, T., Kitazawa, S. and Hori, R.
Enzyme activities and sodium-dependent active D-glucose transport in apical membrane vesicles isolated from kidney epithelial cell line (LLC-PK₁) (769) 514
- Irimajiri, A., see Asami, K. (769) 370
- Jackson, S.A., see Crowe, L.M. (769) 141
- Jacob, W., see Hertsens, R. (769) 411
- Jacobs, L.S., see Lorenson, M.Y. (769) 479
- Judah, J.D., see Taylor, J.A. (769) 171
- Karnitz, L.M., Gross, C.J. and Henderson, L.M.
Transport and metabolism of pantothenic acid by rat kidney (769) 486
- Karukstis, K.K., see Packard, B.S. (769) 201
- Katz, A.M., see Watras, J. (769) 429

- Kinosita, K., Jr. and Ikegami, A.
Reevaluation of the wobbling dynamics of diphenylhexatriene in phosphatidylcholine and cholesterol/phosphatidylcholine membranes (769) 523
- Kinsky, S.C., Hashimoto, K., Loader, J.E. and Benson, A.L.
Synthesis of *N*-hydroxysuccinimide esters of phosphatidylethanolamine and some properties of liposomes containing these derivatives (769) 543
- Kitazawa, S., see Inui, K.-I. (769) 514
- Kleijn, W.B. and Bruner, L.J.
Chemical and solvent effects on the interaction of tetraphenylborate with lipid bilayer membranes (769) 33
- Klein, M.P., see Packard, B.S. (769) 201
- Klose, G., see Bayerl, T. (769) 399
- Knauf, P.A., see Fuhrmann, G.F. (769) 130
- Koutsouris, D., see Hanss, M. (769) 461
- Krabichler, G., see Otto, M.K. (769) 253
- Krupka, R.M., see Devés, R. (769) 455
- Kumar, A. and Gupta, C.M.
Transbilayer distributions of red cell membrane phospholipids in unilamellar vesicles (769) 419
- Kuriyama, S., see Shirane, K. (769) 596
- Kuypers, F.A., Roelofsen, B., Op den Kamp, J.A.F. and Van Deenen, L.L.M.
The membrane of intact human erythrocytes tolerates only limited changes in the fatty acid composition of its phosphatidylcholine (769) 337
- Lange, Y., Matthies, H. and Steck, T.L.
Cholesterol oxidase susceptibility of the red cell membrane (769) 551
- Lazdunski, M., see Bidard, J.-N. (769) 245
- LeBel, D. and Beattie, M.
The integral and peripheral proteins of the zymogen granule membrane (769) 611
- LeBel, D. and Beattie, M.
Identification of the proteins exposed on the cytoplasmic surface of the pancreatic zymogen granule (769) 622
- Ledwith, A., see Ikeda, T. (769) 57
- Lee, D.C., Durrani, A.A. and Chapman, D.
A difference infrared spectroscopic study of gramicidin A, alamethicin and bacteriorhodopsin in perdeuterated dimyristoylphosphatidylcholine (769) 49
- Levin, I.W., see Mushayakarara, E. (769) 585
- Levine, R., Hirayama, B. and Wright, E.M.
Sensitivity of renal brush-border Na^+ -cotransport systems to anions (769) 508
- Levy, R. and Livne, A.
The erythrocyte membrane in essential hypertension. Characterization of the temperature dependence of lithium efflux (769) 41
- Lienhard, G.E., Crabb, J.H. and Ransome, K.J.
Endoglycosidase F cleaves the oligosaccharides from the glucose transporter of the human erythrocyte (769) 404
- Limbrick, A.R., see Taylor, J.A. (769) 171
- Livne, A., see Levy, R. (769) 41
- Ljungström, M., Norberg, L., Olsson, H., Wernstedt, C., Vega, F.V., Arvidson, G. and Mårdh, S.
Characterization of proton transporting membranes from resting pig gastric mucosa (769) 209
- Ljungström, M., Vega, F.V. and Mårdh, S.
Effects of pH on the interaction of ligands with the (H^+ + K^+)-ATPase purified from pig gastric mucosa (769) 220
- Loader, J.E., see Kinsky, S.C. (769) 543
- Lorenson, M.Y. and Jacobs, L.S.
Inhibitor studies with adenohipophyseal granule membrane ATPase. Evidence for a membrane environment which modulates sensitivity to inhibitors (769) 479
- Madeira, V.M.C.
State of translocated Ca^{2+} by sarcoplasmic reticulum inferred from kinetic analysis of calcium oxalate precipitation (769) 284
- Magin, R.L., see Strom-Jensen, P.R. (769) 179
- Mårdh, S., see Ljungström, M. (769) 209
- Mårdh, S., see Ljungström, M. (769) 220
- Martel, M.-B., see Persat, F. (769) 377
- Matons, C., see Durham, J.H. (769) 297
- Matthies, H., see Lange, Y. (769) 551
- McKenzie, R.C. and Brophy, P.J.
Lipid composition and physical properties of membranes from C-6 glial cells with altered phospholipid polar headgroups (769) 357
- Michaelis, E.K., see Chang, H.H. (769) 499
- Mitsui, T., see Nakayama, H. (769) 311
- Miyashima, K., see Yawata, Y. (769) 440
- Möps, A., see Bayerl, T. (769) 399
- Moscarello, M.A., see Murthy, N.S. (769) 493
- Mouradian, R., see Crowe, L.M. (769) 141
- Mrak, R.E., see Volpe, P. (769) 67
- Murayama, N., see Yawata, Y. (769) 440
- Murer, H., see Brown, C.D.A. (769) 471
- Murthy, N.S., Wood, D.D. and Moscarello, M.A.
X-ray scattering studies of a model complex of lipid and basic protein of myelin (769) 493
- Mushayakarara, E. and Levin, I.W.
Effects of polypeptide-phospholipid interactions on bilayer reorganizations. Raman spectroscopic study of the binding of polymyxin B to dimyristoylphosphatidic acid and dimyristoylphosphatidylcholine dispersions (769) 585
- Nakae, T., see Benz, R. (769) 348
- Nakashima, S., see Yawata, Y. (769) 440
- Nakayama, H., Ohki, K., Mitsui, T. and Nozawa, Y.
Changes in thermal phase transition of various membranes during temperature acclimation in *Tetrahymena* (769) 311
- Nakazawa, T., Terayama, K., Okuaki, H. and Yukawa, O.
Localization of lipid peroxidation products in liposomes after γ -irradiation (769) 323
- Norberg, L., see Ljungström, M. (769) 209
- Nozawa, Y., see Nakayama, H. (769) 311
- Nozawa, Y., see Ohki, K. (769) 563
- Nozawa, Y., see Yawata, Y. (769) 440
- Ohki, K., Goto, M. and Nozawa, Y.
Thermal adaptation of *Tetrahymena* membranes with spe-

- cial reference to mitochondria. II. Preferential interaction of cardiolipin with specific molecular species of phospholipid (769) 563
- Ohki, K., see Nakayama, H. (769) 311
- Ohnishi, S.-I., see Bittman, R. (769) 85
- Okano, T., see Inui, K.-I. (769) 449
- Okano, T., see Inui, K.-I. (769) 514
- Okuaki, H., see Nakazawa, T. (769) 323
- Olaisson, H., see Ljungström, M. (769) 209
- O'Leary, T.J.
A model for the interaction of anesthetics with the phospholipid membrane headgroup-interface region (769) 197
- Ölkrug, D., see Otto, M.K. (769) 253
- Op den Kamp, J.A.F., see Kuypers, F.A. (769) 337
- Op den Kamp, J.A.F., see Rawyler, A. (769) 330
- Osses, L., see Condrescu, M. (769) 261
- Otto, M.K., Krabichler, G., Thiele, J., Ölkrug, D. and Schultz, J.E.
Effect of temperature on membrane fluidity and calcium conductance of the excitable ciliary membrane from *Paramecium* (769) 253
- Packard, B.S., Karukstis, K.K. and Klein, M.P.
Intracellular dye heterogeneity determined by fluorescence lifetimes (769) 201
- Padrós, E., Duñach, M. and Sabés, M.
Induction of the blue form of bacteriorhodopsin by low concentrations of sodium dodecyl sulfate (769) 1
- Pease, R., see Basset, M. (769) 79
- Persat, F., Azzar, G., Martel, M.-B. and Got, R.
Evidence for coupling between transport of UDPglucose and its synthesis by membrane-bound pyrophosphorylase in Golgi apparatus of cat liver (769) 377
- Peters, T.J., see Basset, M. (769) 79
- Ramjeesingh, M., Gaarn, A. and Rothstein, A.
Pepsin cleavage of band 3 produces its membrane-crossing domains (769) 381
- Ransome, K.J., see Lienhard, G.E. (769) 404
- Rawyler, A., Roelofsen, B. and Op den Kamp, J.A.F.
The use of fluorescamine as a permeant probe to localize phosphatidylethanolamine in intact Friend erythroleukaemic cells (769) 330
- Rehm, W.S., see Schwartz, M. (769) 105
- Renaud, J.-F., see Bidard, J.-N. (769) 245
- Roelofsen, B., see Kuypers, F.A. (769) 337
- Roelofsen, B., see Rawyler, A. (769) 330
- Rossi, B., see Bidard, J.-N. (769) 245
- Rothstein, A., see Ramjeesingh, M. (769) 381
- Ruckpaul, K., see Bayerl, T. (769) 399
- Sabés, M., see Padrós, E. (769) 1
- Saito, H., see Inui, K.-I. (769) 449
- Saito, H., see Inui, K.-I. (769) 514
- Sakaki, T., see Bittman, R. (769) 85
- Saraste, M., see Semin, B.K. (769) 15
- Schäli, C., Vaughn, D.A. and Fanestil, D.D.
Enzymatic removal of alkaline phosphatase from renal brush-border membranes. Effect on phosphate transport and on phosphate binding (769) 277
- Schauenstein, K., see Csordas, A. (769) 571
- Schmidt, J.E., see Hinch, D.K. (769) 8
- Schmitt, J.M., see Hinch, D.K. (769) 8
- Schreier, S., Frezzatti, W.A., Jr., Araujo, P.S., Chaimovich, H. and Cuccovia, I.M.
Effect of lipid membranes on the apparent pK of the local anesthetic tetracaine. Spin label and titration studies (769) 231
- Schultz, J.E., see Otto, M.K. (769) 253
- Schwartz, M., Carrasquer, G. and Rehm, W.S.
Potential difference responses due to K^+ , Na^+ and Cl^- changes in bullfrog antrum with and without HCO_3^- (769) 105
- Semin, B.K., Saraste, M. and Wikström, M.
Calorimetric studies of cytochrome oxidase-phospholipid interactions (769) 15
- Sherry, M.K., see Bruckdorfer, K.R. (769) 187
- Shirane, K., Kuriyama, S. and Tokimoto, T.
Synergetic effects of Ca^{2+} and Cu^{2+} on phase transition in phosphatidylserine membranes (769) 596
- Smith, G.D., see Basset, M. (769) 79
- Smith, I.K. and Cheema, H.K.
Inhibition of serine transport into tobacco cells by chloro-promazine and A23187 (769) 317
- Steck, T.L., see Lange, Y. (769) 551
- Strauss, G., see Gibson, S.M. (769) 531
- Strom-Jensen, P.R., Magin, R.L. and Dunn, F.
Ultrasonic evidence for structural relaxation in large unilamellar liposomes (769) 179
- Sugihara, T., see Yawata, Y. (769) 440
- Takano, M., see Inui, K.-I. (769) 449
- Takano, M., see Inui, K.-I. (769) 514
- Talmon, A., Cohen, E., Bacher, A. and Ben-Shaul, Y.
Separation of induction and expression of tight junction formation mediated by proteinases (769) 505
- Taylor, J.A., Limbrick, A.R., Allan, D. and Judah, J.D.
Isolation of highly purified Golgi membranes from rat liver. Use of cycloheximide in vivo to remove Golgi contents (769) 171
- Terayama, K., see Nakazawa, T. (769) 323
- Thiele, J., see Otto, M.K. (769) 253
- Thomas, E.W., see Chadwick, C.C. (769) 291
- Tokimoto, T., see Shirane, K. (769) 596
- Tokunaga, H., see Benz, R. (769) 348
- Tsuji, A., see Bittman, R. (769) 85
- Turner, R.J. and George, J.N.
Characterization of an essential disulfide bond associated with the active site of the renal brush-border membrane D-glucose transporter (769) 23
- Van Bogaert, A., see Hertsens, R. (769) 411
- Van Deenen, L.L.M., see Kuypers, F.A. (769) 337
- Vaughn, D.A., see Schäli, C. (769) 277
- Vega, F.V., see Ljungström, M. (769) 209
- Vega, F.V., see Ljungström, M. (769) 220

- Volpe, P., Mrak, R.E., Costello, B. and Fleischer, S.
Calcium release from sarcoplasmic reticulum of normal and dystrophic mice (769) 67
- Watras, J. and Katz, A.M.
Calcium release from two fractions of sarcoplasmic reticulum from rabbit skeletal muscle (769) 429
- Wernstedt, C., see Ljungström, M. (769) 209
- Whittam, M.A., see Crowe, J.H. (769) 151
- Wikström, M., see Semin, B.K. (769) 15
- Womersley, C., see Crowe, L.M. (769) 141
- Wood, D.D., see Murthy, N.S. (769) 493
- Wright, E.M., see Levine, R. (769) 508
- Yawata, Y., Miyashima, K., Sugihara, T., Murayama, N., Hosoda, S., Nakashima, S., Iida, H. and Nozawa, Y.
Self-adaptive modification of red-cell membrane lipids in lecithin:cholesterol acyltransferase deficiency. Lipid analysis and spin labeling (769) 440
- Yukawa, O., see Nakazawa, T. (769) 323
- Ziegler, K., Frimmer, M. and Fasold, H.
Further characterization of membrane proteins involved in the transport of organic anions in hepatocytes. Comparison of two different affinity labels: 4,4'-diisothiocyano-1,2-diphenylethane-2,2'-disulfonic acid and brominated taurodehydrocholic acid (769) 117