

AUTHOR INDEX

- Anner, B.M., Robertson, J.D. and Ting-Beall, H.P.
Characterization of ($\text{Na}^+ + \text{K}^+$)-ATPase liposomes. I. Effect of enzyme concentration and modification on liposome size, intramembrane particle formation and Na^+, K^+ -transport (773) 253
- Anner, B.M., Ting-Beall, H.P. and Robertson, J.D.
Characterization of ($\text{Na}^+ + \text{K}^+$)-ATPase liposomes. II. Effect of α -subunit digestion on intramembrane particle formation and Na^+, K^+ -transport (773) 262
- Asakura, T. and Matsuda, M.
Efflux of γ -aminobutyric acid from and appearance of free arachidonic acid inside synaptosomes (773) 301
- Bachmann, M., Bernd, A., Schröder, H.C., Zahn, R.K. and Müller, W.E.G.
The role of protein phosphokinase and protein phosphatase during the nuclear envelope nucleoside triphosphatase reaction (773) 308
- Bamberg, E., Hegemann, P. and Oesterhelt, D.
Reconstitution of the light-driven electrogenic ion pump halorhodopsin in black lipid membranes (773) 53
- Barańska, J. and Wojtczak, L.
Transfer of phosphatidic acid between microsomal and mitochondrial outer and inner membranes (773) 23
- Beaugé, L., Berberian, G. and Campos, M.
Potassium -*p*-nitrophenyl phosphate interactions with ($\text{Na}^+ + \text{K}^+$)-ATPase, Their relevance to phosphatase activity (773) 157
- Beeler, T. and Keffer, J.
The rate of Ca^{2+} translocation by sarcoplasmic reticulum ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase measured with intravesicular arsenazo III (773) 99
- Berberian, G., see Beaugé, L. (773) 157
- Bernd, A., see Bachmann, M. (773) 308
- Bertel, O., see Pifl, C. (773) 197
- Brasitus, T.A. and Keresztes, R.S.
Protein-lipid interactions in antipodal plasma membranes of rat colonocytes (773) 290
- Braun, H.P., Winter, R., Karg, F.H. and Michel-Beyerle, M.E.
Wave-guide spectroscopy and ion transport in planar lipid bilayers (773) 61
- Brosemer, R.W., see Gale, J.M. (773) 125
- Butler, K.W., see Hill, R.J. (773) 74
- Campos, M., see Beaugé, L. (773) 157
- Camus, J.-C., see Robberecht, P. (773) 271
- Carrasquer, G., see Schwartz, M. (773) 189
- Casteels, R., see De Schutter, G. (773) 1
- Christophe, J., see Robberecht, P. (773) 271
- Colvin, R., see Hill, R.J. (773) 74
- De Metz, M., Enouf, J., Lebret, M. and Lévy-Tolédano, S.
The Ca^{2+} uptake and the hydrolysis of various nucleotide triphosphates by human platelet membranes (773) 325
- De Neef, P., see Robberecht, P. (773) 271
- De Schutter, G., Wuytack, F., Verbist, J. and Casteels, R.
Tissue levels and purification by affinity chromatography of the calmodulin-stimulated Ca^{2+} -transport ATPase in pig antrum smooth muscle (773) 1
- Deslauriers, R., see Hill, R.J. (773) 74
- Dix, J.A. and Solomon, A.K.
Role of membrane proteins and lipids in water diffusion across red cell membranes (773) 219
- Dodd, N.J.F., see Whetton, A.D. (773) 106
- Elliott, J.R. and Haydon, D.A.
The influence of *n*-alkanols on the capacity per unit area of planar lipid bilayers (773) 165
- Enouf, J., see De Metz, M. (773) 325
- Fasold, H., see Ziegler, K. (773) 11
- Feher, J.J.
Measurement of facilitated calcium diffusion by a soluble calcium-binding protein (773) 91
- Frimmer, M., see Ziegler, K. (773) 11
- Gale, J.M. and Brosemer, R.W.
Effect of pyridiamine treatment on potassium ion fluxes in rat cortical slices (773) 125
- Garcia-Sancho, J., see Tiffert, T. (773) 143
- Geletyuk, V.I., see Kazachenko, V.N. (773) 132
- Gögelein, H. and Hüby, A.
Interaction of saponin and digitonin with black lipid membranes and lipid monolayers (773) 32
- Haydon, D.A., see Elliott, J.R. (773) 165
- Hegemann, P., see Bamberg, E. (773) 53
- Hellmann, G., see Pifl, C. (773) 197
- Hershkovitz, M., see Vainstein, A. (773) 181
- Hill, R.J., Deslauriers, R., Butler, K.W., Colvin, R. and Smith, I.C.P.
The bilayer properties of the ciliary membranes of *Tetrahymena thermophila* as revealed by ^{31}P -NMR (773) 74
- Hirata, M., see Suematsu, E. (773) 83
- Hori, R., see Takano, M. (773) 113
- Houslay, M.D., see Whetton, A.D. (773) 106
- Hüby, A., see Gögelein, H. (773) 32
- Huestis, W.H., see Nikinmaa, M. (773) 317
- Ikegami, A., see Osada, H. (773) 321
- Inui, K.-i., see Takano, M. (773) 113

- Ishikawa, H., see Jinbu, Y. (773) 237
- Israel, S., see Vainstein, A. (773) 181
- Jacobsen, C., Røigaard-Petersen, H., Jørgensen, K.E. and Sheikh, M.I.
Isolation and partial purification of dicarboxylic acid binding protein from luminal-membrane vesicles of rabbit kidney cortex (773) 173
- Jinbu, Y., Sato, S., Nakao, T., Nakao, M., Tsukita, Sa., Tsukita, Sh. and Ishikawa, H.
The role of ankyrin in shape and deformability change of human erythrocyte ghosts (773) 237
- Jørgensen, K.E., see Jacobsen, C. (773) 173
- Karg, F.H., see Braun, H.P. (773) 61
- Kazachenko, V.N. and Geletyuk, V.I.
The potential-dependent K^+ channel in the molluscan neurons is organized in a cluster of elementary channels (773) 132
- Keffer, J., see Beeler, T. (773) 99
- Keresztes, R.S., see Brasitus, T.A. (773) 290
- Kinosita, K., Jr., see Osada, H. (773) 321
- Kuriyama, H., see Suematsu, E. (773) 83
- Laris, P.C., see Thornhill, W.B. (773) 207
- Law, R.O.
Some effects of monovalent anion replacement on the volume and composition of cells in incubated slices of rat renal cortex (773) 246
- Lebret, M., see De Metz, M. (773) 325
- Lévy-Tolédano, S., see De Metz, M. (773) 325
- Lew, V.L., see Tiffert, T. (773) 143
- Loyter, A., see Vainstein, A. (773) 181
- Margison, G.P., see Whetton, A.D. (773) 106
- Mas-Oliva, J., see Ortega, A. (773) 231
- Matsuda, M., see Asakura, T. (773) 301
- McIntosh, T.J., see Simon, S.A. (773) 169
- Michel-Beyerle, M.E., see Braun, H.P. (773) 61
- Müller, W.E.G., see Bachmann, M. (773) 308
- Müllner, S., see Ziegler, K. (773) 11
- Nakanishi, M., see Osada, H. (773) 321
- Nakao, M., see Jinbu, Y. (773) 237
- Nakao, T., see Jinbu, T. (773) 237
- Needham, L., see Whetton, A.D. (773) 106
- Nikinmaa, M. and Huestis, W.H.
Shape changes in goose erythrocytes (773) 317
- Oesterhelt, D., see Bamberg, E. (773) 53
- Okano, T., see Takano, M. (773) 113
- Ortega, A. and Mas-Oliva, J.
Cholesterol effect on enzyme activity of the sarcolemmal ($Ca^{2+} + Mg^{2+}$)-ATPase from cardiac muscle (773) 231
- Osada, H., Nakanishi, M., Tsuboi, M., Kinosita, K., Jr. and Ikegami, A.
Rotational dynamics of immunoglobulins with fluorescent haptens on a membrane surface (773) 321
- Piffl, C., Plank, B., Wiskovsky, W., Bertel, O., Hellmann, G. and Suko, J.
Calmodulin- $(Ca^{2+})_4$ is the active calmodulin-calcium species activating the calcium-, calmodulin-dependent protein kinase of cardiac sarcoplasmic reticulum in the regulation of the calcium pump (773) 197
- Plagemann, P.G.W. and Wohlhueter, R.M.
Nucleoside transport in cultured mammalian cells. Multiple forms with different sensitivity to inhibition by nitrobenzylthioinosine or hypoxanthin (773) 39
- Plank, B., see Piffl, C. (773) 197
- Rabin, S., see Vainstein, A. (773) 181
- Rahamimoff, H. and Spanier, R.
The asymmetric effect of lanthanides on Na^+ -gradient-dependent Ca^{2+} transport in synaptic plasma membrane vesicles (773) 279
- Rehm, W.S., see Schwartz, M. (773) 189
- Robberecht, P., Waelbroeck, M., Camus, J.-C., De Neef, P. and Christophe, J.
Importance of disulfide bonds in receptors for vasoactive intestinal peptide and secretin in rat pancreatic plasma membranes (773) 271
- Robertson, J.D., see Anner, B.M. (773) 253
- Robertson, J.D., see Anner, B.M. (773) 262
- Røigaard-Petersen, H., see Jacobsen, C. (773) 173
- Saito, H., see Takano, M. (773) 113
- Sato, S., see Jinbu, Y. (773) 237
- Schröder, H.C., see Bachmann, M. (773) 308
- Schwartz, M., Carrasquer, G. and Rehm, W.S.
Effect of reduced pH in absence of HCO_3^- on anomalous and normal potential responses in bullfrog antrum (773) 189
- Sheikh, M.I., see Jacobsen, C. (773) 173
- Simon, S.A. and McIntosh, T.J.
Interdigitated hydrocarbon chain packing causes the biphasic transition behavior in lipid/alcohol suspensions (773) 169
- Smith, I.C.P., see Hill, R.J. (773) 74
- Solomon, A.K., see Dix, J.A. (773) 219
- Spanier, R., see Rahamimoff, H. (773) 279
- Suematsu, E., Hirata, M. and Kuriyama, H.
Effects of cAMP- and cGMP-dependent protein kinases and calmodulin on Ca^{2+} uptake by highly purified sarcolemmal vesicles of vascular smooth muscle (773) 83
- Suko, J., see Piffl, C. (773) 197
- Takano, M., Inui, K.-i., Okano, T., Saito, H. and Hori, R.
Carrier-mediated transport systems of tetraethylammonium in rat renal brush-border and basolateral membrane vesicles (773) 113
- Thornhill, W.B. and Laris, P.C.
KCl loss and cell shrinkage in the Ehrlich ascites tumor cell induced by hypotonic media, 2-deoxyglucose and propranolol (773) 207
- Tiffert, T., Garcia-Sancho, J. and Lew, V.L.
Irreversible ATP depletion caused by low concentrations of

- formaldehyde and of calcium-chelator esters in intact human red cells (773) 143
- Ting-Beall, H.P., see Anner, B.M. (773) 253
- Ting-Beall, H.P., see Anner, B.M. (773) 262
- Tsuboi, M., see Osada, H. (773) 321
- Tsukita, Sa., see Jinbu, Y. (773) 237
- Tsukita, Sh., see Jinbu, Y. (773) 237
- Vainstein, A., Hershkovitz, M., Israel, S., Rabin, S. and Loyter, A.
A new method for reconstitution of highly fusogenic Sendai virus envelopes (773) 181
- Verbist, J., see De Schutter, G. (773) 1
- Waelbroeck, M., see Robberecht, P. (773) 271
- Whetton, A.D., Needham, L., Margison, G.P., Dodd, N.J.F. and Houslay, M.D.
Dimethylnitrosamine inhibits the glucagon-stimulated adenylate cyclase activity of rat liver plasma membranes and decreases plasma membrane fluidity (773) 106
- Winter, R., see Braun, H.P. (773) 61
- Wohlhueter, R.M., see Plagemann, P.G.W. (773) 39
- Wojtczak, L., see Barańska, J. (773) 23
- Wuytack, F., see De Schutter, G. (773) 1
- Wyskovsky, W., see Pifl, C. (773) 197
- Zahn, R.K., see Bachmann, M. (773) 308
- Ziegler, K., Frimmer, M., Müllner, S. and Fasold, H.
3'-Isothiocyanatobenzamido[³H]cholate, a new affinity label for hepatocellular membrane proteins responsible for the uptake of both bile acids and phalloidin (773) 11