

AUTHOR INDEX

- Abidi, T.F. and Yeagle, P.L.
Surface properties of Sendai virus envelope (775) 419
- Allen, P.D., see Kim, D.H. (775) 320
- Alonso-Romanowski, S., see Urry, D.W. (775) 115
- Alvarado, F., see Brot-Laroche, E. (775) 175
- Anderle, G., see Mendelsohn, R. (775) 215
- Antoniou, B., see Kim, D.H. (775) 320
- Arvinte, T. and Hildenbrand, K.
N-NBD-L- α -dilauroylphosphatidylethanolamine. A new fluorescent probe to study spontaneous lipid transfer (775) 86
- Aubry, H., see Proulx, P. (775) 341
- Barr, L., see Tanaka, J.C. (775) 203
- Barriere, M., see Tallineau, C. (775) 51
- Benga, G., Travis, B.D., Pop, V.I., Popescu, O., Toader, S. and Holmes, R.P.
The effect of the saturation and isomerization of dietary fatty acids on the osmotic fragility and water diffusional permeability of rat erythrocytes (775) 255
- Benz, R., Tosteson, M.T. and Schubert, D.
Formation and properties of tetramers of band 3 protein from human erythrocyte membranes in planar lipid bilayers (775) 347
- Berteloot, A.
Characteristics of glutamic acid transport by rabbit intestinal brush-border membrane vesicles. Effects of Na⁺, K⁺ and H⁺ gradients (775) 129
- Blangero, C., see Teissie, J. (775) 446
- Boni, L.T., Hah, J.S., Hui, S.W., Mukherjee, P., Ho, J.T. and Jung, C.Y.
Aggregation and fusion of unilamellar vesicles by poly(ethylene glycol) (775) 409
- Bönosch, H., see Harder, R. (775) 95
- Borst-Pauwels, G.W.F.H., see Theuvenet, A.P.R. (775) 161
- Boulard, M., see Tallineau, C. (775) 51
- Boulard-Heitzmann, P., see Tallineau, C. (775) 51
- Brandenburg, K. and Seydel, U.
Physical aspects of structure and function of membrane made from lipopolysaccharides and free lipid A (775) 225
- Brglez, I., see Proulx, P. (775) 341
- Brodbeck, U., see Ott, P. (775) 71
- Brot-Laroche, E. and Alvarado, F.
Disaccharide uptake by brush-border membrane vesicles lacking the corresponding hydrolases (775) 175
- Cabiaux, V., Vandenbranden, M., Falmagne, P. and Ruyschaert, J.M.
Diphtheria toxin induces fusion of small unilamellar vesicles at low pH (775) 31
- Carpi-Medina, P., see Whittembury, G. (775) 365
- Cassoly, R., see Craescu, C.T. (775) 291
- Chan, T.M., see El-Refai, M.F. (775) 356
- Chia, L.S., Thompson, J.E. and Moscarello, M.A.
X-ray diffraction evidence for myelin disorder in brain from humans with Alzheimer's disease (775) 308
- Craescu, C.T., Cassoly, R., Galacteros, F. and Prehu, C.
Decrease of transport of some polyols in sickle cells (775) 291
- Cuppoletti, J., see Im, J.H. (775) 260
- Dasseux, J.-L., Faucon, J.-F., Lafleur, M., Pezolet, M. and Dufourcq, J.
A restatement of melittin-induced effects on the thermotropism of zwitterionic phospholipids (775) 37
- De, B.K. and Weisman, G.A.
The role of calcium ions in the permeability changes produced by external ATP in transformed 3T3 cells (775) 381
- Demel, R.A., see Verhallen, P.F.J. (775) 246
- Deuticke, B., Lütke-meier, P. and Sistemich, M.
Ion selectivity of aqueous leaks induced in the erythrocyte membrane by crosslinking of membrane proteins (775) 150
- Deuticke, B., see Dressler, V. (775) 189
- Dluhy, R.A., see Mendelsohn, R. (775) 215
- Doyle, D.D., see Tanaka, J.C. (775) 203
- Dressler, V., Haest, C.W.M., Plasa, G., Deuticke, B. and Erusalimsky, J.D.
Stabilizing factors of phospholipid asymmetry in the erythrocyte membrane (775) 189
- Dufourcq, J., see Dasseux, J.-L. (775) 37
- Ehrhardt, V.
The influence of pH on the cell membrane potential of primary cultured rat hepatocytes as measured with tetraphenylphosphonium and dimethyloxazolidine-2,4-dione (775) 182
- Elliott, C. and Ralston, G.B.
Solubilisation of human erythrocyte band 4.1 protein in the non-ionic detergent Tween 20 (775) 313
- El-Refai, M.F. and Chan, T.M.
Evidence for heterogeneous distribution of α_1 -, α_2 - and β -adrenergic binding sites on rat-liver cell surface (775) 356
- Erusalimsky, J.D., see Dressler, V. (775) 189
- Falmagne, P., see Cabiaux, V. (775) 31
- Faucon, J.-F., see Dasseux, J.-L. (775) 37
- Fredman, P., see Markwell, M.A.K. (775) 7
- Friedmann, P., see Lelkes, P.I. (775) 395

- Galacteros, F., see Craescu, C.T. (775) 291
- Gautheron, D.C., see Penin, F. (775) 239
- Gerencser, G.A.
Thiocyanate inhibition of active chloride absorption in *Aplysia* intestine (775) 389
- Gispen, W.H., see Verhallen, P.F.J. (775) 246
- Godinot, C., see Penin, F. (775) 239
- González, E., see Whittembury, G. (775) 365
- Grant, C.W.M., see Peters, M.W. (775) 273
- Green, A.M., see Mayhew, E. (775) 169
- Guillard, O., see Tallineau, C. (775) 51
- Haest, C.W.M., see Dressler, V. (775) 189
- Hah, J.S., see Boni, L.T. (775) 409
- Harder, R. and Bönisch, H.
Large-scale preparation of plasma membrane vesicles from PC-12 pheochromocytoma cells and their use in noradrenaline transport studies (775) 95
- Harris, R.D., see Urry, D.W. (775) 115
- He, N.B., see Jain, M.K. (775) 426
- Henis, Y.I., see Rimón, G. (775) 283
- Higuchi, T., see Nishihata, T. (775) 269
- Hildenbrand, K., see Arvinte, T. (775) 86
- Hirayama, B. and Wright, E.M.
Asymmetry of the Na^+ -succinate cotransporter in rabbit renal brush-border membranes (775) 17
- Ho, J.T., see Boni, L.T. (775) 409
- Holmes, R.P., see Benga, G. (775) 255
- Hollander, D., see Said, H.M. (775) 402
- Hui, S.W., see Boni, L.T. (775) 409
- Hui, S.W., see Jain, M.K. (775) 426
- Ikegami, A., see Stubbs, C.D. (775) 374
- Ikehara, T., Yamaguchi, H., Sakai, T. and Miyamoto, H.
Kinetic parameters and mechanism of active cation transport in HeLa cells as studied by Rb^+ influx (775) 297
- Ikemoto, N., see Kim, D.H. (775) 320
- Im, J.H., Cuppoletti, J., Meezan, E., Rackley, C.E. and Kim, H.D.
Distribution of insulin receptors in human erythrocyte membranes. Insulin binding to sealed right-side-out and inside-out human erythrocyte vesicles (775) 260
- Jacobson, B.S., see Wasserman, B.P. (775) 57
- Jain, M.K., Singer, M.A., Ramirez, F., Marecek, J.F., He, N.B. and Hui, S.W.
Lateral interaction of cholesterol in diacylphosphatidylcholesterol bilayers (775) 426
- Jaworsky, M., see Mendelsohn, R. (775) 215
- Jørgensen, P.L., Petersen, J. and Rees, W.D.
Identification of a Na^+ , K^+ , Cl^- -cotransport protein of M_r 34 000 from kidney by photolabeling with [^3H]bumethanide. The protein is associated with cytoskeleton components (775) 105
- Jung, C.Y., see Boni, L.T. (775) 409
- Kametani, F., see Kitagawa, S. (775) 197
- Känzig, W., see Schurtenberger, P. (775) 111
- Katz, D., see Said, H.M. (775) 402
- Kim, D.H., Sreter, F.A., Ohnishi, S.T., Ryan, J.F., Roberts, J., Allen, P.D., Meszaros, L.G., Antoniu, B. and Ikemoto, N.
Kinetic studies of Ca^{2+} release from sarcoplasmic reticulum of normal and malignant hyperthermia susceptible pig muscles (775) 320
- Kim, H.D., see Im, J.H. (775) 260
- King, J., see Mayhew, E. (775) 169
- Kinosita, K., Jr., see Stubbs, C.D. (775) 374
- Kitagawa, S., Nishitama, H. and Kametani, F.
Inhibition of ADP-induced aggregation of bovine platelets by saturated fatty acids and its relation with the change of membrane surface charge (775) 197
- Kono, T., see Smith, M.M. (775) 121
- Kratky, Z., see Wasserman, B.P. (775) 57
- Lafleur, M., see Dasseux, J.-L. (775) 37
- Lazo, R., see Mayhew, E. (775) 169
- Lelkes, P.I. and Friedmann, P.
Stabilization of large multilamellar liposomes by human serum in vitro (775) 395
- Linares, H., see Whittembury, G. (775) 365
- Lütke-meier, P., see Deuticke, B. (775) 150
- Luzikov, V.N., Novikova, L.A., Zubatov, A.S. and Tikhonov, A.N.
Physical state of the mitochondrial inner membrane as a factor controlling the proteolysis of mitochondrial translation products in yeast (775) 22
- MacDonald, A.G.
Homeoviscous theory under pressure. I. The fatty acid composition of *Tetrahymena pyriformis* NT-1 grown at high pressure (775) 141
- Mantsch, H.H., see Mendelsohn, R. (775) 215
- Marecek, J.F., see Jain, M.K. (775) 426
- Markwell, M.A.K., Fredman, P. and Svennerholm, L.
Receptor ganglioside content of three hosts for Sendai virus: MDBK, HeLa, and MDCK cells (775) 7
- Mayhew, E., Lazo, R., Vail, W.J., King, J. and Green, A.M.
Characterization of liposomes prepared using a micro-emulsifier (775) 169
- Mazer, N., see Schurtenberger, P. (775) 111
- Meezan, E., see Im, J.H. (775) 260
- Mendelsohn, R., Anderle, G., Jaworsky, M., Mantsch, H.H. and Dluhy, R.A.
Fourier transform infrared spectroscopic studies of lipid-protein interaction in native and reconstituted sarcoplasmic reticulum (775) 215
- Meszaros, L.G., see Kim, D.H. (775) 320
- Meyerstein, N., see Rimón, G. (775) 283
- Miyamoto, H., see Ikehara, T. (775) 297
- Moscarello, M.A., see Chia, L.S. (775) 308
- Mozhayeva, G.N., Naumov, A.P. and Nosyreva, E.D.
A study on the potential-dependence of proton block of sodium channels (775) 435
- Mukherjee, P., see Boni, L.T. (775) 409
- Munkonge, F., see Stubbs, C.D. (775) 374

- Naumov, A.P., see Mozhayeva, G.N. (775) 435
- Nishitama, H., see Kitagawa, S. (775) 197
- Nishihata, T. and Higuchi, T.
ortho-Hydroxybenzoate may act at the protein fraction to enhance membrane permeability (775) 269
- Nosyreva, E.D., see Mozhayeva, G.N. (775) 435
- Novikova, L.A., see Luzikov, V.N. (775) 22
- Ohnishi, S.T., see Kim, D.H. (775) 320
- Ott, P. and Brodbeck, U.
 Amphiphile dependency of the monomeric and dimeric forms of acetylcholinesterase from human erythrocyte membrane (775) 71
- Penin, F., Godinot, C. and Gautheron, D.C.
 Two-dimensional gel electrophoresis of membrane proteins using anionic and cationic detergents. Application to the study of mitochondrial F_0 - F_1 -ATPase (775) 239
- Peters, M.W. and Grant, C.W.M.
 Freeze-etch study of an unmodified lectin interacting with its receptors in model membranes (775) 273
- Petersen, J., see Jørgensen, P.L. (775) 105
- Pezolet, M., see Dasseux, J.-L. (775) 37
- Plasa, G., see Dressler, V. (775) 189
- Pontcharraud, R., see Tallineau, C. (775) 51
- Poole, R.J., see Wasserman, B.P. (775) 57
- Pop, V.I., see Benga, G. (775) 255
- Popescu, O., see Benga, G. (775) 255
- Prasad, K.U., see Urry, D.W. (775) 115
- Prehu, C., see Craescu, C.T. (775) 291
- Proulx, P., Aubry, H., Brglez, I. and Williamson, D.G.
 The effect of phosphoglycerides on the incorporation of cholesterol into isolated brush-border membranes from rabbit small intestine (775) 341
- Quinn, P.J., see Stubbs, C.D. (775) 374
- Rackley, C.E., see Im, J.H. (775) 260
- Ralston, G.B., see Elliott, C. (775) 313
- Ramirez, F., see Jain, M.K. (775) 426
- Rees, W.D., see Jørgensen, P.L. (775) 105
- Reiss, D., see Tallineau, C. (775) 51
- Rimon, G., Meyerstein, N. and Henis, Y.I.
 Lateral mobility of phospholipids in the external and internal leaflets of normal and hereditary spherocytic human erythrocytes (775) 283
- Roberts, J., see Kim, D.H. (775) 320
- Robinson, F.W., see Smith, M.M. (775) 121
- Ruysschaert, J.M., see Cabiaux, V. (775) 31
- Ryan, J.F., see Kim, D.H. (775) 320
- dilution of mixed micellar solutions of bile salt and phosphatidylcholine (775) 111
- Seydel, U., see Brandenburg, K. (775) 225
- Singer, M.A., see Jain, M.K. (775) 426
- Singh, J.
 Effects of acetylcholine and caerulein on $^{86}\text{Rb}^+$ efflux in the mouse pancreas. Evidence for a sodium-potassium-chloride cotransport system (775) 77
- Sistemich, M., see Deuticke, B. (775) 150
- Smith, M.M., Robinson, F.W., Watanabe, T. and Kono, T.
 Partial characterization of the glucose transport activity in the Golgi-rich fraction of fat cells (775) 121
- Sreter, F.A., see Kim, D.H. (775) 320
- Stampe, P., see Vestergaard-Bogind, B. (775) 328
- Stark, G., Strässle, M. and Wilhelm, M.
 Pulse radiolysis at planar lipid membranes doped with ion carriers or pore formers (775) 265
- Strässle, M., see Stark, G. (775) 265
- Stubbs, C.D., Kinoshita, K., Jr., Munkonge, F., Quinn, P.J. and Ikegami, A.
 The dynamics of lipid motion in sarcoplasmic reticulum membranes determined by steady-state and time-resolved fluorescence measurements on 1,6-diphenyl-1,3,5-hexatriene and related molecules (775) 374
- Svennerholm, L., see Markwell, M.A.K. (775) 7
- Tallineau, C., Barriere, M., Boulard, M., Boulard-Heitzmann, P., Pontcharraud, R., Reiss, D. and Guillard, O.
 Evidence for the involvement of $(\text{Cu-ATP})^{2-}$ in the inhibition of human erythrocyte $(\text{Ca}^+ + \text{Mg}^{2+})$ -ATPase by copper (775) 51
- Tallineau, C., Barriere, M., Boulard, M., Boulard-Heitzmann, P., Pontcharraud, R., Reiss, D. and Guillard, O.
 Evidence for the involvement of $(\text{Cu-ATP})^{2-}$ in the inhibition of human erythrocyte $(\text{Ca}^+ + \text{Mg}^{2+})$ -ATPase by copper (775) 51
- Tanaka, J.C., Doyle, D.D. and Barr, L.
 Sodium channels in vertebrate hearts. Three types of saxitoxin binding sites in heart (775) 203
- Teisinger, J., see Zemková, H. (775) 64
- Teissie, J. and Blangero, C.
 Direct experimental evidence of the vectorial character of the interaction between electric pulses and cells in cell electrofusion (775) 446
- Theuvenet, A.P.R., Van de Wijngaard, W.M.H., Van de Rijke, J.W. and Borst-Pauwels, G.W.F.H.
 Application of 9-aminoacridine as a probe of the surface potential experienced by cation transporters in the plasma membrane of yeast cells (775) 161
- Thompson, J.E., see Chia, L.S. (775) 308
- Tikhonov, A.N., see Luzikov, V.N. (775) 22
- Toader, S., see Benga, G. (775) 255
- Tosteson, M.T., see Benz, R. (775) 347
- Trapane, T.L., see Urry, D.W. (775) 115
- Travis, B.D., see Benga, G. (775) 255
- Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Trapane, T.L., Harris, R.D. and Prasad, K.U.
 Shortened analog of the gramicidin A channel argues for

- the doubly occupied channel as the dominant conducting state (775) 115
- Vail, W.J., see Mayhew, E. (775) 169
- Vandenbranden, M., see Cabiaux, V. (775) 31
- Van de Rijke, J.W., see Theuvenet, A.P.R. (775) 161
- Van de Wijngaard, W.M.H., see Theuvenet, A.P.R. (775) 161
- Venkatachalam, C.M., see Urry, D.W. (775) 115
- Vestergaard-Bogind, B. and Stampe, P.
trans to *cis* proton concentration gradients accelerate ionophore A23187-mediated net fluxes of Ca^{2+} across the human red cell membrane (775) 328
- Verhallen, P.F.J., Demel, R.A., Zwiers, H. and Gispen, W.H.
 Adrenocorticotrophic hormone (ACTH)-lipid interactions. Implications for involvement of amphipathic helix formation (775) 246
- Vyskočil, F., see Zemková, H. (775) 64
- Waldvogel, S., see Schurtenberger, P. (775) 111
- Wasserman, B.P., Jacobson, B.S., Schmidt, R., Kratky, Z. and Poole, R.J.
 Evaluation of the silica microbead method for isolation of red beet protoplast plasma membrane sheets (775) 57
- Watanabe, T., see Smith, M.M. (775) 121
- Weisman, G.A., see De, B.K. (775) 381
- Whittembury, G., Carpi-Medina, P., González, E. and Linares, H.
 Effect of *para*-chloromercuribenzenesulfonic acid and temperature on cell water osmotic permeability of proximal straight tubules (775) 365
- Wilhelm, M., see Stark, G. (775) 265
- Williamson, D.G., see Proulx, P. (775) 341
- Wrenn, R.W.
 Phosphorylation of a pancreatic zymogen granule membrane protein by endogenous calcium/phospholipid-dependent protein kinase (775) 1
- Wright, E.M., see Hirayama, B. (775) 17
- Yamaguchi, H., see Ikehara, T. (775) 297
- Yeagle, P.L., see Abidi, T.F. (775) 419
- Young, J.D.-E., see Young, T.M. (775) 441
- Young, T.M. and Young, J.D.-E.
 Protein-mediated intermembrane contact facilitates fusion of lipid vesicles with planar bilayers (775) 441
- Zemková, H., Teisinger, J. and Vyskočil, F.
 Hyperpolarization of mouse skeletal muscle plasma membrane induced by extracellular NADH (775) 64
- Zubátov, A.S., see Luzikov, V.N. (775) 22
- Zwiers, H., see Verhallen, P.F.J. (775) 246