

AUTHOR INDEX

- Abia, A., Lobatón, C.D., Moreno, A. and García-Sancho, J.
Leiurus quinquestriatus venom inhibits different kinds of Ca^{2+} -dependent K^+ channels (856) 403
- Agarwal, K., Bali, A. and Gupta, C.M.
 Influence of the phospholipid structure on the stability of liposomes in serum (856) 36
- Allan, D., see Raval, P.J. (856) 595
- Alvarez, J., Camaleño, J.M., García-Sancho, J. and Herreros, B.
 Modulation of Ca^{2+} -dependent K^+ transport by modifications of the NAD^+/NADH ratio in intact human red cells (856) 408
- Amanuma, H., see Kasahara, M. (856) 615
- Araujo, E.G., Persechini, P.M. and Oliveira-Castro, G.M.
 Electrophysiology of phagocytic membranes. Role of divalent cations in membrane hyperpolarizations of macrophage polykaryons (856) 362
- Ardawi, M.S.M. and Newsholme, E.A.
 The transport of glutamine into rat mesenteric lymphocytes (856) 413
- Arnold, K., see Gawrisch, K. (856) 443
- Aubry, H., Merrill, A.R. and Proulx, P.
 A comparison of brush-border membranes prepared from rabbit small intestine by procedures involving Ca^{2+} and Mg^{2+} precipitation (856) 610
- Baldini, G., Passamonti, S., Lunazzi, G.C., Tiribelli, C. and Sottocasa, G.L.
 Cellular localization of sulfobromophthalein transport activity in rat liver (856) 1
- Bali, A., see Agarwal, K. (856) 36
- Barbarat, B., see Podevin, R.-A. (856) 471
- Barisas, B.G., see Boullier, J.A. (856) 301
- Baum, H., see Dawson, J.M. (856) 566
- Beaudoin, A.R., see Phaneuf, S. (856) 348
- Beckley, R., see Saito, M. (856) 689
- Berwald-Netter, Y., see Jourdon, P. (856) 399
- Blostein, R., see Harvey, W.J. (856) 496
- Boulanger, Y., see Kelusky, E.C. (856) 85
- Boullier, J.A., Brown, B.A., Bush, Jr., J.C. and Barisas, B.G.
 Lateral mobility of a lipid analog in the membrane of irreversible sickle erythrocytes (856) 301
- Bragg, P.D., see Sedgwick, E.G. (856) 50
- Brandenburg, D., see Juul, S.M. (856) 310
- Brandenburg, D., see Juul, S.M. (856) 320
- Brown, B.A., see Boullier, J.A. (856) 301
- Brown Jr., J.A., see Cobb, M.H. (856) 123
- Brown, P.D., see Sepúlveda, F.V. (856) 185
- Bullock, J.O. and Cohen, F.S.
 Octyl glucoside promotes incorporation of channels into neutral planar phospholipid bilayers. Studies with colicin Ia (856) 101
- Burton, K.A., see Sepúlveda, F.V. (856) 185
- Bush, Jr., J.C., see Boullier, J.A. (856) 301
- Butterworth, P.J., see Parveen, R. (856) 624
- Camaleño, J.M., see Alvarez, J. (856) 408
- Carrasquer, G., see Dinno, M.A. (856) 629
- Casey, C.A., see Tuma, D.J. (856) 571
- Chap, H., see Fauvel, J. (856) 155
- Chapman, D., see Miller, I.R. (856) 654
- Chen, J.-C., see Wang, C.-T. (856) 244
- Chiba, T., see Sato, Y. (856) 11
- Chueh, S.-H., see Gill, D.L. (856) 165
- Coade, S.B., see Dawson, J.M. (856) 566
- Cobb, M.H., Yang, C.-P.H., Brown Jr., J.A. and Scott, W.N.
 Insulin-stimulated sodium transport in toad urinary bladder (856) 123
- Cohen, F.S., see Bullock, J.O. (856) 101
- Cohen, M.P., Klepser, H. and Shapiro, E.
 Insulin stimulates renal glomerular sodium-potassium adenosine triphosphatase activity (856) 182
- Contreras, A., Martínez, R., Devés, R. and Marusic, E.T.
 An unusual pattern of Na^+ and K^+ movements across the horse erythrocyte membrane (856) 388
- Cook, N.D., see Dawson, J.M. (856) 566
- Corman, B., see Pratz, J. (856) 259
- Craik, J.D., Gounden, K. and Reithmeier, R.A.F.
 Inhibition of phosphate transport in human erythrocytes by 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole (NBD-Cl) (856) 602
- Csordas, A. and Schauenstein, K.
 Temperature-dependent specificity of *cis-trans* isomeric fatty acid interaction with the erythrocyte membrane (856) 212
- Davis, P.J., Kariel, N. and Keough, K.M.W.
 Gel to liquid-crystalline transitions of aqueous dispersions of positional isomers of a heteroacid unsaturated phosphatidylcholine mixed with epicholesterol and cholesterol (856) 395
- Dawes, E.A., see Midgley, M. (856) 45
- Dawson, J.M., Cook, N.D., Coade, S.B., Baum, H. and Peters, T.J.
 Demonstration of plasma-membrane adenosine diphosphatase activity in rat lung (856) 566
- DeBony, J., see Plückerthun, A. (856) 144
- Deinum, J., see Kanje, M. (856) 437
- De Jonge, H.R., see Vaandrager, A.B. (856) 325

- Demel, R.A., see Van Loon, D. (856) 482
- Dennis, E.A., see Plückthun, A. (856) 144
- Devés, R., see Contreras, A. (856) 388
- Dhalla, N.S., see Panagia, V. (856) 383
- Dinno, M.A., Schwartz, M., Carrasquer, G. and Rehm, W.S.
Microelectrode study of effects of luminal K^+ on surface cells of frog stomach (856) 629
- Douste-Blazy, L., see Fauvel, J. (856) 155
- Drake, A.F., see Miller, I.R. (856) 654
- Dubois, J.-M., see Jourdon, P. (856) 399
- Duportail, G., see Pelletier, X. (856) 267
- Dutta-Roy, A.K., see Ray, T.K. (856) 421
- Ekström, P., see Kanje, M. (856) 437
- Epand, R.M., see Surewicz, W.K. (856) 290
- Evans, J.L., see Juul, S.M. (856) 310
- Evans, J.L., see Juul, S.M. (856) 320
- Fanni, T., see Plückthun, A. (856) 144
- Fantine, E.O. and Garnier-Suillerot, A.
Interaction of 5-iminodaunorubicin with Fe(III) and with cardiolipin-containing vesicles (856) 130
- Fauvel, J., Chap, H., Roques, V., Levy-Toledano, S. and Douste-Blazy, L.
Biochemical characterization of plasma membranes and intracellular membranes isolated from human platelets using Percoll gradients (856) 155
- Féray, J.-C. and Garay, R.
An Na^+ -stimulated Mg^{2+} -transport system in human red blood cells (856) 76
- Fesenko, E.E., Kolesnikov, S.S. and Lyubarsky, A.L.
Direct action of cGMP on the conductance of retinal rod plasma membrane (856) 661
- Fitton, J.E., see Yianni, Y.P. (856) 91
- Gains, N., see Thurnhofer, H. (856) 174
- Galla, H.-J., see Luxnat, M. (856) 274
- Galla, H.-J., see Müller, H.-J. (856) 283
- Garay, R., see Féray, J.-C. (856) 76
- García-Sancho, J., see Abia, A. (856) 403
- García-Sancho, J., see Alvarez, J. (856) 408
- Garnier-Suillerot, A., see Fantine, E.O. (856) 130
- Gawrisch, K., Stibenz, D., Möps, A., Arnold, K., Linss, W. and Halbhuber, K.-J.
The rate of lateral diffusion of phospholipids in erythrocyte microvesicles (856) 443
- Genet, R., see Latoud, C. (856) 526
- Gershoni, J.M., Lapidot, M., Zakai, N. and Loyter, A.
Protein blot analysis of virus receptors: identification and characterization of the Sendai virus receptor (856) 19
- Gill, D.L., Chueh, S.-H., Noel, M.W. and Ueda, T.
Orientation of synaptic plasma membrane vesicles containing calcium pump and sodium-calcium exchange activities (856) 165
- Gmeiner, B.M.K.
The effect of retinoids on the activity of the membrane form of galactosyltransferase, studied in an enzyme/liposome model system (856) 392
- Goré, J., Hoinard, C. and Maingault, P.
Biotin uptake by isolated rat intestinal cells (856) 357
- Gounden, K., see Craik, J.D. (856) 602
- Grahn, M.F., see Parveen, R. (856) 624
- Gruener, R., see Lechleiter, J. (856) 640
- Grunze, M. and Heuck, C.C.
The surface charge of human glutaraldehyde-fixed erythrocytes (856) 41
- Gupta, C.M., see Agarwal, K. (856) 36
- Halbhuber, K.-J., see Gawrisch, K. (856) 443
- Hanano, M., see Yuasa, H. (856) 219
- Harding, S.E., see Tomlins, B. (856) 137
- Hart, J.S., see Horne III, M.D.K. (856) 448
- Harvey, W.J. and Blostein, R.
Tryptic modification of red-cell sodium pump behaviour (856) 496
- Hashimoto, K., Loader, J.E. and Kinsky, S.C.
Iodoacetylated and biotinylated liposomes: effect of spacer length on sulfhydryl ligand binding and avidin precipitability (856) 556
- Hauser, H., see Thurnhofer, H. (856) 174
- Herreros, B., see Alvarez, J. (856) 408
- Heuck, C.C., see Grunze, M. (856) 41
- Hinkle, P.C., see Kasahara, M. (856) 615
- Hoinard, C., see Goré, J. (856) 357
- Horne III, M.D.K. and Hart, J.S.
Galactose uptake by human platelets in vitro (856) 448
- Iga, T., see Yuasa, H. (856) 219
- Ikawa, Y., see Kasahara, M. (856) 615
- Iscandar, N.S., see Midgley, M. (856) 45
- Jacobsen, C., see Røigaard-Petersen, H. (856) 578
- Jones, R.H., see Juul, S.M. (856) 310
- Jones, R.H., see Juul, S.M. (856) 320
- Jourdon, P., Berwald-Netter, Y. and Dubois, J.-M.
Effects of dimethylsulfoxide on membrane currents of neuroblastoma $\times$ glioma hybrid cell (856) 399
- Juul, S.M., Jones, R.H., Evans, J.L., Neffe, J., Sönksen, P.H. and Brandenburg, D.
Evidence for an early degradative event to the insulin molecule following binding to hepatocyte receptors (856) 310
- Juul, S.M., Neffe, J., Evans, J.L., Jones, R.H., Sönksen, P.H. and Brandenburg, D.
Demonstration that the insulin receptor undergoes an early structural modification following insulin binding (856) 320
- Kanje, M., Ekström, P., Deinum, J. and Wallin, M.
The effect of gossypol on fast axonal transport and microtubule assembly (856) 437
- Kariel, N., see Davis, P.J. (856) 395
- Kasahara, M., Hinkle, P.C., Ikawa, Y. and Amanuma, H.
Decrease in glucose transport activity of Friend erythroleukemia cell caused by dimethylsulfoxide, a differentiation-inducing reagent (856) 615

- Kelusky, E.C., Boulanger, Y., Schreier, S. and Smith, I.C.P.
A ^2H -NMR study on the interactions of the local anesthetic tetracaine with membranes containing phosphatidylserine (856) 85
- Keough, K.M.W., see Davis, P.J. (856) 395
- Kilberg, M.S., see Schenerman, M.A. (856) 428
- Kinsky, S.C., see Hashimoto, K. (856) 556
- Kirby, M.S., see Tomlins, B. (856) 137
- Kleinzeller, A. and McAvoy, E.M.
Glucose transport and metabolism in rat renal proximal tubules: multicomponent effects of insulin (856) 545
- Klepser, H., see Cohen, M.P. (856) 182
- Kolesnikov, S.S., see Fesenko, E.E. (856) 661
- Lapidot, M., see Gershoni, J.M. (856) 19
- Latoud, C., Peypoux, F., Michel, G., Genet, R. and Morgat, J.L.
Interactions of antibiotics of the iturin group with human erythrocytes (856) 526
- Lazarus, P. and Panasci, L.C.
Characterization of L-threonine and L-glutamine transport in murine P388 leukemia cells in vitro. Presence of an N-like amino acid transport system (856) 488
- Leach, C.A., see Robinson, J.D. (856) 536
- Lechleiter, J., Wells, M. and Gruener, R.
Halothane-induced changes in acetylcholine receptor channel kinetics are attenuated by cholesterol (856) 640
- Leray, C., see Pelletier, X. (856) 267
- Levy-Toledano, S., see Fauvel, J. (856) 155
- Linch, D.C., see Tatham, P.E.R. (856) 202
- Linss, W., see Gawrisch, K. (856) 443
- Lipton, S.A.
Antibody activates cationic channels via second messenger Ca^{2+} (856) 59
- Llanillo, M., see Sánchez-Yagüe, J. (856) 193
- Loader, J.E., see Hashimoto, K. (856) 556
- Lobatón, C.D., see Abia, A. (856) 403
- Loureiro-Dias, M.C., see Peinado, J.M. (856) 189
- Loyter, A., see Gershoni, J.M. (856) 19
- Lunazzi, G.C., see Baldini, G. (856) 1
- Lundahl, P., see Mascher, E. (856) 505
- Luxnat, M. and Galla, H.-J.
Partition of chlorpromazine into lipid bilayer membranes: the effect of membrane structure and composition (856) 274
- Luxnat, M., see Müller, H.-J. (856) 283
- Lyubarsky, A.L., see Fesenko, E.E. (856) 661
- McAvoy, E.M., see Kleinzeller, A. (856) 545
- MacDonald, R.I.
Trifluoperazine inhibits Sendai virus-induced hemolysis (856) 337
- McGee, M.P., see Peran, S. (856) 231
- McMurray, W.C., see Nicholson, D.W. (856) 515
- Mailliard, M.E., see Tuma, D.J. (856) 571
- Maingault, P., see Goré, J. (856) 357
- Makino, N., see Panagia, V. (856) 383
- Martínez, R., see Contreras, A. (856) 388
- Marusic, E.T., see Contreras, A. (856) 388
- Mascher, E. and Lundahl, P.
High performance agarose gel chromatography in sodium dodecyl sulfate of integral membrane proteins from human red cells, with special reference to the glucose transporter (856) 505
- Menestrina, G. and Porcelluzzi, C.
Dependence of ion flow through the hemocyanin channel on a fixed charge at the pore mouth: effects of H^+ and Ca^{2+} ions (856) 672
- Merrill, A.R., see Aubry, H. (856) 610
- Michel, G., see Latoud, C. (856) 526
- Midgley, M., Iscandar, N.S. and Dawes, E.A.
The interaction of phosphonium ions with *Acinetobacter calcoaceticus*: evidence for the operation of an efflux system (856) 45
- Miller, D.M.
The measurement of the rate of transport of solutes in both directions across the aqueous-nonaqueous liquid interface and its significance to membrane permeability (856) 27
- Miller, I.R., Chapman, D. and Drake, A.F.
Circular dichroism spectra of aqueous dispersions of sphingolipids (856) 654
- Miyamoto, Y., see Yuasa, H. (856) 219
- Möps, A., see Gawrisch, K. (856) 443
- Moreno, A., see Abia, A. (856) 403
- Morgan, C.G., see Yianni, Y.P. (856) 91
- Morgat, J.L., see Latoud, C. (856) 526
- Müller, H.-J., Luxnat, M. and Galla, H.-J.
Lateral diffusion of small solutes and partition of amphipaths in defect structures of lipid bilayers (856) 283
- Mütsch, B., see Thurnhofer, H. (856) 174
- Neffe, J., see Juul, S.M. (856) 310
- Neffe, J., see Juul, S.M. (856) 320
- Newsholme, E.A., see Ardawi, M.S.M. (856) 413
- Nicholson, D.W. and McMurray, W.C.
Triton solubilization of proteins from pig liver mitochondrial membranes (856) 515
- Noel, M.W., see Gill, D.L. (856) 165
- O'Flynn, K., see Tatham, P.E.R. (856) 202
- Okamura, E., Umemura, J. and Takenaka, T.
Orientation of gramicidin D incorporated into phospholipid multibilayers: a Fourier transform infrared-attenuated total reflection spectroscopic study (856) 68
- Okumura, K., see Panagia, V. (856) 383
- Oliveira-Castro, G.M., see Araujo, E.G. (856) 362
- Panagia, V., Okumura, K., Makino, N. and Dhalla, N.S.
Stimulation of Ca^{2+} -pump in rat heart sarcolemma by phosphatidylethanolamine *N*-methylation (856) 383
- Panasci, L.C., see Lazarus, P. (856) 488
- Parveen, R., Grahn, M.F. and Butterworth, P.J.
The effect of gluconeogenesis on phospholipid turnover in isolated chick proximal tubule cells (856) 624
- Passamonti, S., see Baldini, G. (856) 1

- Peinado, J.M. and Loureiro-Dias, M.C.
Reversible loss of affinity induced by glucose in the maltose- H^+ symport of *Saccharomyces cerevisiae* (856) 189
- Pelletier, X., Duportail, G. and Leray, C.
Isolation and characterization of brush-border membrane from trout intestine. Regional differences (856) 267
- Peran, S. and McGee, M.P.
Unidirectional flux of phenylalanine into Vero cells. Measurement using paired tracers in perfused cultures (856) 231
- Persechini, P.M., see Araujo, E.G. (856) 362
- Peterajová, E., see Varečka, Ľ. (856) 585
- Peters, T.J., see Dawson, J.M. (856) 566
- Peters, T.J., see Simpson, R.J. (856) 109
- Peters, T.J., see Simpson, R.J. (856) 115
- Peypoux, F., see Latoud, C. (856) 526
- Phaneuf, S. and Beaudoin, A.R.
Calcium binding properties of purified zymogen granule membrane of pig pancreas. Evidence for calcium binding proteins (856) 348
- Plattner, H., see Rosenheck, K. (856) 373
- Ploemacher, M.C., see Vaandrager, A.B. (856) 325
- Pflückthun, A., DeBony, J., Fanni, T. and Dennis, E.A.
Conformation of fatty acyl chains in α - and β -phosphatidylcholine and phosphatidylethanolamine derivatives in sonicated vesicles (856) 144
- Podevin, R.-A. and Barbarat, B.
Biotin uptake mechanisms in brush-border and basolateral membrane vesicles isolated from rabbit kidney cortex (856) 471
- Pogády, J., see Varečka, Ľ. (856) 585
- Poole-Wilson, P.A., see Tomlins, B. (856) 137
- Porcelluzzi, C., see Menestrina, G. (856) 672
- Prasad, D.S., see Rao, L.R.S. (856) 237
- Prasad, R., see Rao, L.R.S. (856) 237
- Pratz, J., Ripoche, P. and Corman, B.
Evidence for proteic water pathways in the luminal membrane of kidney proximal tubule (856) 259
- Proulx, P., see Aubry, H. (856) 610
- Rao, L.R.S., Prasad, D.S. and Prasad, R.
Transport of basic amino acids in *Candida albicans* (856) 237
- Rapuano, B.E., Yang, C.-C. and Rosenberg, P.
The relationship between high-affinity noncatalytic binding of snake venom phospholipases A_2 to brain synaptic plasma membranes and their central lethal potencies (856) 457
- Raval, P.J. and Allan, D.
Changes in membrane polypeptides, polyphosphoinositides and phosphatidate in dense fractions of sickle cells (856) 595
- Ray, T.K., Dutta-Roy, A.K. and Sinha, A.K.
Regulation of insulin receptor activity of human erythrocyte membrane by prostaglandin E_1 (856) 421
- Rehm, W.S., see Dinno, M.A. (856) 629
- Reithmeier, R.A.F., see Craik, J.D. (856) 602
- Ring, A.
Brief closures of gramicidin A channels in lipid bilayer membranes (856) 646
- Ripoche, P., see Pratz, J. (856) 259
- Robinson, J.D., Leach, C.A. and Robinson, L.J.
Cation sites, spermine, and the reaction sequence of the ($Na^+ + K^+$)-dependent ATPase (856) 536
- Robinson, L.J., see Robinson, J.D. (856) 536
- Røigaard-Petersen, H., Jacobsen, C. and Sheikh, M.I.
Characteristics of D-galactose transport systems by luminal membrane vesicles from rabbit kidney (856) 578
- Roques, V., see Fauvel, J. (856) 155
- Rosenberg, A., see Saito, M. (856) 689
- Rosenberg, P., see Rapuano, B.E. (856) 457
- Rosenheck, K. and Plattner, H.
Ultrastructural and cytochemical characterization of adrenal medullary plasma membrane vesicles and their interaction with chromaffin granules (856) 373
- Saito, M., Salgia, R., Beckley, R. and Rosenberg, A.
The effects of monensin on membrane lipids of cultured human skin fibroblasts (856) 689
- Salgia, R., see Saito, M. (856) 689
- Sánchez-Yagüe, J. and Llanillo, M.
Lipid composition of subcellular particles from sheep platelets. Location of phosphatidylethanolamine and phosphatidylserine in plasma membranes and platelet liposomes (856) 193
- Sato, Y., Chiba, T. and Suzuki, Y.
Characterization of the anion transport channel protein in human erythrocytes. Induced circular dichroism of inhibitors bound to the anion transport channel (856) 11
- Schauenstein, K., see Csordas, A. (856) 212
- Schenerman, M.A. and Kilberg, M.S.
Maintenance of glucagon-stimulated system A amino acid transport activity in rat liver plasma membrane vesicles (856) 428
- Schreier, S., see Kelusky, E.C. (856) 85
- Schwartz, M., see Dinno, M.A. (856) 629
- Scott, W.N., see Cobb, M.H. (856) 123
- Sedgwick, E.G. and Bragg, P.D.
Uncoupler-induced relocation of elongation factor Tu to the outer membrane in an uncoupler-resistant mutant of *Escherichia coli* (856) 50
- Sepúlveda, F.V., Burton, K.A. and Brown, P.D.
Calcium movements accompanying the transport of sugar or amino acid by rabbit enterocytes (856) 185
- Shapiro, E., see Cohen, M.P. (856) 182
- Sheikh, M.I., see Røigaard-Petersen, H. (856) 578
- Shiao, Y.-J., see Wang, C.-T. (856) 244
- Simpson, R.J. and Peters, T.J.
pH-sensitive transport of Fe^{2+} across purified brush-border membrane from mouse intestine (856) 109
- Simpson, R.J. and Peters, T.J.
Mouse intestinal Fe^{3+} uptake kinetics in vivo. The significance of brush-border membrane vesicle transport in the mechanism of mucosal Fe^{3+} uptake (856) 115
- Sinha, A.K., see Ray, T.K. (856) 421
- Smith, I.C.P., see Kelusky, E.C. (856) 85
- Sönksen, P.H., see Juul, S.M. (856) 310
- Sönksen, P.H., see Juul, S.M. (856) 320

- Sorrell, M.F., see Tuma, D.J. (856) 571
- Sottocasa, G.L., see Baldini, G. (856) 1
- Stein, W.D.
Quantitative relationships between the measurable transport resistances of membrane carriers: theory and experiment (856) 634
- Stibenz, D., see Gawrisch, K. (856) 443
- Surewicz, W.K. and Epand, R.M.
Phospholipid structure determines the effects of peptides on membranes. Differential scanning calorimetry studies with pentagastrin-related peptides (856) 290
- Suzuki, Y., see Sato, Y. (856) 11
- Takenaka, T., see Okamura, E. (856) 68
- Tatham, P.E.R., O'Flynn, K. and Linch, D.C.
The relationship between mitogen-induced membrane potential changes and intracellular free calcium in human T-lymphocytes (856) 202
- Thurnhofer, H., Gains, N., Mütsch, B. and Hauser, H.
Cholesterol oxidase as a structural probe of biological membranes: its application to brush-border membrane (856) 174
- Tiribelli, C., see Baldini, G. (856) 1
- Tomlins, B., Harding, S.E., Kirby, M.S., Poole-Wilson, P.A. and Williams, A.J.
Contamination of a cardiac sarcolemmal preparation with endothelial plasma membrane (856) 137
- Tsai, W.-J., see Wang, C.-T. (856) 244
- Tuma, D.J., Mailliar, M.E., Casey, C.A., Volentine, G.D. and Sorrell, M.F.
Ethanol-induced alterations of plasma membrane assembly in the liver (856) 571
- Ueda, T., see Gill, D.L. (856) 165
- Umemura, J., see Okamura, E. (856) 68
- Vaandrager, A.B., Ploemacher, M.C. and De Jonge, H.R.
Modulation of salt permeabilities of intestinal brush-border membrane vesicles by micromolar levels of internal calcium (856) 325
- Van Loon, D., Demel, R.A. and Wirtz, K.W.A.
The phosphatidylcholine transfer protein from bovine liver discriminates between phosphatidylcholine isomers. A monolayer study (856) 482
- Varečka, L., Peterajová, E. and Pogády, J.
Inhibition by divalent cations and sulphhydryl reagents of the passive Ca^{2+} transport in human red blood cells observed in the presence of vanadate (856) 585
- Volentine, G.D., see Tuma, D.J. (856) 571
- Wallin, M., see Kanje, M. (856) 437
- Wang, C.-T., Shiao, Y.-J., Chen, J.-C., Tsai, W.-J. and Yang, C.-C.
Estimation of the phospholipid distribution in the human platelet plasma membrane based on the effect of phospholipase A_2 from *Naja nigricollis* (856) 244
- Wells, M., see Lechleiter, J. (856) 640
- Williams, A.J., see Tomlins, B. (856) 137
- Wirtz, K.W.A., see Van Loon, D. (856) 482
- Yang, C.-C., see Rapuano, B.E. (856) 457
- Yang, C.-C., see Wang, C.-T. (856) 244
- Yang, C.-P.H., see Cobb, M.H. (856) 123
- Yianni, Y.P., Fitton, J.E. and Morgan, C.G.
Lytic effects of melittin and δ -haemolysin from *Staphylococcus aureus* on vesicles of dipalmitoylphosphatidylcholine (856) 91
- Yuasa, H., Miyamoto, Y., Iga, T. and Hanano, M.
Determination of kinetic parameters of a carrier-mediated transport in the perfused intestine by two-dimensional laminar flow model: effects of the unstirred water layer (856) 219
- Zakai, N., see Gershoni, J.M. (856) 19