

AUTHOR INDEX

- Ahkong, Q.F. and Lucy, J.A.
Osmotic forces in artificially induced cell fusion (858) 206
- Åkerman, K.E.O., Heinonen, E., Kaila, K. and Scott, I.G.
Quantitative measurements of the cytosolic Ca^{2+} activity within isolated guinea pig nerve-endings using entrapped arsenazo III and quin2 (858) 275
- Alving, C.R., see Shichijo, S. (858) 118
- Barber, J., see Blackwell, M.F. (858) 221
- Bartolf, M., see Gamache, D.A. (858) 217
- Bayerl, T., Klose, G., Blanck, J. and Ruckpaul, K.
Interaction of nonionic detergents with phospholipids in hepatic microsomes at subsolubilizing concentrations as studied by ^{31}P -NMR (858) 285
- Berkhout, T.A., see Rietveld, A. (858) 38
- Blackwell, M.F., Gounaris, K. and Barber, J.
Evidence that pyrene excimer formation in membranes is not diffusion-controlled (858) 221
- Blanck, J., see Bayerl, T. (858) 285
- Bodo, B., see Le Doan, T. (858) 1
- Cabiaux, V., see Lorge, P. (858) 312
- Carrasquer, G., see Schwartz, M. (858) 301
- Chiba, T., Sato, Y. and Suzuki, Y.
Amino acid residues complexed with eosin 5-isothiocyanate in band 3 protein of the human erythrocyte (858) 107
- Coste, H., Martel, M.B. and Got, R.
Topology of glucosylceramide synthesis in Golgi membranes from porcine submaxillary glands (858) 6
- Cox, T.C.
Ion transport across the skin of a larval salamander (858) 145
- Cullis, P.R., see Mayer, L.D. (858) 161
- Davies, R.J. and Jones, M.N.
The interaction of liposomes containing intrinsic erythrocyte membrane proteins with lipid monolayers at air/water and oil/water interfaces (858) 135
- Davis, J.H., see Morrow, M.R. (858) 13
- De Kruijff, B., see Rietveld, A. (858) 38
- De Pont, J.J.H.H.M., see Helmich-de Jong, M.L. (858) 254
- Dubro, D.W., see Pope, J.M. (858) 243
- Dwyer, T.M., see Shoemaker, R.L. (858) 235
- El Hajji, M., see Le Doan, T. (858) 1
- Ellory, J.C., see Hall, A.C. (858) 317
- Farley, J.M., see Shoemaker, R.L. (858) 235
- Fonyó, A., see Lukács, G.L. (858) 125
- Franson, R.C., see Gamache, D.A. (858) 217
- Freschi, J.E. and Moran, A.
Effect of gamma radiation on sodium channels in different conformations in neuroblastoma cells (858) 31
- Frizzell, R.A., see Shoemaker, R.L. (858) 235
- Fukuhara, Y., see Horio, M. (858) 153
- Gamache, D.A., Kornberg, L.J., Bartolf, M. and Franson, R.C.
Contamination of commercial preparations of xanthine oxidase by a Ca^{2+} -dependent phospholipase A_2 (858) 217
- García-Sancho, J., see Valdeolmillos, M. (858) 181
- Garrahan, P.J., see Rossi, J.P.F.C. (858) 21
- Got, R., see Coste, H. (858) 6
- Gounaris, K., see Blackwell, M.F. (858) 221
- Hagerty, D., see Kurnik, B.R.C. (858) 47
- Hall, A.C. and Ellory, J.C.
Evidence for the presence of volume-sensitive KCl transport in 'young' human red cells (858) 317
- Harris, J.W., see Villalobo, A. (858) 188
- Hauser, H., see Strauss, G. (858) 169
- Heinonen, E., see Åkerman, K.E.O. (858) 275
- Helmich-de Jong, M.L., Van Duynhoven, J.P.M., Schuurmans Stekhoven, F.M.A.H. and De Pont, J.J.H.H.M.
Eosin, a fluorescent marker for the high-affinity ATP site of $(\text{K}^+ + \text{H}^+)\text{-ATPase}$ (858) 254
- Herreros, B., see Valdeolmillos, M. (858) 181
- Hickok, N.J., Kustin, K. and Veatch, W.
Relaxation spectra of gramicidin dimerization in a lipid bilayer membrane (858) 99
- Hope, M.J., see Mayer, L.D. (858) 161
- Horio, M., Fukuhara, Y., Orita, Y., Nakanishi, T., Nakahama, H., Moriyama, T. and Kamada, T.
Gentamicin inhibits Na^+ -dependent D-glucose transport in rabbit kidney brush-border membrane vesicles (858) 153
- Hruska, K.A., see Kurnik, B.R.C. (858) 47
- Huskey, M., see Kurnik, B.R.C. (858) 47
- Iwashima, A., see Nosaka, K. (858) 309
- Jones, M.N., see Davies, R.J. (858) 135
- Kaila, K., see Åkerman, K.E.O. (858) 275
- Kamada, T., see Horio, M. (858) 153
- Klose, G., see Bayerl, T. (858) 285
- Kornberg, L.J., see Gamache, D.A. (858) 217
- Kurnik, B.R.C., Huskey, M., Hagerty, D. and Hruska, K.A.
Vitamin D metabolites stimulate phosphatidylcholine transfer to renal brush-border membranes (858) 47
- Kustin, K., see Hickok, N.J. (858) 99

- Lamb, M.P., see Morrow, M.R. (858) 13
- Lanyi, J.K., see Vodyanoy, I. (858) 92
- Le Doan, T., El Hajji, M., Rebuffat, S., Raja Rajesvari, M. and Bodo, B.
Fluorescence studies of the interaction of trichorzianine A IIIc with model membranes (858) 1
- Long, L., see Lorge, P. (858) 312
- Lorge, P., Cabiaux, V., Long, L. and Ruyschaert, J.M.
Fusion of Newcastle disease virus with liposomes: role of the lipid composition of liposomes (858) 312
- Lucy, J.A., see Ahkong, Q.F. (858) 206
- Lukács, G.L. and Fonyó, A.
The Ba^{2+} sensitivity of the Na^+ -induced Ca^{2+} efflux in heart mitochondria: the site of inhibitory action (858) 125
- Mann, G.E. and Peran, S.
Basolateral amino acid transport systems in the perfused exocrine pancreas: sodium-dependency and kinetic interactions between influx and efflux mechanisms (858) 263
- Marín, R., Proverbio, T. and Proverbio, F.
Inside-out basolateral plasma membrane vesicles from rat kidney proximal tubular cells (858) 195
- Marín, R., see Proverbio, F. (858) 202
- Marsh, D., see Rietveld, A. (858) 38
- Martel, M.B., see Coste, H. (858) 6
- Mayer, L.D., Hope, M.J. and Cullis, P.R.
Vesicles of variable sizes produced by a rapid extrusion procedure (858) 161
- Mohri, T., see Ohyashiki, T. (858) 294
- Moran, A., see Freschi, J.E. (858) 31
- Moriyama, T., see Horio, M. (858) 153
- Morrow, M.R., Davis, J.H., Sharom, F.J. and Lamb, M.P.
Studies on the interaction of human erythrocyte band 3 with membrane lipids using deuterium nuclear magnetic resonance and differential scanning calorimetry (858) 13
- Nakahama, H., see Horio, M. (858) 153
- Nakanishi, T., see Horio, M. (858) 153
- Nishimura, H., see Nosaka, K. (858) 309
- Nosaka, K., Nishimura, H. and Iwashima, A.
Effect of tunicamycin on thiamine transport in *Saccharomyces cerevisiae* (858) 309
- Ohyashiki, T., Ushiro, H. and Mohri, T.
Effects of α -tocopherol on the lipid peroxidation and fluidity of porcine intestinal brush-border membranes (858) 294
- Orita, Y., see Horio, M. (858) 153
- Page, M.G.P. and West, I.C.
Characterisation in vivo of the reactive thiol groups of the lactose permease from *Escherichia coli* and a mutant; exposure, reactivity and the effects of substrate binding (858) 67
- Peran, S., see Mann, G.E. (858) 263
- Poduslo, S.E., see Schmelzer, C.H. (858) 56
- Poirée, J.C., Starita-Geribaldi, M. and Sudaka, P.
Separation and reconstitution of sodium-dependent glucose transport activity from renal brush-border membranes using gel-filtration chromatography (858) 83
- Pope, J.M. and Dubro, D.W.
The interaction of *n*-alkanes and *n*-alcohols with lipid bilayer membranes: a ^2H -NMR study (858) 243
- Proverbio, F., Proverbio, T. and Marín, R.
 Na^+ -ATPase is a different entity from the $(\text{Na}^+ + \text{K}^+)$ -ATPase in rat kidney basolateral plasma membranes (858) 202
- Proverbio, F., see Marín, R. (858) 195
- Proverbio, T., see Marín, R. (858) 195
- Proverbio, T., see Proverbio, F. (858) 202
- Raja Rajesvari, M., see Le Doan, T. (858) 1
- Rebuffat, S., see Le Doan, T. (858) 1
- Rega, A.F., see Rossi, J.P.F.C. (858) 21
- Rehm, W.S., see Schwartz, M. (858) 301
- Rietveld, A., Berkhout, T.A., Roenhorst, A., Marsh, D. and De Kruijff, B.
Preferential association of apocytochrome *c* with negatively charged phospholipids in mixed model membranes (858) 38
- Roenhorst, A., see Rietveld, A. (858) 38
- Rossi, J.P.F.C., Garrahan, P.J. and Rega, A.F.
The activation of phosphatase activity of the Ca^{2+} -ATPase from human red cell membranes by calmodulin, ATP and partial proteolysis (858) 21
- Roufogalis, B.D., see Villalobo, A. (858) 188
- Ruckpaul, K., see Bayerl, T. (858) 285
- Ruyschaert, J.M., see Lorge, P. (858) 312
- Sato, Y., see Chiba, T. (858) 107
- Schmelzer, C.H. and Poduslo, S.E.
Purification and characterization of two glycoproteins from oligodendroglial plasma membranes (858) 56
- Schurtenberger, P., see Strauss, G. (858) 169
- Schuermans Stekhoven, F.M.A.H., see Helmich-de Jong, M.L. (858) 254
- Schwartz, M., Carrasquer, G. and Rehm, W.S.
Potential difference responses to secretory K^+ , Cl^- and Na^+ changes in secreting and resting states of frog stomach (858) 301
- Scott, I.G., see Åkerman, K.E.O. (858) 275
- Sharom, F.J., see Morrow, M.R. (858) 13
- Shichijo, S. and Alving, C.R.
Inhibitory effects of gangliosides on immune reactions of antibodies to neutral glycolipids in liposomes (858) 118
- Shoemaker, R.L., Frizzell, R.A., Dwyer, T.M. and Farley, J.M.
Single chloride channel currents from canine tracheal epithelial cells (858) 235
- Starita-Geribaldi, M., see Poirée, J.C. (858) 83
- Strauss, G., Schurtenberger, P. and Hauser, H.
The interaction of saccharides with lipid bilayer vesicles: stabilization during freeze-thawing and freeze-drying (858) 169
- Sudaka, P., see Poirée, J.C. (858) 83
- Suzuki, Y., see Chiba, T. (858) 107
- Ushiro, H., see Ohyashiki, T. (858) 294
- Valdeolmillos, M., García-Sancho, J. and Herreros, B.

- Differential effects of transmembrane potential on two Na^+ -dependent transport systems for neutral amino acids (858) 181
- Van Duynhoven, J.P.M., see Helmich-de Jong, M.L. (858) 254
- Veatch, W., see Hickok, N.J. (858) 99
- Villalobo, A., Harris, J.W. and Roufogalis, B.D.
Calcium-dependent inhibition of the erythrocyte Ca^{2+} translocating ATPase by carbodiimides (858) 188
- Vodyanoy, I., Vodyanoy, V. and Lanyi, J.K.
Current-voltage characteristics of planar lipid membranes with attached *Halobacterium* cell-envelope vesicles (858) 92
- Vodyanoy, V., see Vodyanoy, I. (858) 92
- West, I.C., see Page, M.G.P. (858) 67