

AUTHOR INDEX

- Abe, M., see Hoshi, T. (861) 483
- Abran, D., see Motoyama, H. (861) 9
- Antonenko, Y.N. and Yaguzhinsky, L.S.
The peculiarities of reactions catalyzed by alcohol dehydrogenase in unstirred layers adjacent to the bilayer lipid membrane (861) 337
- Antunes-Madeira, M.C. and Madeira, V.M.C.
Partition of DDT in synthetic and native membranes (861) 159
- Apell, H.-J. and Läuger, P.
Quantitative analysis of pump-mediated fluxes in reconstituted lipid vesicles (861) 302
- Appel, L., see Crowe, L.M. (861) 131
- Aranda, F.J., Villalain, J. and Gómez-Fernández, J.C.
A Fourier transform infrared spectroscopic study of the molecular interaction of ubiquinone-10 and ubiquinol-10 with bilayers of dipalmitoylphosphatidylcholine (861) 25
- Bachs, O., see Enrich, C. (861) 381
- Bailey, D.S., see McAllister, G. (861) 197
- Bakker, R., Dobbeltmann, J. and Borst-Pauwels, G.W.F.H.
Membrane potential in the yeast *Endomyces magnusii* measured by microelectrodes and TPP⁺ distribution (861) 205
- Belin, J., see Conroy, D.M. (861) 457
- Béress, L., see Böttinger, H. (861) 165
- Berteloot, A.
Membrane potential dependency of glutamic acid transport in rabbit jejunal brush-border membrane vesicles: K⁺ and H⁺ effects (861) 447
- Biedlingmaier, S. and Schmidt, A.
Characterization of the non-constitutive ethanesulfonate uptake in *Chlorella fusca* (861) 95
- Bittman, R., see Lewis, E.N. (861) 44
- Blumenthal, R., see Walter, A. (861) 319
- Bocharnikova, N.I., see Mironova, G.D. (861) 224
- Borst-Pauwels, G.W.F.H., Boxman, A.W., Theuvenet, A.P.R., Peters, P.H.J. and Dobbeltmann, J.
A study of the mechanism by which inhibitors of the plasmamembrane ATPase enhance uptake of divalent cations in yeast (861) 413
- Borst-Pauwels, G.W.F.H., see Bakker, R. (861) 205
- Boss, W.F., see Kanchanapoom, K. (861) 429
- Böttinger, H., Béress, L. and Habermann, E.
Involvement of (Na⁺ + K⁺)-ATPase in binding and actions of palytoxin on human erythrocytes (861) 165
- Boucher, F., see Motoyama, H. (861) 9
- Boxman, A.W., see Borst-Pauwels, G.W.F.H. (861) 413
- Brasseur, R., see Goormaghtigh, E. (861) 83
- Brauner, J.W. and Mendelsohn, R.
A comparison of differential scanning calorimetric and Fourier transform infrared spectroscopic determination of mixing behavior in binary phospholipid systems (861) 16
- Busath, D., see Jones, D. (861) 62
- Cabantchik, Z.I., see Ginsburg, H. (861) 194
- Casida, J.E., see Seifert, J. (861) 399
- Chojnacki, T., see Van Duijn, G. (861) 211
- Conroy, D.M., Stubbs, C.D., Belin, J., Pryor, C.L. and Smith, A.D.
The effects of dietary (*n* - 3) fatty acid supplementation on lipid dynamics and composition in rat lymphocytes and liver microsomes (861) 457
- Corman, B., see Pratz, J. (861) 395
- Coster, H.G.L. and Laver, D.R.
The effect of benzyl alcohol and cholesterol on the acyl chain order and alkane solubility of bimolecular phosphatidylcholine membranes (861) 406
- Coulton, J.W., see Vachon, V. (861) 74
- Cowlen, M.S., see Kier, A.B. (861) 287
- Crowe, J.H., see Crowe, L.M. (861) 131
- Crowe, L.M., Womersley, C., Crowe, J.H., Reid, D., Appel, L. and Rudolph, A.
Prevention of fusion and leakage in freeze-dried liposomes by carbohydrates (861) 131
- Cunningham, B.A. and Lis, L.J.
Thiocyanate and bromide ions influence the bilayer structural parameters of phosphatidylcholine bilayers (861) 237
- Curatolo, W.
The interactions of 1-palmitoyl-2-oleylphosphatidylcholine and bovine brain cerebroside (861) 373
- Dallner, G., see Van Duijn, G. (861) 211
- Dambacher, K.H. and Fromherz, P.
Reversible bilayer junction of lipid monolayers: free mono-bi-monolayer contact (861) 331
- De Kruijff, B., see Van Duijn, G. (861) 211
- De Lisi, A., see Megli, F.M. (861) 463
- De Pont, J.J.H.H.M., see Schuurmans Stekhoven, F.M.A.H. (861) 259
- De Rosa, M., see Gliozzi, A. (861) 420
- Dobbeltmann, J., see Bakker, R. (861) 205
- Dobbeltmann, J., see Borst-Pauwels, G.W.F.H. (861) 413
- Donath, E., see Egger, M. (861) 122
- Donath, E., see Herrmann, A. (861) 111
- Duax, J., see Ohki, S. (861) 177
- Egger, M., Donath, E., Ziemer, S. and Glaser, R.
Electrorotation - a new method for investigating mem-

- brane events during thrombocyte activation. Influence of drugs and osmotic pressure (861) 122
- Enrich, C., Bachs, O., Soriano, M. and Serratos, J.
Changes in sinusoidal plasma membrane enzyme activities during the pre-replicative phase of liver regeneration (861) 381
- Fischer, T.M.
Transcellular cross bonding of the red blood cell membrane (861) 277
- Foder, B., see Scharff, O. (861) 471
- Fromherz, P., see Dambacher, K.H. (861) 331
- Gambacorta, A., see Gliozzi, A. (861) 420
- Ginsburg, H., Kutner, S., Zangwil, M. and Cabantchik, Z.I.
Selectivity properties of pores induced in host erythrocyte membrane by *Plasmodium falciparum*. Effect of parasite maturation (861) 194
- Glaser, R., see Egger, M. (861) 122
- Gliozzi, A., Paoli, G., Pisani, D., Gliozzi, F., De Rosa, M. and Gambacorta, A.
Phase transitions of bipolar lipids of thermophilic archaeobacteria (861) 420
- Gliozzi, F., see Gliozzi, A. (861) 420
- Gómez-Fernández, J.C., see Aranda, F.J. (861) 25
- Goormaghtigh, E., Huart, P., Brasseur, R. and Ruyschaert, J.-M.
Mechanism of inhibition of mitochondrial enzymatic complex I-III by adriamycin derivatives (861) 83
- Groth, T., see Herrmann, A. (861) 111
- Grygorczyk, R. and Simon, M.
Single K⁺ channels in the apical membrane of amphibian peritoneum (861) 385
- Guerette, L., see Motoyama, H. (861) 9
- Habermann, E., see Böttinger, H. (861) 165
- Hamanaka, T., see Motoyama, H. (861) 9
- Hayon, E., see Jones, D. (861) 62
- Herrmann, A., Lassmann, G., Groth, T., Donath, E. and Hillebrecht, B.
Conformational alterations within the glycocalyx of erythrocyte membranes studied by spin labelling (861) 111
- Hillebrecht, B., see Herrmann, A. (861) 111
- Hincha, D.K.
Sucrose influx and mechanical damage by osmotic stress to thylakoid membranes during an in vitro freeze-thaw cycle (861) 152
- Höfer, M., see Prasad, R. (861) 377
- Homcy, C.J., see Insoft, R. (861) 345
- Hoshi, T., Takuwa, N., Abe, M. and Tajima, A.
Hydrogen ion-coupled transport of D-glucose by phlorizin-sensitive sugar carrier in intestinal brush-border membranes (861) 483
- Huart, P., see Goormaghtigh, E. (861) 83
- Insoft, R., Sawutz, D.G. and Homcy, C.J.
Purification and characterization of the β_2 -adrenergic receptor from calf lung (861) 345
- Jones, D., Hayon, E. and Busath, D.
Tryptophan photolysis is responsible for gramicidin-channel inactivation by ultraviolet light (861) 62
- Jones, G.P., see Misso, N.L.A. (861) 1
- Kakinuma, K., see Yamaguchi, T. (861) 440
- Kanchanapoom, K. and Boss, W.F.
Osmoregulation of fusogenic protoplast fusion (861) 429
- Kaneda, M., see Yamaguchi, T. (861) 440
- Katsaras, J., Stinson, R.H., Kendall, E.J. and McKersie, B.D.
Structural simulation of free radical damage in a model membrane system: a small-angle X-ray diffraction study (861) 243
- Katz, U. and Scheffey, C.
The voltage-dependent chloride current conductance of toad skin is localized to mitochondria-rich cells (861) 480
- Kendall, E.J., see Katsaras, J. (861) 243
- Kier, A.B., Sweet, W.D., Cowlen, M.S. and Schroeder, F.
Regulation of transbilayer distribution of a fluorescent sterol in tumor cell plasma membranes (861) 287
- Kitô, Y., see Motoyama, H. (861) 9
- Kutner, S., see Ginsburg, H. (861) 194
- Laprade, R., see Vachon, V. (861) 74
- Lassmann, G., see Herrmann, A. (861) 111
- Läuger, P., see Apell, H.-J. (861) 302
- Laver, D.R., see Coster, H.G.L. (861) 406
- Lenaz, G., see Mazzanti, L. (861) 105
- Levin, I.W., see Lewis, E.N. (861) 44
- Lewis, E.N., Bittman, R. and Levin, I.W.
Methyl group substitution at C(1), C(2) or C(3) of the glycerol backbone of a diether phosphocholine: a comparative study of bilayer chain disorder in the gel and liquid-crystalline phases (861) 44
- Lis, L.J., see Cunningham, B.A. (861) 237
- McAllister, G. and Bailey, D.S.
Cell-free synthesis of high-molecular-weight small intestinal polypeptides (861) 197
- McKersie, B.D., see Katsaras, J. (861) 243
- Madeira, V.M.C., see Antunes-Madeira, M.C. (861) 159
- Madsen, G.M., see Powis, D.A. (861) 251
- Mannella, C.A.
Effects of phospholipases C and D on ordering of channel proteins in the mitochondrial outer membrane (861) 67
- Mann, G.E., see Norman, P.S.R. (861) 389
- Mazzanti, L., Pastuszko, A. and Lenaz, G.
Effects of ketamine anesthesia on rat-brain membranes: fluidity changes and kinetics of acetylcholinesterase (861) 105
- Megli, F.M., De Lisi, A., Van Amerongen, A., Wirtz, K.W.A. and Quagliariello, E.
Nonspecific lipid transfer protein (sterol carrier protein 2) is bound to rat liver mitochondria: its role in spontaneous intermembrane phospholipid transfer (861) 463
- Mendelsohn, R., see Brauner, J.W. (861) 16
- Mirchell, A.K., see Van Corven, E.J.J.M. (861) 267
- Mironov, G.P., see Mironova, G.D. (861) 224

- Mironova, G.D., Bocharnikova, N.I., Mirsalikhova, N.M. and Mironov, G.P.
Ion-transporting properties and ATPase activity of (Na⁺ + K⁺)-ATPase large subunit incorporated into bilayer lipid membranes (861) 224
- Mirsalikhova, N.M., see Mironova, G.D. (861) 224
- Misso, N.L.A., Jones, G.P. and Paleg, L.G.
Effects of phospholipid oxidation on the indole-3-acetic-acid-facilitated transport of Pr³⁺ ions into phosphatidylcholine vesicles (861) 1
- Mitsumoto, Y. and Mohri, T.
Leucine transport in relation to the activities of Na⁺-H⁺ antiporter and Na⁺/K⁺ pump stimulated by serum and a tumor promoter (861) 187
- Mohri, T., see Mitsumoto, Y. (861) 187
- Mohri, T., see Ohyashiki, T. (861) 311
- Mollinedo, F.
Isolation of human neutrophil plasma membranes employing neutrophil cytoplasts and changes in the cell-surface proteins upon cell activation (861) 33
- Morita, H., see Motoyama, H. (861) 9
- Motoyama, H., Hamanaka, T., Kitō, Y., Morita, H., Guerette, L., Abran, D. and Boucher, F.
Wavelength modulation by molecular environment in visual pigments (861) 9
- Norman, P.S.R. and Mann, G.E.
Transport characteristics of system A in the rat exocrine pancreatic epithelium analyzed using the specific non-metabolized amino acid analogue α-methylaminoisobutyric acid (861) 389
- Ohki, S. and Duax, J.
Effects of cations and polyamines on the aggregation and fusion of phosphatidylserine membranes (861) 177
- Ohtsuka, T., see Ohyashiki, T. (861) 311
- Ohyashiki, T., Ohtsuka, T. and Mohri, T.
A change in the lipid fluidity of the porcine intestinal brush-border membranes by lipid peroxidation. Studies using pyrene and fluorescent stearic acid derivatives (861) 311
- Paleg, L.G., see Misso, N.L.A. (861) 1
- Paoli, G., see Gliozzi, A. (861) 420
- Pastuszko, A., see Mazzanti, L. (861) 105
- Peters, P.H.J., see Borst-Pauwels, G.W.F.H. (861) 413
- Pisani, D., see Gliozzi, A. (861) 420
- Poile, T.W., see Watts, A. (861) 368
- Powis, D.A. and Madsen, G.M.
Unsuitability of the ⁸⁶Rb⁺ uptake method for estimation of (Na⁺ + K⁺)-ATPase activity in innervated tissues (861) 251
- Prasad, R. and Höfer, M.
Tetraphenylphosphonium is an indicator of negative membrane potential in *Candida albicans* (861) 377
- Pratz, J., Ripoche, P. and Corman, B.
Osmotic water permeability and solute reflection coefficients of rat kidney brush-border membrane vesicles (861) 395
- Pryor, C.L., see Conroy, D.M. (861) 457
- Quagliariello, E., see Megli, F.M. (861) 463
- Reid, D., see Crowe, L.M. (861) 131
- Ripoche, P., see Pratz, J. (861) 395
- Rizzo, V., see Schwarz, G. (861) 141
- Rudolph, A., see Crowe, L.M. (861) 131
- Ruysschaert, J.-M., see Goormaghtigh, E. (861) 83
- Sawutz, D.G., see Insoft, R. (861) 345
- Scharff, O. and Foder, B.
Delayed activation of calcium pump during transient increases in cellular Ca²⁺ concentration and K⁺ conductance in hyperpolarizing human red cells (861) 471
- Scheffey, C., see Katz, U. (861) 480
- Schmidt, A., see Biedlingmaier, S. (861) 95
- Schroeder, F., see Kier, A.B. (861) 287
- Schroeder, F., see Sweet, W.D. (861) 53
- Schuddemat, J., Van den Broek, P.J.A. and Van Steveninck, J.
Effect of xylose incubation on the glucose transport system in *Saccharomyces cerevisiae* (861) 489
- Schuurmans Stekhoven, F.M.A.H., Swarts, H.G.P., Zhao, R.S. and De Pont, J.J.H.H.M.
Nucleotide specificity of the E₂K → E₁K transition in (Na⁺ + K⁺)-ATPase as probed with tryptic inactivation and fragmentation (861) 259
- Schwarz, G., Stankowski, S. and Rizzo, V.
Thermodynamic analysis of incorporation and aggregation in a membrane: Application to the pore-forming peptide alamethicin (861) 141
- Seifert, J. and Casida, J.E.
Ca²⁺-dependent ryanodine binding site: soluble preparation from rabbit cardiac sarcoplasmic reticulum (861) 399
- Serratos, J., see Enrich, C. (861) 381
- Simon, M., see Grygorczyk, R. (861) 385
- Smith, A.D., see Conroy, D.M. (861) 457
- Soriano, M., see Enrich, C. (861) 381
- Souzu, H.
Fluorescence polarization studies on *Escherichia coli* membrane stability and its relation to the resistance of the cell to freeze-thawing. I. Membrane stability in cells of differing growth phase (861) 353
- Souzu, H.
Fluorescence polarization studies on *Escherichia coli* membrane stability and its relation to the resistance of the cell to freeze-thawing. II. Stabilization of the membranes by polyamines (861) 361
- Stankowski, S., see Schwarz, G. (861) 141
- Steer, C.J., see Walter, A. (861) 319
- Stinson, R.H., see Katsaras, J. (861) 243
- Stubbs, C.D., see Conroy, D.M. (861) 457
- Swarts, H.G.P., see Schuurmans Stekhoven, F.M.A.H. (861) 259
- Sweet, W.D. and Schroeder, F.
Plasma membrane lipid composition modulates action of anesthetics (861) 53
- Sweet, W.D., see Kier, A.B. (861) 287
- Tajima, A., see Hoshi, T. (861) 483
- Takemoto, J.Y., see Zhang, L. (861) 201

- Takuwa, N., see Hoshi, T. (861) 483
- Theuvsen, A.P.R., see Borst-Pauwels, G.W.F.H. (861) 413
- Vachon, V., Laprade, R. and Coulton, J.W.
Properties of the porin of *Haemophilus influenzae* type b in planar lipid bilayer membranes (861) 74
- Valtersson, C., see Van Duijn, G. (861) 211
- Van Amerongen, A., see Megli, F.M. (861) 463
- Van Corven, E.J.J.M., Van Os, C.H. and Mircheff, A.K.
Subcellular distribution of ATP-dependent calcium transport in rat duodenal epithelium (861) 267
- Van den Broek, P.J.A., see Schuddemat, J. (861) 489
- Van Duijn, G., Valtersson, C., Chojnacki, T., Verkleij, A.J., Dallner, G. and De Kruijff, B.
Dolichyl phosphate induces non-bilayer structures, vesicle fusion and transbilayer movement of lipids: a model membrane study (861) 211
- Van Os, C.H., see Van Corven, E.J.J.M. (861) 267
- Van Steveninck, J., see Schuddemat, J. (861) 489
- Verkleij, A.J., see Van Duijn, G. (861) 211
- Villalain, J., see Aranda, F.J. (861) 25
- Walter, A., Steer, C.J. and Blumenthal, R.
Polylysine induces pH-dependent fusion of acidic phospholipid vesicles: a model for polycation-induced fusion (861) 319
- Watts, A. and Poile, T.W.
Direct determination by ^2H -NMR of the ionization state of phospholipids and of a local anaesthetic at the membrane surface (861) 368
- Wirtz, K.W.A., see Megli, F.M. (861) 463
- Womersley, C., see Crowe, L.M. (861) 131
- Yaguzhinsky, L.S., see Antonenko, Y.N. (861) 337
- Yamaguchi, T., Kaneda, M. and Kakinuma, K.
Effect of saturated and unsaturated fatty acids on the oxidative metabolism of human neutrophils. The role of calcium ion in the extracellular medium (861) 440
- Zangwil, M., see Ginsburg, H. (861) 194
- Zhang, L. and Takemoto, J.Y.
Mechanism of action of *Pseudomonas syringae* phytotoxin, syringomycin. Interaction with the plasma membrane of wild-type and respiratory-deficient strains of *Saccharomyces cerevisiae* (861) 201
- Zhao, R.S., see Schuurmans Stekhoven, F.M.A.H. (861) 259
- Ziemer, S., see Egger, M. (861) 122