

AUTHOR INDEX

- Alam, A., see Joshi, P. (862) 220
- Allmann, K., see Alpes, H. (862) 294
- Alpes, H., Allmann, K., Plattner, H., Reichert, J., Riek, R. and Schulz, S.
Formation of large unilamellar vesicles using alkyl maltoside detergents (862) 294
- Ananthanarayanan, M., see Von Dippe, P. (862) 352
- Aoyagi, H., see Lee, S. (862) 211
- Apell, H.-J. and Marcus, M.M.
($\text{Na}^+ + \text{K}^+$)-ATPase in artificial lipid vesicles: influence of the concentration of mono- and divalent cations on the pumping rate (862) 254
- Aramaki, Y., Takahashi, M., Inaba, A., Ishii, Y. and Tsuchiya, S.
Uptake of aminoglycoside antibiotics into brush-border membrane vesicles and inhibition of ($\text{Na}^+ + \text{K}^+$)-ATPase activity of basolateral membrane (862) 111
- Arduini, A., Chen, Z. and Stern, A.
Phenylhydrazine-induced changes in erythrocyte membrane surface lipid packing (862) 65
- Au, S., Schacht, J. and Weiner, N.
Membrane effects of aminoglycoside antibiotics measured in liposomes containing the fluorescent probe, 1-anilino-8-naphthalene sulfonate (862) 205
- Barratt, G., Tenu, J.-P., Yapo, A. and Petit, J.-F.
Preparation and characterisation of liposomes containing mannosylated phospholipids capable of targetting drugs to macrophages (862) 153
- Barsukov, L.I., Bergelson, L.D., Spiess, M., Hauser, H. and Semenza, G.
Phospholipid topology and flip-flop in intestinal brush-border membrane (862) 87
- Baubichon-Cortay, H., Serres-Guillaumond, M., Broquet, P. and Louisot, P.
Different reactivity to lysophosphatidylcholine, DIDS and trypsin of two brain sialyltransferases specific for O-glycans: a consequence of their topography in the endoplasmic membranes (862) 243
- Baue, A.E., see Sumpio, B.E. (862) 303
- Bergelson, L.D., see Barsukov, L.I. (862) 87
- Biber, T.U.L., DeSimone, J.A. and Drewnowska, K.
Potential dependence of unidirectional chloride fluxes across isolated frog skin (862) 27
- Bicknell-Brown, E., Brown, K.G. and Borchman, D.
Atomic and Raman spectroscopy of the dipalmitoylphosphatidic acid-calcium complex and phase transitions (862) 134
- Borchman, D., see Bicknell-Brown, E. (862) 134
- Breidenbach, R.W., see Grimes, H.D. (862) 165
- Bridges, R.J., see Katgely, B.W. (862) 429
- Broquet, P., see Baubichon-Cortay, H. (862) 243
- Brown, K.G., see Bicknell-Brown, E. (862) 134
- Burckhardt, G., see Mačković, M. (862) 141
- Cabrini, G. and Verkman, A.S.
Localization of cyanine dye binding to brush-border membranes by quenching of *n*-(9-anthroyloxy) fatty acid probes (862) 285
- Cao, A., see Hantz, E. (862) 379
- Carrasquer, G., Rehm, W.S. and Schwartz, M.
Amphotericin B enhanced anomalous potential difference response to changes in aqueous K^+ in frog cornea (862) 178
- Casali, E., see Masotti, L. (862) 265
- Cavatorta, P., see Masotti, L. (862) 265
- Chandra, R., see Joshi, P. (862) 220
- Chanturiya, A.N., see Mironov, S.L. (862) 185
- Chaudry, I.H., see Sumpio, B.E. (862) 303
- Chen, Z., see Arduini, A. (862) 65
- Chien, S., see Reinhart, W.H. (862) 1
- Chinard, F.P., see Garrick, R.A. (862) 227
- Cornell, B.A., see Waltham, M.C. (862) 451
- Cottam, P.F., He, N.-B., Hui, S.W. and Ho, C.
Biochemical and morphological properties of membranes of unsaturated fatty acid auxotrophs of *Salmonella typhimurium*: effects of fluorinated myristic acids (862) 413
- Crawford, B.F., see Smutzer, G. (862) 361
- Cumar, F.A., see Fidelio, G.D. (862) 49
- Deamer, D.W., see Scherer, N.M. (862) 309
- Denkins, Y.M. and Schroit, A.J.
Phosphatidylserine decarboxylase: generation of asymmetric vesicles and determination of the transbilayer distribution of fluorescent phosphatidylserine in model membrane systems (862) 343
- DeSimone, J.A., see Biber, T.U.L. (862) 27
- Drain, P., see Von Dippe, P. (862) 352
- Drewnowska, K., see Biber, T.U.L. (862) 27
- Eggl, P., Wirthensohn, K. and Hirsch, H.
Effect of hormones on phospholipid metabolism in human cultured fibroblasts (862) 399
- Escaig, J., see Hantz, E. (862) 379
- Eshima, K., see Hasegawa, E. (862) 235
- Fidelio, G.D., Maggio, B. and Cumar, F.A.
Interaction of melittin with glycosphingolipids and phos-

- pholipids in mixed monolayers at different temperatures. Effect of the lipid physical state (862) 49
- Foker, W., see Hebbel, R.P. (862) 8
- Foreman, J.W., Hwang, S.-M., Medow, M. and Segal, S. Characteristics of lysine uptake by isolated renal cortical tubule fragments from mature and immature dogs (862) 127
- Garrick, R.A., Ryan, U.S. and Chinard, F.P. Endothelial cell permeability to water (862) 227
- Gercken, G., see Witt, W. (862) 100
- Gliemann, J., see Okuno, Y. (862) 329
- Grant, D.A.W., see Sharma, R.J. (862) 199
- Grimes, H.D., Watanabe, N.M. and Breidenbach, R.W. Plasma membrane isolated with a defined orientation used to investigate protein topography (862) 165
- Gupta, C.M., see Joshi, P. (862) 220
- Hantz, E., Cao, A., Escaig, J. and Taillandier, E. The osmotic response of large unilamellar vesicles studied by quasielastic light scattering (862) 379
- Hasegawa, E., Eshima, K., Matsushita, Y.-I., Nishide, H. and Tsuchida, E. Interactions of functionalized polymeric liposomes having a porphyrinato-iron complex with some biological cells and components in vitro (862) 235
- Hatano, Y., see Konishi, T. (862) 278
- Hauser, H., see Barsukov, L.I. (862) 87
- Heath, T.D., Lopez, N.G., Piper, J.R., Montgomery, J.A., Stern, W.H. and Papahadjopoulos, D. Liposome-mediated delivery of pteridine antifolates to cells in vitro: potency of methotrexate, and its α and γ substituents (862) 72
- He, N.-B., see Cottam, P.F. (862) 413
- Hebbel, R.P., Shalev, O., Foker, W. and Rank, B.H. Inhibition of erythrocyte Ca^{2+} -ATPase by activated oxygen through thiol- and lipid-dependent mechanisms (862) 8
- Hibbs, A.R. and Marzuki, S. An assessment of the ability of yeast cells to incorporate photolabile fatty acids into their membrane phospholipids in vivo (862) 445
- Hirsch, H., see Eggel, P. (862) 399
- Ho, C., see Cottam, P.F. (862) 413
- Höfer, M. and Novacky, A. Measurement of plasma membrane potentials of yeast cells with glass microelectrodes (862) 372
- Holohan, P.D., see Sokol, P.P. (862) 335
- Horák, J. Possible role of histidine in the L-proline transport system of *Saccharomyces cerevisiae* (862) 407
- Hui, S.W., see Cottam, P.F. (862) 413
- Hull, M.J., see Sumpio, B.E. (862) 303
- Hwang, S.-M., see Foreman, J.W. (862) 127
- Inaba, A., see Aramaki, Y. (862) 111
- Ishii, Y., see Aramaki, Y. (862) 111
- Izumiya, N., see Lee, S. (862) 211
- Joshi, P., Alam, A., Chandra, R., Puri, S.K. and Gupta, C.M. Possible basis for membrane changes in nonparasitized erythrocytes of malaria-infected animals (862) 220
- Kahan, I. and Moscarello, M.A. The intramembranous domains of lipophilin in phosphatidylcholine vesicles are similar to those in the myelin membrane (862) 223
- Katgely, B.W., Bridges, R.J. and Rummel, W. Inhibition of the intestinal transport of uracil by hexoses and amino acids (862) 429
- Kato, T., see Lee, S. (862) 211
- King, M.D. and Marsh, D. Free volume model for lipid lateral diffusion coefficients. Assessment of the temperature dependence in phosphatidylcholine and phosphatidylethanolamine bilayers (862) 231
- Konishi, T., Murakami, N., Hatano, Y. and Nakazato, K. Simultaneous determination of membrane potential and pH gradient by photodiode array spectroscopy (862) 278
- Kristensen, B.I. The effect of Mg^{2+} and calmidazolium on the calmodulin binding to inside-out vesicles of the human red cell membrane (862) 457
- Kung, V.T. and Redemann, C.T. Synthesis of carboxyacyl derivatives of phosphatidylethanolamine and use as an efficient method for conjugation of protein to liposomes (862) 435
- Lee, S., Mihara, H., Aoyagi, H., Kato, T., Izumiya, N. and Yamasaki, N. Relationship between antimicrobial activity and amphiphilic property of basic model peptides (862) 211
- Levy, D., see Von Dippe, P. (862) 352
- Lis, L.J. and Quinn, P.J. A time-resolved synchrotron X-ray study of a crystalline phase bilayer transition and packing in a saturated monogalactosyldiacylglycerol-water system (862) 81
- Lishko, V.K., see Mironov, S.L. (862) 185
- Lopez, N.G., see Heath, T.D. (862) 72
- Louis, C.F., see Mickelson, J.R. (862) 318
- Louisot, P., see Baubichon-Cortay, H. (862) 243
- McGroarty, E.J., see Xu, G. (862) 57
- Mačković, M., Zimolo, Z., Burckhardt, G. and Sabolić, I. Isolation of renal brush-border membrane vesicles by a low-speed centrifugation; effect of sex hormones on Na^+ - H^+ exchange in rat and mouse kidney (862) 141
- Maggio, B., see Fidelio, G.D. (862) 49
- Mann, G.E., Muñoz, M. and Peran, S. Fasting and refeeding modulate neutral amino acid transport activity in the basolateral membrane of the rat exocrine pancreatic epithelium: fasting-induced insulin insensitivity (862) 119
- Marcus, M.M., see Apell, H.-J. (862) 254
- Marsh, D., see King, M.D. (862) 231
- Marzuki, S., see Hibbs, A.R. (862) 445
- Masotti, L., Cavatorta, P., Sartor, G., Casali, E. and Szabo, A.G.

- Tryptophan interactions of gramicidin A' channels in lipids: a time-resolved fluorescence study (862) 265
- Mateu, L. and Morán, O.
Reversible changes in myelin structure and electrical activity during anesthesia in vivo (862) 17
- Matsushita, Y.-I., see Hasegawa, E. (862) 235
- Medow, M., see Foreman, J.W. (862) 127
- Mickelson, J.R., Ross, J.A., Reed, B.K. and Louis, C.F.
Enhanced Ca^{2+} -induced calcium release by isolated sarcoplasmic reticulum vesicles from malignant hyperthermia susceptible pig muscle (862) 318
- Mihara, H., see Lee, S. (862) 211
- Mironov, S.L., Sokolov, Y.V., Chanturiya, A.N. and Lishko, V.K.
Channels produced by spider venoms in bilayer lipid membrane: mechanisms of ion transport and toxic action (862) 185
- Montgomery, J.A., see Heath, T.D. (862) 72
- Morán, O., see Mateu, L. (862) 17
- Moscarello, M.A., see Kahan, I. (862) 223
- Muñoz, M., see Mann, G.E. (862) 119
- Murakami, N., see Konishi, T. (862) 278
- Nakazato, K., see Konishi, T. (862) 278
- Nelson, D.L., see Travis, S.M. (862) 39
- Nijhof, W., Van der Schaft, P.H., Wierenga, P.K., Roelofsen, B., Op den Kamp, J.A.F. and Van Deenen, L.L.M.
The transbilayer distribution of phosphatidylethanolamine in erythroid plasma membranes during erythropoiesis (862) 273
- Nishide, H., see Hasegawa, E. (862) 235
- Novacky, A., see Höfer, M. (862) 372
- Okuno, Y. and Gliemann, J.
Transport of glucose and fructose in rat hepatocytes at 37°C (862) 329
- Op den Kamp, J.A.F., see Nijhof, W. (862) 273
- Papahadjopoulos, D., see Heath, T.D. (862) 72
- Peran, S., see Mann, G.E. (862) 119
- Petit, J.-F., see Barratt, G. (862) 153
- Piper, J.R., see Heath, T.D. (862) 72
- Plattner, H., see Alpes, H. (862) 294
- Puri, S.K., see Joshi, P. (862) 220
- Quinn, P.J., see Lis, L.J. (862) 81
- Rank, B.H., see Hebbel, R.P. (862) 8
- Redemann, C.T., see Kung, V.T. (862) 435
- Reed, B.K., see Mickelson, J.R. (862) 318
- Rehm, W.S., see Carrasquer, G. (862) 178
- Reichert, J., see Alpes, H. (862) 294
- Reinhart, W.H., Sung, L.A., Schuessler, G.B. and Chien, S.
Membrane protein phosphorylation during stomatocyte-echinocyte transformation of human erythrocytes (862) 1
- Riek, R., see Alpes, H. (862) 294
- Roelofsen, B., see Nijhof, W. (862) 273
- Ross, C.R., see Sokol, P.P. (862) 335
- Ross, J.A., see Mickelson, J.R. (862) 318
- Rummel, W., see Katgely, B.W. (862) 429
- Ryan, U.S., see Garrick, R.A. (862) 227
- Sabolić, I., see Mačković, M. (862) 141
- Sartor, G., see Masotti, L. (862) 265
- Schacht, J., see Au, S. (862) 205
- Scherer, N.M. and Deamer, D.W.
Oxidation of thiols in the Ca^{2+} -ATPase of sarcoplasmic reticulum microsomes (862) 309
- Schroit, A.J., see Denkins, Y.M. (862) 343
- Schuessler, G.B., see Reinhart, W.H. (862) 1
- Schulz, S., see Alpes, H. (862) 294
- Schwartz, M., see Carrasquer, G. (862) 178
- Segal, S., see Foreman, J.W. (862) 127
- Semenza, G., see Barsukov, L.I. (862) 87
- Serres-Guillaumond, M., see Baubichon-Cortay, H. (862) 243
- Shalev, O., see Hebbel, R.P. (862) 8
- Sharma, R.J. and Grant, D.A.W.
A differential effect between the acute and chronic administration of ethanol on the endocytotic rate constant, k_e , for the internalisation of asialoglycoproteins by hepatocytes (862) 199
- Shi, B., see Xu, G. (862) 57
- Smith, R., see Waltham, M.C. (862) 451
- Smutzer, G., Crawford, B.F. and Yeagle, P.L.
Physical properties of the fluorescent sterol probe dehydroergosterol (862) 361
- Snowdowne, K.W.
The effect of stretch on sarcoplasmic free calcium of frog skeletal muscle at rest (862) 441
- Sokol, P.P., Holohan, P.D. and Ross, C.R.
Sulfhydryl groups are essential for organic anion exchange in canine renal brush-border membranes (862) 335
- Sokolov, Y.V., see Mironov, S.L. (862) 185
- Spiess, M., see Barsukov, L.I. (862) 87
- Stern, A., see Arduini, A. (862) 65
- Stern, W.H., see Heath, T.D. (862) 72
- Sumpio, B.E., Hull, M.J., Baue, A.E. and Chaudry, I.H.
Effects of ATP-MgCl_2 and adenosine- MgCl_2 administration on intracellular ATP levels in the kidney (862) 303
- Sung, L.A., see Reinhart, W.H. (862) 1
- Szabo, A.G., see Masotti, L. (862) 265
- Taillandier, E., see Hantz, E. (862) 379
- Takahashi, M., see Aramaki, Y. (862) 111
- Tenu, J.-P., see Barratt, G. (862) 153
- Tien, H.T., see Xu, G. (862) 57
- Travis, S.M. and Nelson, D.L.
Characterization of Ca^{2+} - or Mg^{2+} -ATPase of the excitable ciliary membrane from *Paramecium tetraurelia*: comparison with a soluble Ca^{2+} -dependent ATPase (862) 39
- Tsuchida, E., see Hasegawa, E. (862) 235
- Tsuchiya, S., see Aramaki, Y. (862) 111
- Van Deenen, L.L.M., see Nijhof, W. (862) 273
- Van der Schaft, P.H., see Nijhof, W. (862) 273
- Verkman, A.S., see Cabrini, G. (862) 285

- Von Dippe, P., Ananthanarayanan, M., Drain, P. and Levy, D.
Purification and reconstitution of the bile acid transport system from hepatocyte sinusoidal plasma membranes (862) 352
- Waltham, M.C., Cornell, B.A. and Smith, R.
Association of ferri- and ferro-cytochrome *c* with lipid multilayers: a ^{31}P solid-state NMR study (862) 451
- Watanabe, N.M., see Grimes, H.D. (862) 165
- Weiner, N., see Au, S. (862) 205
- Wheeler, T.J.
Kinetics of glucose transport in human erythrocytes: zero-*trans* efflux and infinite-*trans* efflux at 0°C (862) 387
- Wierenga, P.K., see Nijhof, W. (862) 273
- Wirthensohn, K., see Eggl, P. (862) 399
- Witt, W. and Gercken, G.
Modification of phospholipids in erythrocyte membranes by phospholipase D. A fluorescence and ESR spectroscopic study (862) 100
- Xu, G., Shi, B., McGroarty, E.J. and Tien, H.T.
Channel-closing activity of porins from *Escherichia coli* in bilayer lipid membranes (862) 57
- Yamasaki, N., see Lee, S. (862) 211
- Yapo, A., see Barratt, G. (862) 153
- Yeagle, P.L., see Smutzer, G. (862) 361
- Zimolo, Z., see Mačković, M. (862) 141