

AUTHOR INDEX

- Alavi, N., Spangler, R.A. and Jung, C.Y.
Sodium-dependent glucose transport by cultured proximal tubule cells (899) 9
- Arvinte, T., Wahl, P. and Nicolau, C.
Low pH fusion of mouse liver nuclei with liposomes bearing covalently bound lysozyme (899) 143
- Aures-Fischer, D., see Cuppoletti, J. (899) 276
- Bessler, W., see Szamel, M. (899) 247
- Blakeman, D.P., see Im, W.B. (899) 285
- Böhmerová, E., see Kováč, L. (899) 265
- Bondeson, J. and Sundler, R.
Phosphatidylethanol counteracts calcium-induced membrane fusion but promotes proton-induced fusion (899) 258
- Bracy, D.S., Schenerman, M.A. and Kilberg, M.S.
Solubilization and reconstitution of hepatic System A-mediated amino acid transport. Preparation of proteoliposomes containing glucagon-stimulated transport activity (899) 51
- Brasitus, T.A., see Dudeja, P.K. (899) 222
- Broda, H.G., Schnettler, R. and Zimmermann, U.
Parameters controlling yeast hybrid yield in electrofusion: the relevance of pre-incubation and the skewness of the size distributions of both fusion partners (899) 25
- Bursaux, E., see Vasseur, C. (899) 1
- Calahorra, M., Ramírez, J., Clemente, S.M. and Peña, A.
Electrochemical potential and ion transport in vesicles of yeast plasma membrane (899) 229
- Carrasquer, G., see Rehm, W.S. (899) 17
- Casteels, R., see Wuytack, F. (899) 151
- Cavieres, J.D.
Fast reversal of the initial reaction steps of the plasma membrane ($\text{Ca}^{2+} + \text{Mg}^{2+}$)-ATPase (899) 83
- Chang, S.-M., see Wang, C.-T. (899) 205
- Clemente, S.M., see Calahorra, M. (899) 229
- Cuppoletti, J., Aures-Fischer, D. and Sachs, G.
The lysosomal H^+ pump: 8-azido-ATP inhibition and the role of chloride in H^+ transport (899) 276
- Dagher, G.
The effect of cellular calcium on Na^+/K^+ cotransport in human red blood cells (899) 313
- Dahiya, R., see Dudeja, P.K. (899) 222
- Das, S.K., see Sikpi, M.O. (899) 35
- Davis, J.P., see Im, W.B. (899) 285
- Deuticke, B., Heller, K.B. and Haest, C.W.M.
Progressive oxidative membrane damage in erythrocytes after pulse treatment with *t*-butylhydroperoxide (899) 113
- Deuticke, B., Lütke-meier, P. and Sistemich, M.
Uncoupling of oxidative leak formation from lipid peroxidation in the human erythrocyte membrane by antioxidants and desferrioxamine (899) 125
- Dinno, M.A., see Rehm, W.S. (899) 17
- Dodd, N.J.F., see Needham, L. (899) 44
- Dudeja, P.K., Foster, E.S., Dahiya, R. and Brasitus, T.A.
Modulation of Na^+/H^+ exchange by ethinyl estradiol in rat colonic brush-border membrane vesicles (899) 222
- Enyedi, Á., see Sarkadi, B. (899) 129
- Epand, R.M., see Surewicz, W.K. (899) 307
- Fischman, A.J., see Scott, J.A. (899) 76
- Foster, E.S., see Dudeja, P.K. (899) 222
- Frank, J.S., see Philipson, K.D. (899) 59
- Frye, J., see Yeagle, P.L. (899) 137
- Fujita, Y., see Katsu, T. (899) 159
- Funder, J., Parker, J.C. and With, J.O.
Further evidence for coupling of sodium and proton movements in dog red blood cells (899) 311
- Gárdos, G., see Sarkadi, B. (899) 129
- Goldfine, H., see Johnston, N.C. (899) 302
- Goppelt-Strübe, M., see Szamel, M. (899) 247
- Haest, C.W.M., see Deuticke, B. (899) 113
- Hagan, E.A., see Rehm, W.S. (899) 17
- Hägerstrand, H., see Isomaa, B. (899) 93
- Heller, K.B., see Deuticke, B. (899) 113
- Hirota, T., see Katsu, T. (899) 159
- Homcy, C.J., see Scott, J.A. (899) 76
- Houslay, M.D., see Needham, L. (899) 44
- Im, W.B., Davis, J.P., Blakeman, D.P., Sachs, G. and Robert, A.
Gastric antiseecretory activity of cycloheximide due to inhibition of protein synthesis (899) 285
- Isomaa, B., Hägerstrand, H. and Paatero, G.
Shape transformations induced by amphiphiles in erythrocytes (899) 93
- Johnston, N.C., Goldfine, H., Malthaner, M. and Seelig, J.
 ^2H -NMR studies on ether lipid-rich bacterial membranes: deuterium order profile of *Clostridium butyricum* (899) 302

- Jones, L.R., see Wuytack, F. (899) 151
 Jung, C.Y., see Alavi, N. (899) 9
- Katsu, T., Kobayashi, H., Hirota, T., Fujita, Y., Sato, K. and Nagai, U.
 Structure-activity relationship of gramicidin S analogues on membrane permeability (899) 159
- Khaw, B.-A., see Scott, J.A. (899) 76
 Kilberg, M.S., see Bracy, D.S. (899) 51
 Kobayashi, H., see Katsu, T. (899) 159
 Kolb, H.-A. and Ubl, J.
 Activation of anion channels by zymosan particles in membranes of peritoneal macrophages (899) 239
- Kováč, L., Böhmerová, E. and Nečas, O.
 The plasma membrane of yeast protoplasts exposed to hypotonicity becomes porous but does not disintegrate in the presence of protons or polyvalent cations (899) 265
- Loew, L.M., see Lojewska, Z. (899) 104
 Lojewska, Z. and Loew, L.M.
 Insertion of amphiphilic molecules into membranes is catalyzed by a high molecular weight non-ionic surfactant (899) 104
- Lütke-meier, P., see Deuticke, B. (899) 125
 Lynch, A.M. and McGivan, J.D.
 Evidence for a single common Na^+ -dependent transport system for alanine, glutamine, leucine and phenylalanine in brush-border membrane vesicles from bovine kidney (899) 176
- McDonough, A.A., see Philipson, K.D. (899) 59
 McGivan, J.D., see Lynch, A.M. (899) 176
 Malthaner, M., see Johnston, N.C. (899) 302
 Mantsch, H.H., see Surewicz, W.K. (899) 307
- Nagai, U., see Katsu, T. (899) 159
 Nečas, O., see Kováč, L. (899) 265
 Needham, L., Dodd, N.J.F. and Houslay, M.D.
 Quinidine and melittin both decrease the fluidity of liver plasma membranes and both inhibit hormone-stimulated adenylate cyclase activity (899) 44
- Nicolau, C., see Arvinte, T. (899) 143
 Nikinmaa, M. and Railo, E.
 Anion movements across lamprey (*Lampetra fluviatilis*) red cell membrane (899) 134
- Oliveira-Castro, G.M., see Persechini, P.M. (899) 213
 Orlowski, R.C., see Surewicz, W.K. (899) 307
- Paatero, G., see Isomaa, B. (899) 93
 Parker, J.C., see Funder, J. (899) 311
 Peña, A., see Calahorra, M. (899) 229
 Persechini, P.M. and Oliveira-Castro, G.M.
 Electrophysiology of phagocytic membranes: intracellular K^+ activity and K^+ equilibrium potential in macrophage polykaryons (899) 213
- Petersen, O.H., see Squire, L.G. (899) 171
 Philipson, K.D., McDonough, A.A., Frank, J.S. and Ward, R.
 Enrichment of Na^+ - Ca^{2+} exchange in cardiac sarcolemmal vesicles by alkaline extraction (899) 59
- Piau, J.P., see Vasseur, C. (899) 1
 Plagemann, P.G.W. and Woffendin, C.
 Comparison of the equilibrium exchange of nucleosides and 3-O-methylglucose in human erythrocytes and of the effects of cytochalasin B, phloretin and dipyrindamole on their transport (899) 295
- Rabito, C.A., see Scott, J.A. (899) 76
 Raeymaekers, L., see Wuytack, F. (899) 151
 Railo, E., see Nikinmaa, M. (899) 134
 Ramírez, J., see Calahorra, M. (899) 229
 Rehm, W.S., Schwartz, M., Carrasquer, G., Hagan, E.A. and Dinno, M.A.
 Inhibition of acid secretion of fundus of *Rana pipiens* with a high concentration of potassium on the secretory side (899) 17
- Resch, K., see Szamel, M. (899) 247
 Robert, A., see Im, W.B. (899) 285
 Roos, W. and Slavík, J.
 Intracellular pH topography of *Penicillium cyclopium* protoplasts. Maintenance of ΔpH by both passive and active mechanisms (899) 67
- Sachs, G., see Cuppoletti, J. (899) 276
 Sachs, G., see Im, W.B. (899) 285
 Sarkadi, B., Enyedi, Á. and Gárdos, G.
 Conformational changes of the in situ red cell membrane calcium pump affect its proteolysis (899) 129
- Sato, K., see Katsu, T. (899) 159
 Schenerman, M.A., see Bracy, D.S. (899) 51
 Scheule, R.K.
 Fusion of Sindbis virus with model membranes containing phosphatidylethanolamine: implications for protein-induced membrane fusion (899) 185
- Schnettler, R., see Broda, H.G. (899) 25
 Schwartz, M., see Rehm, W.S. (899) 17
 Scott, J.A., Fischman, A.J., Khaw, B.-A., Homcy, C.J. and Rabito, C.A.
 Free radical-mediated membrane depolarization in renal and cardiac cells (899) 76
- Seelig, A.
 Local anesthetics and pressure: a comparison of dibucaine binding to lipid monolayers and bilayers (899) 196
- Seelig, J., see Johnston, N.C. (899) 302
 Shiao, Y.-J., see Wang, C.-T. (899) 205
 Sikpi, M.O. and Das, S.K.
 The localization of cholinephosphotransferase in the outer membrane of guinea-pig lung mitochondria (899) 35
- Sistemich, M., see Deuticke, B. (899) 125
 Slavík, J., see Roos, W. (899) 67
 Spangler, R.A., see Alavi, N. (899) 9
 Squire, L.G. and Petersen, O.H.
 Modulation of Ca^{2+} - and voltage-activated K^+ channels by internal Mg^{2+} in salivary acinar cells (899) 171
- Sundler, R., see Bondeson, J. (899) 258

- Surewicz, W.K., Epand, R.M., Orlowski, R.C. and Mantsch, H.H.
Structural properties of acidic phospholipids in complexes with calcitonin: a Fourier transform infrared spectroscopic investigation (899) 307
- Szamel, M., Goppelt-Strübe, M., Bessler, W., Wiesmüller, K.H. and Resch, K.
Separation of plasma membrane domains of calf thymocytes by affinity chromatography on ouabain-Sepharose (899) 247
- Tsai, W.-J., see Wang, C.-T. (899) 205
- Ubl, J., see Kolb, H.-A. (899) 239
- Vasseur, C., Piau, J.P. and Bursaux, E.
Cation dependence of the phosphorylation of specific residues in red cell membrane protein band 3 (899) 1
- Verbist, J., see Wuytack, F. (899) 151
- Wahl, P., see Arvinte, T. (899) 143
- Wang, C.-T., Tsai, W.-J., Chang, S.-M., Shiao, Y.-J. and Yang, C.-C.
Different susceptibilities of platelet phospholipids to various phospholipases and modifications induced by thrombin. Possible evidence of rearrangement of lipid domains (899) 205
- Ward, R., see Philipson, K.D. (899) 59
- Wiesmüller, K.H., see Szamel, M. (899) 247
- Wieth, J.O., see Funder, J. (899) 311
- Woffendin, C., see Plagemann, P.G.W. (899) 295
- Wuytack, F., Raeymaekers, L., Verbist, J., Jones, L.R. and Casteels, R.
Smooth-muscle endoplasmic reticulum contains a cardiac-like form of calsequestrin (899) 151
- Yang, C.-C., see Wang, C.-T. (899) 205
- Yeagle, P.L. and Frye, J.
Effects of unsaturation on ^2H -NMR quadrupole splittings and ^{13}C -NMR relaxation in phospholipid bilayers (899) 137
- Zimmermann, U., see Broda, H.G. (899) 25