

AUTHOR INDEX

- Al-Hasani, S., see Arnold, W.M. (905) 454
- Alvarez, J., see Cairns, M.T. (905) 295
- Alvaro, D., see Angelico, M. (905) 91
- Amler, E., Teisinger, J. and Svoboda, P.
Mg²⁺-induced changes of lipid order and conformation of (Na⁺ + K⁺)-ATPase (905) 376
- Anderson, R., Daya, M. and Reeve, J.
An evaluation of the contribution of membrane lipids to protection against ultraviolet radiation (905) 227
- Angelico, M., Alvaro, D., Masella, R., Corradini, S.G. and Cantafora, A.
Transport, utilization and biliary secretion of lysophosphatidylcholine in the rat liver (905) 91
- Arnold, W.M., Schmutzler, R.K., Schmutzler, A.G., Van der Ven, H., Al-Hasani, S., Krebs, D. and Zimmermann, U.
Electro-rotation of mouse oocytes: single-cell measurements of zona-intact and zona-free cells and of the isolated zona pellucida (905) 454
- Au, K.S.
Activation of erythrocyte membrane Ca²⁺-ATPase by calpain (905) 273
- Bacher, A., see Faff, O. (905) 48
- Bacon, R.A., Wu, K.I., Ying, A.L. and Kempson, S.A.
Colchicine blocks the action of parathyroid hormone but not nicotinamide on renal phosphate transport (905) 268
- Baldwin, S.A., see Cairns, M.T. (905) 295
- Bamberg, E., see Gutman, M. (905) 390
- Barstad, A.W., see Smejtek, P. (905) 213
- Benga, G., Pop, V.I., Popescu, O., Hodârnu, A., Borza, V. and Presecan, E.
Effects of temperature on water diffusion in human erythrocytes and ghosts – nuclear magnetic resonance studies (905) 339
- Ben-Shaul, Y., see Faff, O. (905) 48
- Bhakdi, S., see Menestrina, G. (905) 109
- Bokking, O.R., see Tournois, H. (905) 222
- Borza, V., see Benga, G. (905) 339
- Bouthier, M., see Teulon, J. (905) 125
- Bradrick, T.D. and Georgiou, S.
Kinetics of melittin-induced fusion of dipalmitoylphosphatidylcholine small unilamellar vesicles (905) 494
- Brasitus, T.A., see Dudeja, P.K. (905) 485
- Cabantchik, Z.I., see Stutzin, A. (905) 205
- Cairns, M.T., Alvarez, J., Panico, M., Gibbs, A.F., Morris, H.R., Chapman, D. and Baldwin, S.A.
Investigation of the structure and function of the human erythrocyte glucose transporter by proteolytic dissection (905) 295
- Cantafora, A., see Angelico, M. (905) 91
- Chapman, D., see Cairns, M.T. (905) 295
- Cheeseman, C.I., see Thomson, A.B.R. (905) 426
- Christensen, B., see Gutman, M. (905) 390
- Christian, S.T., see Monti, J.A. (905) 133
- Clandinin, M.T., see Thomson, A.B.R. (905) 426
- Cohen, E., see Faff, O. (905) 48
- Colombini, M., Yeung, C.L., Tung, J. and König, T.
The mitochondrial outer membrane channel, VDAC, is regulated by a synthetic polyanion (905) 279
- Corradini, S.G., see Angelico, M. (905) 91
- Cushley, R.J., see Thewalt, J.L. (905) 329
- Daya, M., see Anderson, R. (905) 227
- De Foresta, B., Rogard, M., Le Maire, M. and Gallay, J.
Effects of temperature and benzyl alcohol on the structure and adenylate cyclase activity of plasma membranes from bovine adrenal cortex (905) 240
- De Gier, J., see Tournois, H. (905) 222
- De Kruijff, B., see Tournois, H. (905) 222
- De Pinto, V., Prezioso, G. and Palmieri, F.
A simple and rapid method for the purification of the mitochondrial porin from mammalian tissues (905) 499
- De Pont, J.J.H.H.M., see Helmich-de Jong, M.L. (905) 358
- Disalvo, E.A.
Leakage from egg phosphatidylcholine vesicles induced by Ca²⁺ and alcohols (905) 9
- Donoff, B., see Rangachari, P.K. (905) 311
- Draaijer, M., see Hendriks, H.G.C.J.M. (905) 371
- Dudeja, P.K., Foster, E.S. and Brasitus, T.A.
Modulation of rat distal colonic brush-border membrane Na⁺-H⁺ exchange by dexamethasone: role of lipid fluidity (905) 485
- Faff, O., Cohen, E., Bacher, A. and Ben-Shaul, Y.
Proteinase-induced formation of focal tight junctions in HT 29 adenocarcinoma cells does not require extracellular calcium (905) 48
- Fernandes, A., see Rowe, E.S. (905) 151
- Foster, E.S., see Dudeja, P.K. (905) 485
- Gallay, J., see De Foresta, B. (905) 240
- Gauthier, C., see Simonnet, H. (905) 465
- Georgiou, S., see Bradrick, T.D. (905) 494
- Gibbs, A.F., see Cairns, M.T. (905) 295
- Gläser, H.-U. and Höfer, M.
Ion-dependent generation of the electrochemical proton

- gradient $\Delta\mu_{H^+}$ in reconstituted plasma membrane vesicles from the yeast *Metschnikowia reukaufii* (905) 287
- Grassl, S.M., Holohan, P.D. and Ross, C.R.
 $Cl^- - HCO_3^-$ exchange in rat renal basolateral membrane vesicles (905) 475
- Gutman, M., Nachliel, E., Bamberg, E. and Christensen, B.
 Time-resolved protonation dynamics of a black lipid membrane monitored by capacitive currents (905) 390
- Hama, H., Shimamoto, T., Tsuda, M. and Tsuchiya, T.
 Properties of a Na^+ -coupled serine-threonine transport system in *Escherichia coli* (905) 231
- Helmich-de Jong, M.L., Van Emst-de Vries, S.E. and De Pont, J.J.H.H.M.
 Conformational states of $(K^+ + H^+)$ -ATPase studied using tryptic digestion as a tool (905) 358
- Hendriks, H.G.C.J.M., Koninkx, J.F.J.G., Draaijer, M., Van Dijk, J.E., Raaijmakers, J.A.M. and Mouwen, J.M.V.M.
 Quantitative determination of the lectin binding capacity of small intestinal brush-border membrane. An enzyme linked lectin sorbent assay (ELLSA) (905) 371
- Hodárná, A., see Benga, G. (905) 339
- Höfer, M., see Gläser, H.-U. (905) 287
- Holland, I.B., see Menestrina, G. (905) 109
- Holohan, P.D., see Grassl, S.M. (905) 475
- Horuk, R., see Matthaai, S. (905) 417
- Ibarra, C., see Parisi, M. (905) 399
- Iglesias, R.O. and Rega, A.F.
 Gramicidin S inhibition of the Ca^{2+} -ATPase of human red blood cells (905) 383
- Ikushiro, S.-i., see Kominami, S. (905) 143
- Ince, C., Thio, B., Van Duijn, B., Van Dissel, J.T., Ypey, D.L. and Leijh, P.C.J.
 Intracellular K^+ , Na^+ and Cl^- concentrations and membrane potential in human monocytes (905) 195
- Ipsen, J.H., Karlström, G., Mouritsen, O.G., Wennerström, H. and Zuckermann, M.J.
 Phase equilibria in the phosphatidylcholine-cholesterol system (905) 162
- Ishida, M., see Kitagawa, S. (905) 75
- Jain, M.K. and Vaz, W.L.C.
 Dehydration of the lipid-protein microinterface on binding of phospholipase A_2 to lipid bilayers (905) 1
- James, P.S., see Smith, M.W. (905) 503
- Janko, K. and Reichert, J.
 Proton concentration jumps and generation of transmembrane pH-gradients by photolysis of 4-formyl-6-methoxy-3-nitrophenoxycetic acid (905) 409
- Kametani, F., see Kitagawa, S. (905) 75
- Karlström, G., see Ipsen, J.H. (905) 162
- Keelan, M., see Thomson, A.B.R. (905) 426
- Kempson, S.A., see Bacon, R.A. (905) 268
- Khalifah, R.G., see Rowe, E.S. (905) 151
- Killian, J.A., see Tournais, H. (905) 222
- Kitagawa, S., Ishida, M., Kotani, K. and Kametani, F.
 Inhibitory effects of long-chain alkyltrimethylammonium ions on aggregation of bovine platelets and the relation of their effects to Ca^{2+} mobilization (905) 75
- Knüttel, H., see Podzuweit, H.G. (905) 435
- Kominami, S., Ikushiro, S.-i. and Takemori, S.
 Two modes of binding of adrenal NADPH-cytochrome P-450 reductase to liposomal membranes (905) 143
- König, T., see Colombini, M. (905) 279
- Koninkx, J.F.J.G., see Hendriks, H.G.C.J.M. (905) 371
- Kotani, K., see Kitagawa, S. (905) 75
- Kramer, W.
 Identification of identical binding polypeptides for cephalosporins and dipeptides in intestinal brush-border membrane vesicles by photoaffinity labeling (905) 65
- Krebs, D., see Arnold, W.M. (905) 454
- Kunimoto, M., Shibata, K. and Miura, T.
 p-Chloromercuribenzoate-induced dissociation of cytoskeletal proteins in red blood cells of rats (905) 257
- La Celle, P., see Shields, M. (905) 181
- Leijh, P.C.J., see Ince, C. (905) 195
- Lelkes, P.I., see Stutzin, A. (905) 205
- Le Maire, M., see De Foresta, B. (905) 240
- MacDonald, R.C. and Weingarten, R.J.
 Determination of reflection coefficients of liposomes for some non-electrolytes by osmotic pressure measurement (905) 320
- McIntosh, T.J., see Wilkinson, D.A. (905) 447
- Mackman, N., see Menestrina, G. (905) 109
- McWade, D., see Rangachari, P.K. (905) 311
- Margalit, R., see Rotenberg, M. (905) 173
- Masella, R., see Angelico, M. (905) 91
- Matthaai, S., Olefsky, J.M. and Horuk, R.
 Biochemical characterization and subcellular distribution of the glucose transporter from rat brain microvessels (905) 417
- Menestrina, G., Mackman, N., Holland, I.B. and Bhakdi, S.
Escherichia coli haemolysin forms voltage-dependent ion channels in lipid membranes (905) 109
- Minari, O., see Yoshino, H. (905) 100
- Miura, T., see Kunimoto, M. (905) 257
- Mohri, T., see Ohyashiki, T. (905) 57
- Monti, J.A., Christian, S.T. and Schutzbach, J.S.
 Effects of dolichol on membrane permeability (905) 133
- Morris, H.R., see Cairns, M.T. (905) 295
- Mouritsen, O.G., see Ipsen, J.H. (905) 162
- Mouwen, J.M.V.M., see Hendriks, H.G.C.J.M. (905) 371
- Nachliel, E., see Gutman, M. (905) 390
- O'Connor, C.J., see Walde, P. (905) 30
- O'Connor, C.J., see Walde, P. (905) 39
- Ohyashiki, T., Taka, M. and Mohri, T.
 Effect of neuraminidase treatment on the lipid fluidity of the intestinal brush-border membranes (905) 57
- Olefsky, J.M., see Matthaai, S. (905) 417
- Palmieri, F., see De Pinto, V. (905) 499
- Panico, M., see Cairns, M.T. (905) 295

- Parisi, M., Ibarra, C. and Porta, M.
Intracellular Ca^{2+} concentration and the antidiuretic hormone-induced increase in water permeability: effects of ionophore A23187 and quinidine (905) 399
- Passow, H., see Shields, M. (905) 181
- Paulais, M., see Teulon, J. (905) 125
- Peters, R., see Shields, M. (905) 181
- Plagemann, P.G.W., Woffendin, C., Puziss, M.B. and Wohlhueter, R.M.
Purine and pyrimidine transport and permeation in human erythrocytes (905) 17
- Podzuweit, H.G., Schneider, K. and Knüttel, H.
Comparison of the membrane-bound hydrogenases from *Alcaligenes eutrophus* H16 and *Alcaligenes eutrophus* type strain (905) 435
- Pollard, H.B., see Stutzin, A. (905) 205
- Pop, V.I., see Benga, G. (905) 339
- Popescu, O., see Benga, G. (905) 339
- Porta, M., see Parisi, M. (905) 399
- Presecan, E., see Benga, G. (905) 339
- Prezioso, G., see De Pinto, V. (905) 499
- Puziss, M.B., see Plagemann, P.G.W. (905) 17
- Raaijmakers, J.A.M., see Hendriks, H.G.C.J.M. (905) 371
- Rajotte, R.V., see Thomson, A.B.R. (905) 426
- Rangachari, P.K., Donoff, B. and McWade, D.
Effects of TMB-8, a calcium antagonist, on transport properties of the isolated canine tracheal epithelium (905) 311
- Reeve, J., see Anderson, R. (905) 227
- Rega, A.F., see Iglesias, R.O. (905) 383
- Reichert, J., see Janko, K. (905) 409
- Reist, M., see Rindlisbacher, B. (905) 349
- Revillard, J.-P., see Simonnet, H. (905) 465
- Rindlisbacher, B., Reist, M. and Zahler, P.
Diacylglycerol breakdown in plasma membranes of bovine chromaffin cells is a two-step mechanism mediated by a diacylglycerol lipase and a monoacylglycerol lipase (905) 349
- Rogard, M., see De Foresta, B. (905) 240
- Ross, C.R., see Grassl, S.M. (905) 475
- Rotenberg, M. and Margalit, R.
Porphyrin-membrane interactions: binding or partition? (905) 173
- Rowe, E.S., Fernandes, A. and Khalifah, R.G.
Alcohol interactions with lipids: a carbon-13 nuclear magnetic resonance study using butanol labeled at C-1 (905) 151
- Schmutzler, A.G., see Arnold, W.M. (905) 454
- Schmutzler, R.K., see Arnold, W.M. (905) 454
- Schneider, K., see Podzuweit, H.G. (905) 435
- Scholz, M., see Shields, M. (905) 181
- Schutzbach, J.S., see Monti, J.A. (905) 133
- Shibata, K., see Kunitomo, M. (905) 257
- Shields, M., La Celle, P., Waugh, R.E., Scholz, M., Peters, R. and Passow, H.
Effects of intracellular Ca^{2+} and proteolytic digestion of the membrane skeleton on the mechanical properties of the red blood cell membrane (905) 181
- Shimamoto, T., see Hama, H. (905) 231
- Silvius, J.R., see Stamatatos, L. (905) 81
- Simonnet, H., Gauthier, C., Vincent, C. and Revillard, J.-P.
Rapid binding of β_2 -microglobulin to renal brush-border membranes (905) 465
- Smejtek, P., Wang, S. and Barstad, A.W.
Adsorption of ionized and neutral pentachlorophenol to phosphatidylcholine membranes (905) 213
- Smith, M.W. and James, P.S.
Cellular origin of lactase decline in postweaned rats (905) 503
- Stamatatos, L. and Silvius, J.R.
Effects of cholesterol on the divalent cation-mediated interactions of vesicles containing amino and choline phospholipids (905) 81
- Stutzin, A., Cabantchik, Z.I., Lelkes, P.I. and Pollard, H.B.
Synexin-mediated fusion of bovine chromaffin granule ghosts. Effect of pH (905) 205
- Sunamoto, J., see Walde, P. (905) 30
- Sunamoto, J., see Walde, P. (905) 39
- Svoboda, P., see Amler, E. (905) 376
- Taka, M., see Ohyashiki, T. (905) 57
- Takemori, S., see Kominami, S. (905) 143
- Teisinger, J., see Amler, E. (905) 376
- Teulon, J., Paulais, M. and Bouthier, M.
A Ca^{2+} -activated cation-selective channel in the basolateral membrane of the cortical thick ascending limb of Henle's loop of the mouse (905) 125
- Thewalt, J.L. and Cushley, R.J.
Phospholipid/cholesterol membranes containing *n*-alkanols: a ^2H -NMR study (905) 329
- Thio, B., see Ince, C. (905) 195
- Thomson, A.B.R., Keelan, M., Clandinin, M.T., Rajotte, R.V., Cheeseman, C.I. and Walker, K.
Treatment of the enhanced intestinal uptake of glucose in diabetic rats with a polyunsaturated fatty acid diet (905) 426
- Tirrell, D.A., see Wilkinson, D.A. (905) 447
- Tournois, H., Killian, J.A., Urry, D.W., Bokking, O.R., De Gier, J. and De Kruijff, B.
Solvent determined conformation of gramicidin affects the ability of the peptide to induce hexagonal H_{II} phase formation in dioleoylphosphatidylcholine model membranes (905) 222
- Tsuchiya, T., see Hama, H. (905) 231
- Tsuda, M., see Hama, H. (905) 231
- Tsunoda, Y. and Wider, M.D.
Porcine ileal polypeptide causes an increase in cytoplasmic Ca^{2+} in both parietal and chief cells resulting in acid and pepsinogen secretion (905) 118
- Tung, J., see Colombini, M. (905) 279
- Turek, A.B., see Wilkinson, D.A. (905) 447
- Urry, D.W., see Tournois, H. (905) 222
- Van der Ven, H., see Arnold, W.M. (905) 454
- Van Dijk, J.E., see Hendriks, H.G.C.J.M. (905) 371
- Van Dissel, J.T., see Ince, C. (905) 195

- Van Duijn, B., see Ince, C. (905) 195
- Van Ernst-de Vries, S.E., see Helmich-de Jong, M.L. (905) 358
- Vaz, W.L.C., see Jain, M.K. (905) 1
- Vincent, C., see Simonnet, H. (905) 465
- Walde, P., Sunamoto, J. and O'Connor, C.J.
The mechanism of liposomal damage by taurocholate (905) 30
- Walde, P., Sunamoto, J. and O'Connor, C.J.
Activity of bile-salt-stimulated human milk lipase in the presence of liposomes and mixed taurocholate-phosphatidylcholine micelles (905) 39
- Walker, K., see Thomson, A.B.R. (905) 426
- Wang, S., see Smejtek, P. (905) 213
- Waugh, R.E., see Shields, M. (905) 181
- Weingarten, R.J., see MacDonald, R.C. (905) 320
- Wennerström, H., see Ipsen, J.H. (905) 162
- Wider, M.D., see Tsunoda, Y. (905) 118
- Wilkinson, D.A., Tirrell, D.A., Turek, A.B. and McIntosh, T.J.
Tris buffer causes acyl chain interdigitation in phosphatidylglycerol (905) 447
- Woffendin, C., see Plagemann, P.G.W. (905) 17
- Wohlhueter, R.M., see Plagemann, P.G.W. (905) 17
- Wu, K.I., see Bacon, R.A. (905) 268
- Yeung, C.L., see Colombini, M. (905) 279
- Ying, A.L., see Bacon, R.A. (905) 268
- Yoshino, H. and Minari, O.
Heat-induced dissociation of human erythrocyte spectrin dimer into monomers (905) 100
- Ypey, D.L., see Ince, C. (905) 195
- Zahler, P., see Rindlisbacher, B. (905) 349
- Zimmermann, U., see Arnold, W.M. (905) 454
- Zuckermann, M.J., see Ipsen, J.H. (905) 162