

Author index

- Abraham, W., Wertz, P.W. and Downing, D.T.
Effect of epidermal acylglucosylceramides and acylceramides on the morphology of liposomes prepared from stratum corneum lipids (939) 403
- Albrecht, A.-M., see Lazrak, T. (939) 160
- Albrecht, M.R., see Wassall, S.R. (939) 393
- Allegrini, P.R., see Seelig, A. (939) 267
- Alonso, G.L., see Obejero Paz, C.A. (939) 409
- Ando, S., see Zs.-Nagy, I. (939) 551
- Andreu, D., see Steiner, H. (939) 260
- Anraku, Y., see Hanada, K. (939) 282
- Apell, H.-J., see Borlinghaus, R. (939) 197
- Aragón, C., see López-Corcuera, B. (939) 467
- Bakás, L.S. and Disalvo, E.A.
Ca²⁺-induced phosphatidylcholine vesicle aggregation in the presence of ferricyanide (939) 295
- Ballas, N., Zakai, N., Sela, I. and Loyter, A.
Liposomes bearing a quaternary ammonium detergent as an efficient vehicle for functional transfer of TMV-RNA into plant protoplasts (939) 8
- Bancel, F., see Maurin, L. (939) 102
- Barber, K.R., see Mehlhorn, I.E. (939) 151
- Ben-Av, P., Rubinstein, S. and Breitbart, H.
Induction of acrosomal reaction and calcium uptake in ram spermatozoa by ionophores (939) 214
- Bertsche, U., Mader, A. and Zimmermann, U.
Nuclear membrane fusion in electrofused mammalian cells (939) 509
- Bicknell-Brown, E., see Boughriet, A. (939) 523
- Bienvenüe, A., see Maurin, L. (939) 102
- Borlinghaus, R. and Apell, H.-J.
Current transients generated by the Na⁺/K⁺-ATPase after an ATP concentration jump: dependence on sodium and ATP concentration (939) 197
- Borovyagin, V.L., Tarakhovsky, Y.S. and Vasilenko, I.A.
Polymorphism in galactolipid/phosphatidylglycerol model membranes initiated by chlorophylls: ³¹P-NMR and electron-microscopy studies (939) 111
- Boughriet, A., Ladjadj, M. and Bicknell-Brown, E.
Calcium-induced condensation-reorganization phenomena in multilamellar vesicles of phosphatidic acid. pH potentiometric and ³¹P-NMR, Raman and ESR spectroscopic studies (939) 523
- Brain, A.P.R., see Foley, A.A. (939) 430
- Brasitus, T.A. and Dudeja, P.K.
Effect of hypothyroidism on the lipid composition and fluidity of rat colonic apical plasma membranes (939) 189
- Brayer, G.D., see Worobec, E.A. (939) 366
- Breitbart, H., see Ben-Av, P. (939) 214
- Bruzik, K.S.
Conformation of the polar headgroup of sphingomyelin and its analogues (939) 315
- Büchner, K.-H., see Walter, L. (939) 1
- Bunow, M.R. and Levin, I.W.
Phase behavior of cerebroside and its fractions with phosphatidylcholines: calorimetric studies (939) 577
- Burger, K.N.J., Knoll, G. and Verkleij, A.J.
Influenza virus-model membrane interaction. A morphological approach using modern cryotechniques (939) 89
- Carone, F.A., see Shimomura, A. (939) 52
- Carrasquer, G., see Schwartz, M. (939) 207
- Carratero, C., see Payraastre, B. (939) 355
- Chap, H., see Payraastre, B. (939) 355
- Chapman, D., see Johnston, D.S. (939) 603
- Chinard, F.P., see Garrick, R.A. (939) 343
- Claussen, M., see Hübner, C. (939) 145
- Cott, G.R., see Sano, K. (939) 449
- Courtney, K.R. and Kendig, J.J.
Bupivacaine is an effective potassium channel blocker in heart (939) 163
- Crowe, J.H. and Crowe, L.M.
Factors affecting the stability of dry liposomes (939) 327
- Crowe, L.M., see Crowe, J.H. (939) 327
- Cua, W.O., see Garrick, R.A. (939) 343
- Curatola, G., see Fiorini, R.M. (939) 485
- Da Costa, M. and Rothenberg, S.P.
Characterization of the folate-binding proteins associated with the plasma membrane of rat liver (939) 533
- Dage, R.C., see Matlib, M.A. (939) 173
- Daum, G., Keller, K. and Lange, K.
Association of glycolytic enzymes with the cytoplasmic side of the plasma membrane of glioma cells (939) 277
- De Bruijne, A.W., Schuddemat, J., Van den Broek, P.J.A. and Van Steveninck, J.
Regulation of sugar transport systems of *Kluyveromyces marxianus*: the role of carbohydrates and their catabolism (939) 569
- De Jonge, H.R., see Vaandrager, A.B. (939) 305
- De Kruijff, B., see Gasset, M. (939) 79
- Deuticke, B., see Klösgen, B. (939) 29
- Dinno, M.A., see Schwartz, M. (939) 207
- DiRisio, D.J., see Garrick, R.A. (939) 343
- Disalvo, E.A., see Bakás, L.S. (939) 295
- Doane, J.W., see Westerman, P.W. (939) 64
- Douste-Blazy, L., see Payraastre, B. (939) 355
- Downing, D.T., see Abraham, W. (939) 403
- Dubro, D.W., see Westerman, P.W. (939) 64

- Dudeja, P.K., see Brasitus, T.A. (939) 189
- Dupont, M.A., see Escande-Géraud, M.L. (939) 247
- Dupraz, P., see Michalak, M. (939) 587
- Dux, L., see Sarkadi, B. (939) 40
- Enyedi, Á., see Sarkadi, B. (939) 40
- Escande-Géraud, M.L., Rols, M.P., Dupont, M.A., Gas, N. and Teissié, J.
Reversible plasma membrane ultrastructural changes correlated with electroporabilization in Chinese hamster ovary cells (939) 247
- Etievan, C., see Payraastre, B. (939) 355
- Evers, C., Hugentobler, G., Lester, R., Gmaj, P., Meier, P. and Murer, H.
ATP-dependent Ca^{2+} uptake and Ca^{2+} -dependent protein phosphorylation in basolateral liver plasma membranes (939) 542
- Farrell, C., see Matlib, M.A. (939) 173
- Feigenson, G.W., see Huang, N.-n. (939) 124
- Ferrell Jr., J.E., Mitchell, K.T. and Huestis, W.H.
Membrane bilayer balance and platelet shape: morphological and biochemical responses to amphipathic compounds (939) 223
- Fiorini, R.M., Valentino, M., Glaser, M., Gratton, E. and Curatola, G.
Fluorescence lifetime distributions of 1,6-diphenyl-1,3,5-hexatriene reveal the effect of cholesterol on the microheterogeneity of erythrocyte membrane (939) 485
- Florine-Casteel, K., see Huang, N.-n. (939) 124
- Florio, E., see Mehlhorn, I.E. (939) 151
- Foley, A.A., Brain, A.P.R., Quinn, P.J. and Harwood, J.L.
Permeability of liposomes composed of binary mixtures of monogalactosyldiacylglycerol and digalactosyldiacylglycerol (939) 430
- Forbush III, B., see Haas, M. (939) 131
- Fujii, T., see Murakami, M. (939) 238
- Fujita, Y., see Katsu, T. (939) 57
- Gárdos, G., see Sarkadi, B. (939) 40
- Garrick, R.A., DiRisio, D.J., Giannuzzi, R., Cua, W.O., Ryan, U.S. and Chinard, F.P.
The osmotic permeability of isolated calf pulmonary artery endothelial cells (939) 343
- Gas, N., see Escande-Géraud, M.L. (939) 247
- Gasset, M., Killian, J.A., Tournois, H. and De Kruijff, B.
Influence of cholesterol on gramicidin-induced H_2O phase formation in phosphatidylcholine model membranes (939) 79
- Giannuzzi, R., see Garrick, R.A. (939) 343
- Giménez, C., see López-Corcuera, B. (939) 467
- Girbig, F., see Kramer, W. (939) 167
- Glaser, M., see Fiorini, R.M. (939) 485
- Gmaj, P., see Evers, C. (939) 542
- González, D.A., see Obejero Paz, C.A. (939) 409
- Grant, C.W.M., see Mehlhorn, I.E. (939) 151
- Gratton, E., see Fiorini, R.M. (939) 485
- Haas, M. and Forbush III, B.
Photoaffinity labelling of a 150 kDa (Na + K + Cl)-cotransport protein from duck red cells with an analog of bumetanide (939) 131
- Hallaq, H., see Heller, M. (939) 595
- Hampp, R., see Mehrle, W. (939) 561
- Hanada, K., Yamato, I. and Anraku, Y.
Solubilization and reconstitution of proline carrier in *Escherichia coli*; quantitative analysis and optimal conditions (939) 282
- Hancock, R.E.W., see Worobec, E.A. (939) 366
- Harwood, J.L., see Foley, A.A. (939) 430
- Heller, M., Hallaq, H. and Panet, R.
Interactions of cardiac glycosides with cells and membranes. IV. Effects of ouabain and bumetanide on $^{86}\text{Rb}^{+}$ influx in cultured cardiac myocytes from neonatal rats (939) 595
- Henkart, P.A., see Kolber, M.A. (939) 459
- Hirota, T., see Katsu, T. (939) 57
- Hjertén, S., Sparrman, M. and Liao, J.-I.
Purification of membrane proteins in SDS and subsequent renaturation (939) 476
- Huang, L., see Pinnaduwa, P. (939) 375
- Huang, N.-n., Florine-Casteel, K., Feigenson, G.W. and Spink, C.
Effect of fluorophore linkage position of *n*-(9-anthroxyl) fatty acids on probe distribution between coexisting gel and fluid phospholipid phases (939) 124
- Hübner, C., Lindner, S.G., Stern, M., Claussen, M. and Kohlschütter, A.
Membrane fluidity and lipid composition of rat small intestinal brush-border membranes during postnatal maturation (939) 145
- Huestis, W.H., see Ferrell Jr., J.E. (939) 223
- Hugentobler, G., see Evers, C. (939) 542
- Ilundain, A., see López-Burillo, S. (939) 335
- Imahori, K., see Zs.-Nagy, I. (939) 551
- Janas, T. and Tien, H.T.
Influence of dolichyl phosphate on permeability and stability of bilayer lipid membranes (939) 624
- Jauch, P. and Läuger, P.
Kinetics of the Na^{+} /alanine cotransporter in pancreatic acinar cells (939) 179
- Johnston, D.S. and Chapman, D.
A calorimetric study of the thermotropic behaviour of mixtures of brain cerebroside with other brain lipids (939) 603
- Kates, M., see Lazrak, T. (939) 160
- Katsu, T., Ninomiya, C., Kuroko, M., Kobayashi, H., Hirota, T. and Fujita, Y.
Action mechanism of amphipathic peptides gramicidin S and melittin on erythrocyte membrane (939) 57
- Katz, Y.
On the use of regular solution theory as a theoretical frame for the analysis of membrane phenomena (939) 19

- Kay, C.M., see Worobec, E.A. (939) 366
- Keller, K., see Daum, G. (939) 277
- Kendig, J.J., see Courtney, K.R. (939) 163
- Kihara, M., see Matlib, M.A. (939) 173
- Killian, J.A., see Gasset, M. (939) 79
- Kimori, M., see Kishi, M. (939) 615
- Kishi, M., Ohkuma, S., Kimori, M. and Kuriyama, K.
Characteristics of taurine transport system and its developmental pattern in mouse cerebral cortical neurons in primary culture (939) 615
- Kitani, K., see Nokubo, M. (939) 441
- Kitani, K., see Zs.-Nagy, I. (939) 551
- Klösgen, B., Schönert, H. and Deuticke, B.
Measurement of rapid membrane permeation in cell suspensions by application of a generalized capillary method (939) 29
- Knoll, G., see Burger, K.N.J. (939) 89
- Kobayashi, H., see Katsu, T. (939) 57
- Kohlschütter, A., see Hübner, C. (939) 145
- Kolber, M.A. and Henkart, P.A.
Quantitation of secretion by rat basophilic leukemia cells by measurements of quinacrine uptake (939) 459
- Kramer, W., Leippe, I., Petzoldt, E. and Girbig, F.
Characterization of the transport system for β -lactam antibiotics and dipeptides in rat renal brush-border membrane vesicles by photoaffinity labeling (939) 167
- Kuriyama, K., see Kishi, M. (939) 615
- Kuroko, M., see Katsu, T. (939) 57
- Ladjadj, M., see Boughriet, A. (939) 523
- Lange, K., see Daum, G. (939) 277
- Langsford, C.A., see Wassall, S.R. (939) 393
- Läuger, P., see Jauch, P. (939) 179
- Lazrak, T., Wolff, G., Albrecht, A.-M., Nakatani, Y., Ourisson, G. and Kates, M.
Bacterioruberins reinforce reconstituted *Halobacterium* lipid membranes (939) 160
- Lebeau, L., Mioskowski, C. and Oudet, P.
Systematic study of phospholipids linked to a steroid derivative, spread into a monolayer at the air/water interface (939) 417
- Leippe, I., see Kramer, W. (939) 167
- Lester, R., see Evers, C. (939) 542
- Levin, I.W., see Bunow, M.R. (939) 577
- Liao, J.-I., see Hjertén, S. (939) 476
- Lindner, S.G., see Hübner, C. (939) 145
- López-Burillo, S., O'Brien, J.A., Ilundain, A., Wreggett, K.A. and Sepúlveda, F.V.
Activation of basolateral membrane K^+ permeability by bradykinin in MDCK cells (939) 335
- López-Corcuera, B., Giménez, C. and Aragón, C.
Change of synaptic membrane lipid composition and fluidity by chronic administration of lithium (939) 467
- Lordo, C., see Mehlhorn, I.E. (939) 151
- Loyter, A., see Ballas, N. (939) 8
- Mader, A., see Bertsche, U. (939) 509
- Martin, N.L., see Worobec, E.A. (939) 366
- Mason, R.J., see Sano, K. (939) 449
- Matlib, M.A., Kihara, M., Farrell, C. and Dage, R.C.
The Na^+-Ca^{2+} exchange system in vascular smooth muscle cell membrane vesicles isolated from cultured cells and from tissue is similar (939) 173
- Maurin, L., Bancel, F., Morin, P. and Bienvenüe, A.
Interactions between a paramagnetic analogue of cholesterol and filipin (939) 102
- McCubbin, W.D., see Worobec, E.A. (939) 366
- Mehlhorn, I.E., Florio, E., Barber, K.R., Lordo, C. and Grant, C.W.M.
Evidence that trans-bilayer interdigitation of glycosphingolipid long chain fatty acids may be a general phenomenon (939) 151
- Mehrle, W., Hampp, R., Zimmermann, U. and Schwan, H.P.
Mapping of the field distribution around dielectrophoretically aligned cells by means of small particles as field probes (939) 561
- Meier, P., see Evers, C. (939) 542
- Merrifield, R.B., see Steiner, H. (939) 260
- Michalak, M., Dupraz, P. and Shoshan-Barmatz, V.
Ryanodine binding to sarcoplasmic reticulum membrane; comparison between cardiac and skeletal muscle (939) 587
- Mioskowski, C., see Lebeau, L. (939) 417
- Mitchell, K.T., see Ferrell Jr., J.E. (939) 223
- Mitsumoto, Y., Sato, K. and Mohri, T.
Leucine transport-induced activation of the Na^+/H^+ exchanger in human peripheral lymphocytes (939) 349
- Mohri, T., see Mitsumoto, Y. (939) 349
- Mohri, T., see Ohyashiki, T. (939) 383
- Molnár, E., see Sarkadi, B. (939) 40
- Morin, P., see Maurin, L. (939) 102
- Murakami, M., Takada, K., Fujii, T. and Muranishi, S.
Intestinal absorption enhanced by unsaturated fatty acids: inhibitory effect of sulfhydryl modifiers (939) 238
- Muranishi, S., see Murakami, M. (939) 238
- Murer, H., see Evers, C. (939) 542
- Nakatani, Y., see Lazrak, T. (939) 160
- Ninomiya, C., see Katsu, T. (939) 57
- Nokubo, M., Zs.-Nagy, I., Kitani, K. and Ohta, M.
Characterization of the autofluorescence of rat liver plasma membranes (939) 441
- Obejero Paz, C.A., González, D.A. and Alonso, G.L.
Demonstration of the simultaneous activation of Ca^{2+} -independent and Ca^{2+} -dependent ATPases from rat skeletal muscle microsomes (939) 409
- O'Brien, J.A., see López-Burillo, S. (939) 335
- Ohkuma, S., see Kishi, M. (939) 615
- Ohno-Iwashita, Y., see Zs.-Nagy, I. (939) 551
- Ohta, M., see Nokubo, M. (939) 441
- Ohta, M., see Zs.-Nagy, I. (939) 551
- Ohtsuka, T., see Ohyashiki, T. (939) 383
- Ohyashiki, T., Ohtsuka, T. and Mohri, T.
Increase of the molecular rigidity of the protein conformation in the intestinal brush-border membranes by lipid peroxidation (939) 383

- Oudet, P., see Lebeau, L. (939) 417
- Ourisson, G., see Lazrak, T. (939) 160
- Panet, R., see Heller, M. (939) 595
- Payrastra, B., Plantavid, M., Etievan, C., Ribbes, G., Carratero, C., Chap, H. and Douste-Blazy, L.
Characterization of plasma membranes from A431 cells, isolated by self-generating Percoll gradient: a rapid isolation procedure to obtain plasma membranes with functional epidermal growth factor receptors (939) 355
- Penniston, J.T., see Sarkadi, B. (939) 40
- Peterson, D.R., see Shimomura, A. (939) 52
- Petzoldt, E., see Kramer, W. (939) 167
- Phelps, T.M., see Wassall, S.R. (939) 393
- Philipson, K.D., see Vemuri, R. (939) 503
- Phonphok, N., see Westerman, P.W. (939) 64
- Pinnaduwa, P. and Huang, L.
 β -Galactosidase-induced destabilization of liposome composed of phosphatidylethanolamine and ganglioside G_{M1} (939) 375
- Plantavid, M., see Payrastra, B. (939) 355
- Pope, J.M., see Westerman, P.W. (939) 64
- Prats, M., see Soucaille, P. (939) 289
- Quinn, P.J., see Foley, A.A. (939) 430
- Rack, M.
Periodate treatment reduces the tetrodotoxin-sensitivity of voltage-gated Na^+ channels (939) 47
- Rehm, W.S., see Schwartz, M. (939) 207
- Ribbes, G., see Payrastra, B. (939) 355
- Rols, M.P., see Escande-Géraud, M.L. (939) 247
- Rothenberg, S.P., see Da Costa, M. (939) 533
- Royt, P.W.
Isolation of a membrane associated iron chelator from *Pseudomonas aeruginosa* (939) 493
- Rubinstein, S., see Ben-Av, P. (939) 214
- Ryan, U.S., see Garrick, R.A. (939) 343
- Sano, K., Cott, G.R., Voelker, D.R. and Mason, R.J.
The Na^+/H^+ antiporter in rat alveolar type II cells and its role in stimulated surfactant secretion (939) 449
- Sarkadi, B., Enyedi, Á., Penniston, J.T., Verma, A.K., Dux, L., Molnár, E. and Gárdos, G.
Characterization of membrane calcium pumps by simultaneous immunoblotting and ^{32}P radiography (939) 40
- Sato, K., see Mitsumoto, Y. (939) 349
- Schönert, H., see Klösgen, B. (939) 29
- Schuddemat, J., see De Bruijne, A.W. (939) 569
- Schwan, H.P., see Mehrle, W. (939) 561
- Schwartz, M., Carrasquer, G., Rehm, W.S. and Dinno, M.A.
Potential difference responses to nutrient K^+ , Cl^- and Na^+ changes in secreting and resting states of frog stomach (939) 207
- Seelig, A., Allegrini, P.R. and Seelig, J.
Partitioning of local anesthetics into membranes: surface charge effects monitored by the phospholipid head-group (939) 267
- Seelig, J., see Seelig, A. (939) 267
- Sela, I., see Ballas, N. (939) 8
- Sepúlveda, F.V., see López-Burillo, S. (939) 335
- Shimomura, A., Carone, F.A. and Peterson, D.R.
Contraluminal uptake of serine in the proximal nephron (939) 52
- Shoshan-Barmatz, V., see Michalak, M. (939) 587
- Soucaille, P., Prats, M., Tocanne, J.F. and Teissié, J.
Use of a fluorescein derivative of phosphatidylethanolamine as a pH probe at water/lipid interfaces (939) 289
- Sparrman, M., see Hjertén, S. (939) 476
- Spink, C., see Huang, N.-n. (939) 124
- Steiner, H., Andreu, D. and Merrifield, R.B.
Binding and action of cecropin and cecropin analogues: antibacterial peptides from insects (939) 260
- Stern, M., see Hübner, C. (939) 145
- Stillwell, W., see Wassall, S.R. (939) 393
- Takada, K., see Murakami, M. (939) 238
- Tarakhovsky, Y.S., see Borovyagin, V.L. (939) 111
- Teissié, J., see Escande-Géraud, M.L. (939) 247
- Teissié, J., see Soucaille, P. (939) 289
- Tien, H.T., see Janas, T. (939) 624
- Tocanne, J.F., see Soucaille, P. (939) 289
- Tournois, H., see Gasset, M. (939) 79
- Vaandrager, A.B. and De Jonge, H.R.
A sensitive technique for the determination of anion exchange activities in brush-border membrane vesicles. Evidence for two exchangers with different affinities for HCO_3^- and SITS in rat intestinal epithelium (939) 305
- Valentino, M., see Fiorini, R.M. (939) 485
- Van den Broek, P.J.A., see De Bruijne, A.W. (939) 569
- Van Steveninck, J., see De Bruijne, A.W. (939) 569
- Vasilenko, I.A., see Borovyagin, V.L. (939) 111
- Vemuri, R. and Philipson, K.D.
Protein methylation inhibits Na^+-Ca^{2+} exchange activity in cardiac sarcolemmal vesicles (939) 503
- Verkleij, A.J., see Burger, K.N.J. (939) 89
- Verma, A.K., see Sarkadi, B. (939) 40
- Voelker, D.R., see Sano, K. (939) 449
- Walter, L., Büchner, K.-H. and Zimmermann, U.
Effect of alkaline earth ions on the movement of mobile charges in *Valonia utricularis* (939) 1
- Wassall, S.R., Phelps, T.M., Albrecht, M.R., Langsford, C.A. and Stillwell, W.
Electron spin resonance study of the interactions of retinoids with a phospholipid model membrane (939) 393
- Wertz, P.W., see Abraham, W. (939) 403
- Westerman, P.W., Pope, J.M., Phonphok, N., Doane, J.W. and Dubro, D.W.
The interaction of *n*-alkanols with lipid bilayer membranes: a 2H -NMR study (939) 64
- Wolff, G., see Lazrak, T. (939) 160
- Worobec, E.A., Martin, N.L., McCubbin, W.D., Kay, C.M., Brayer, G.D. and Hancock, R.E.W.
Large-scale purification and biochemical characterization

of crystallization-grade porin protein P from *Pseudomonas aeruginosa* (939) 366

Wreggett, K.A., see López-Burillo, S. (939) 335

Yamato, I., see Hanada, K. (939) 282

Zakai, N., see Ballas, N. (939) 8

Zimmermann, U., see Bertsche, U. (939) 509

Zimmermann, U., see Mehrle, W. (939) 561

Zimmermann, U., see Walter, L. (939) 1

Zs.-Nagy, I., Ohno-Iwashita, Y., Ohta, M., Zs.-Nagy, V., Kitani, K., Ando, S. and Imahori, K.

Effect of perfringolysin O on the lateral diffusion constant of membrane proteins of hepatocytes as revealed by fluorescence recovery after photobleaching (939) 551

Zs.-Nagy, I., see Nokubo, M. (939) 441

Zs.-Nagy, V., see Zs.-Nagy, I. (939) 551