

Author index

- Adunyah, S.E., Jones, L.R. and Dean, W.L.
Structural and functional comparison of a 22 kDa protein from internal human platelet membranes with cardiac phospholamban (941) 63
- Agulló, L., see Aragón, M.C. (941) 209
- Akamatsu, Y., see Kitagawa, T. (941) 257
- Amano, F., see Kitagawa, T. (941) 257
- Ambudkar, I.S. and Baum, B.J.
Modulation of ATP-dependent Ca^{2+} transport in rat parotid basolateral membrane vesicles by $\text{K}^{+} + \text{Cl}^{-}$ flux (941) 198
- Aragón, M.C., Agulló, L. and Giménez, C.
Depolarization-induced release of glycine and β -alanine from plasma membrane vesicles derived from rat brain synaptosomes (941) 209
- Artalejo, A.R. and García-Sancho, J.
Mobilization of intracellular calcium by extracellular ATP and by calcium ionophores in the Ehrlich ascites-tumour cell (941) 48
- Asaka, M., see Tsunoda, Y. (941) 83
- Baum, B.J., see Ambudkar, I.S. (941) 198
- Bellringer, M.E., Steele, N.J., Rahman, K. and Coleman, R.
Ampicillin inhibits the movement of biliary secretory vesicles in rat hepatocytes (941) 71
- Bester, R. and Lochner, A.
Sarcolemmal phospholipid fatty acid composition and permeability (941) 176
- Bianchi, G., see Gmaj, P. (941) 187
- Bock, J.L. and Yusuf, Y.
Further studies on alterations in magnesium binding during cold storage of erythrocytes (941) 225
- Boni, L.T., see Hui, S.W. (941) 130
- Boni, L.T., see Janoff, A.S. (941) 165
- Bratton, D.L., Harris, R.A., Clay, K.L. and Henson, P.M.
Effects of platelet activating factor and related lipids on phase transition of dipalmitoylphosphatidylcholine (941) 76
- Butterfield, D.A., see Wyse, J.W. (941) 141
- Campione, A.L., see Van Winkle, L.J. (941) 241
- Čermáková, D., see Plášek, J. (941) 119
- Chapman, D., see Mitchell, R.C. (941) 31
- Clay, K.L., see Bratton, D.L. (941) 76
- Coleman, R., see Bellringer, M.E. (941) 71
- Cudd, A. and Steponkus, P.L.
Lamellar-to-hexagonal H_{II} phase transitions in liposomes of rye plasma membrane lipids after osmotic dehydration (941) 278
- Cullis, P.R., see Janoff, A.S. (941) 165
- Dean, W.L., see Adunyah, S.E. (941) 63
- Disalvo, E.A., see Senisterra, G.A. (941) 264
- Duque, J.A., see Proverbio, F. (941) 107
- Esmann, M., Powell, G.L. and Marsh, D.
Spin label studies on the selectivity of lipid-protein interaction of cardiolipin analogues with the $\text{Na}^{+}/\text{K}^{+}$ -ATPase (941) 287
- Fallowfield, C., see Mitchell, R.C. (941) 31
- Feigenson, G.W., see Florine-Casteel, K. (941) 102
- Florine-Casteel, K. and Feigenson, G.W.
On the use of partition coefficients to characterize the distribution of fluorescent membrane probes between coexisting gel and fluid lipid phases: an analysis of the partition behavior of 1,6-diphenyl-1,3,5-hexatriene (941) 102
- Gagliardino, J.J., see Senisterra, G.A. (941) 264
- Galla, H.-J., see Ollmann, M. (941) 1
- García-Sancho, J., see Artalejo, A.R. (941) 48
- Ghishan, F.K., see Said, H.M. (941) 232
- Giménez, C., see Aragón, M.C. (941) 209
- Gliemann, J., see Okuno, Y. (941) 157
- Gmaj, P., Bianchi, G. and Murer, H.
Calcium transport in basolateral plasma membranes from kidney cortex of Milan hypertensive rats (941) 187
- Gómez-Fernández, J.C., see Villalain, J. (941) 55
- Goré, J., see Hoinard, C. (941) 111
- Gorman, J.M., see Van Winkle, L.J. (941) 241
- Gruner, S.M., see Janoff, A.S. (941) 165
- Haghighat, N., see Van Winkle, L.J. (941) 241
- Haris, P.I., see Mitchell, R.C. (941) 31
- Harris, R.A., see Bratton, D.L. (941) 76
- Henson, P.M., see Bratton, D.L. (941) 76
- Hoinard, C. and Goré, J.
Cytoplasmic pH in isolated rat enterocytes. Role of $\text{Na}^{+}/\text{H}^{+}$ exchanger (941) 111
- Hope, M.J., see Janoff, A.S. (941) 165
- Huang, S.K., see Hui, S.W. (941) 130
- Hui, S.W., Nir, S., Stewart, T.P., Boni, L.T. and Huang, S.K.
Kinetic measurements of fusion of phosphatidylserine-containing vesicles by electron microscopy and fluorometry (941) 130
- Jablonski, R.L., see Janoff, A.S. (941) 165
- Janoff, A.S., Kurtz, C.L., Jablonski, R.L., Minchey, S.R., Boni, L.T., Gruner, S.M., Cullis, P.R., Mayer, L.D. and Hope, M.J.

- Characterization of cholesterol hemisuccinate and α -tocopherol hemisuccinate vesicles (941) 165
- Jarolím, P., see Plášek, J. (941) 119
- Jones, L.R., see Adunyah, S.E. (941) 63
- Keeling, D.J., see Mitchell, R.C. (941) 31
- Kitagawa, S., see Ohsaka, A. (941) 19
- Kitagawa, T., Amano, F. and Akamatsu, Y.
External ATP-induced passive permeability change and cell lysis of cultured transformed cells: action in serum-containing growth media (941) 257
- Klotz, L., see Lang, F. (941) 217
- Kurtz, C.L., see Janoff, A.S. (941) 165
- Lang, F., Klotz, L. and Paulmichl, M.
Effect of acetylcholine on electrical properties of subconfluent Madin Darby canine kidney cells (941) 217
- Lochner, A., see Bester, R. (941) 176
- Marín, R., see Proverbio, F. (941) 107
- Marsh, D., see Esmann, M. (941) 287
- Matsumoto, P. and Russell, J.M.
Intracellular Ca^{2+} does not activate the SITS-sensitive anion transporter in barnacle muscle (941) 123
- Mayer, L.D., see Janoff, A.S. (941) 165
- Minchey, S.R., see Janoff, A.S. (941) 165
- Mitchell, R.C., Haris, P.I., Fallowfield, C., Keeling, D.J. and Chapman, D.
Fourier transform infrared spectroscopic studies on gastric H^+/K^+ -ATPase (941) 31
- Miura, Y., see Ohsaka, A. (941) 19
- Moore, R., see Simpson, R.J. (941) 39
- Morrow, M.R. and Whitehead, J.P.
A phenomenological model for lipid-protein bilayers with critical mixing (941) 271
- Murer, H., see Gmaj, P. (941) 187
- Nakagaki, I., see Tsunoda, Y. (941) 83
- Nir, S., see Hui, S.W. (941) 130
- Ohsaka, A., Saito, M., Suzuki, I., Miura, Y., Takaku, F. and Kitagawa, S.
Phorbol myristate acetate potentiates superoxide release and membrane depolarization without affecting an increase in cytoplasmic free calcium in human granulocytes stimulated by the chemotactic peptide, lectins and the calcium ionophore (941) 19
- Okuno, Y. and Gliemann, J.
Effect of chemotactic factors on hexose transport in polymorphonuclear leucocytes (941) 157
- Ollmann, M. and Galla, H.-J.
The effect of gangliosides on the lamellar phase behaviour of phosphatidylethanolamines (941) 1
- Ortiz, A., see Villalán, J. (941) 55
- Otaki, T., see Tsunoda, Y. (941) 83
- Paulmichl, M., see Lang, F. (941) 217
- Peters, T.J., see Simpson, R.J. (941) 39
- Plášek, J., Čermáková, D. and Jarolím, P.
Fluidity of intact erythrocyte membranes. Correction for fluorescence energy transfer from diphenylhexatriene to hemoglobin (941) 119
- Powell, G.L., see Esmann, M. (941) 287
- Proverbio, F., Duque, J.A., Proverbio, T. and Marín, R.
Cell volume-sensitive Na^+ -ATPase activity in rat kidney cortex cell membranes (941) 107
- Proverbio, T., see Proverbio, F. (941) 107
- Rahman, K., see Bellringer, M.E. (941) 71
- Redha, R., see Said, H.M. (941) 232
- Rodríguez-Grille, J.M., see Villegas, R. (941) 150
- Russell, J.M., see Matsumoto, P. (941) 123
- Said, H.M., Ghishan, F.K. and Redha, R.
Transport of glycyl-L-proline in intestinal brush-border membrane vesicles of the suckling rat: characteristics and maturation (941) 232
- Saito, M., see Ohsaka, A. (941) 19
- Sasaki, S., see Tsunoda, Y. (941) 83
- Schwarz, G., see Stankowski, S. (941) 11
- Schwarz, U.D., see Stankowski, S. (941) 11
- Senisterra, G.A., Disalvo, E.A. and Gagliardino, J.J.
Osmotic dependence of the lysophosphatidylcholine lytic action on liposomes in the gel state (941) 264
- Simpson, R.J., Moore, R. and Peters, T.J.
Significance of non-esterified fatty acids in iron uptake by intestinal brush-border membrane vesicles (941) 39
- Sorais-Landáez, F., see Villegas, R. (941) 150
- Stankowski, S., Schwarz, U.D. and Schwarz, G.
Voltage-dependent pore activity of the peptide alamethicin correlated with incorporation in the membrane: salt and cholesterol effects (941) 11
- Steele, N.J., see Bellringer, M.E. (941) 71
- Steponkus, P.L., see Cudd, A. (941) 278
- Stewart, T.P., see Hui, S.W. (941) 130
- Suzuki, I., see Ohsaka, A. (941) 19
- Takaku, F., see Ohsaka, A. (941) 19
- Takeda, H., see Tsunoda, Y. (941) 83
- Tsunoda, Y., Takeda, H., Otaki, T., Asaka, M., Nakagaki, I. and Sasaki, S.
A role for Ca^{2+} in mediating hormone-induced biphasic pepsinogen secretion from the chief cell determined by luminescent and fluorescent probes and X-ray microprobe (941) 83
- Van Winkle, L.J., Haghighat, N., Campione, A.L. and Gorman, J.M.
Glycine transport in mouse eggs and preimplantation conceptuses (941) 241
- Villalán, J., Ortiz, A. and Gómez-Fernández, J.C.
Molecular interactions between sphingomyelin and phosphatidylcholine in phospholipid vesicles (941) 55
- Villegas, G.M., see Villegas, R. (941) 150
- Villegas, R., Sorais-Landáez, F., Rodríguez-Grille, J.M. and Villegas, G.M.

The lobster nerve sodium channel: solubilization and purification of the tetrodotoxin receptor protein (941) 150

Whitehead, J.P., see Morrow, M.R. (941) 271

Wyse, J.W. and Butterfield, D.A.

Electron spin resonance and biochemical studies of the

interaction of the polyamine, spermine, with the skeletal network of proteins in human erythrocyte membranes (941) 141

Yusuf, Y., see Bock, J.L. (941) 225