

Author index

- Ahlers, J., see Arnold, W.M. (942) 83
 Ahlers, J., see Arnold, W.M. (942) 96
 Alonso, A., see Valpuesta, J.M. (942) 341
 Arnold, W.M., Zimmermann, U., Heiden, W. and Ahlers, J.
 The influence of tetraphenylborates (hydrophobic anions)
 on yeast cell electro-rotation (942) 96
 Arnold, W.M., Zimmermann, U., Pauli, W., Benzing, M.,
 Niehrs, C. and Ahlers, J.
 The comparative influence of substituted phenols (espe-
 cially chlorophenols) on yeast cells assayed by electro-rotation
 and other methods (942) 83
 Arrondo, J.L.R., see Valpuesta, J.M. (942) 341
- Barisas, B.G., see Rosenthal, K.S. (942) 38
 Basset, G., Saumon, G., Bouchonnet, F. and Crone, C.
 Apical sodium-sugar transport in pulmonary epithelium in
 situ (942) 11
 Bennekou, P. and Stampe, P.
 The effect of ATP, intracellular calcium and the anion
 exchange inhibitor DIDS on conductive anion fluxes across
 the human red cell membrane (942) 179
 Benzing, M., see Arnold, W.M. (942) 83
 Bevers, E.M., see Verhallen, P.F.J. (942) 150
 Bouchonnet, F., see Basset, G. (942) 11
 Brzezinski, P., Malmström, B.G., Lorentzon, P. and Wallmark,
 B.
 The catalytic mechanism of gastric H^+/K^+ -ATPase: simu-
 lations of pre-steady-state and steady-state kinetic results
 (942) 215
- Chang, C.L., see Chang, T.-M. (942) 57
 Chang, T.-M. and Chang, C.L.
 Hepatic uptake of asialoglycoprotein is different among
 mammalian species due to different receptor distribution
 (942) 57
 Cheeseman, C.I., see Lee, C.W. (942) 139
 Chifu, E., see Tomoiaia-Cotisel, M. (942) 295
 Comfurius, P., see Verhallen, P.F.J. (942) 150
 Cox, T.C.
 Potassium dependence of sodium transport in frog skin
 (942) 169
 Crone, C., see Basset, G. (942) 11
- De Kruijff, B., see Zhou, L.-X. (942) 115
 Devaux, P.F., see Rosso, J. (942) 271
 Dhers, C., see Leonards, K.S. (942) 245
 Dobrović-Jenik, D. and Milković, S.
 Regulation of fetal Na^+/K^+ -ATPase in rat kidney by
 corticosteroids (942) 227
- Favilli, F., see Vincenzini, M.T. (942) 107
 Fernández, M.S.
 1H -NMR of phosphatidylcholine liposomes at low p^2H in
 the presence of a paramagnetic shift reagent (942) 199
 Flores, E., see Schmetterer, G. (942) 33
 Freysz, L., see Pelletier, X. (942) 125
- Giraldez, F., Valverde, M.A. and Sepúlveda, F.V.
 Hypotonicity increases apical membrane Cl^- conductance
 in *Necturus* enterocytes (942) 353
 Goñi, F.M., see Valpuesta, J.M. (942) 341
 Grossman, R.A., see Hoshiko, T. (942) 186
- Harris, W.E. and Stahl, W.L.
 Origin of the γ polypeptide of the Na^+/K^+ -ATPase (942)
 236
 Heiden, W., see Arnold, W.M. (942) 96
 Hertz, E., see Streichman, S. (942) 333
 Hoshiko, T., Grossman, R.A. and Machlup, S.
 Effects of basolateral ouabain, amphotericin B, cyanide
 and potassium on amiloride noise during voltage clamp of
 Rana pipiens skin support sodium-amiloride competition
 (942) 186
- Iantomasi, T., see Vincenzini, M.T. (942) 107
 Ise, N., see Kitano, H. (942) 131
- Jarvis, S.M., see Lee, C.W. (942) 139
 Jessen, H., Vorum, H., Jørgensen, K.E. and Sheikh, M.I.
 Characteristics of D-alanine transport by luminal mem-
 brane vesicles from pars convoluta and pars recta of rabbit
 proximal tubule (942) 262
 Jordi, W., see Zhou, L.-X. (942) 115
 Jørgensen, K.E., see Jessen, H. (942) 262
- Kato, N., see Kitano, H. (942) 131
 Kitano, H., Kato, N., Tanaka, N. and Ise, N.
 Mutual recognition between polymerized liposomes: en-
 zyme and enzyme inhibitor system (942) 131
 Kneer, C., see Stevens, B.R. (942) 205
 Koynova, R.D., see Quinn, P.J. (942) 315
- Lee, C.W., Cheeseman, C.I. and Jarvis, S.M.
 Na^+ - and K^+ -dependent uridine transport in rat renal
 brush-border membrane vesicles (942) 139
 Le Grimellec, C., see Venien, C. (942) 159
 Leonards, K.S. and Dhers, C.
 Changes in the surface charge properties of isolated cardiac
 sarcolemmal vesicles measured by light scattering. II. Char-
 acteristics of rabbit preparations (942) 245

- Leray, C., see Pelletier, X. (942) 125
- Lis, L.J., see Quinn, P.J. (942) 315
- Lis, L.J., see Tenchov, B.G. (942) 305
- Lorentzon, P., see Brzezinski, P. (942) 215
- Lucas, M., Mata, R. and Romero, A.
Comparison of the active calcium extrusion, calcium buffering capacity and ATPase activity in rabbit reticulocytes and mature red cells (942) 65
- Macarulla, J.M., see Valpuesta, J.M. (942) 341
- Machlup, S., see Hoshiko, T. (942) 186
- Malmström, B.G., see Brzezinski, P. (942) 215
- Mata, R., see Lucas, M. (942) 65
- McMurchie, E.J. and Patten, G.S.
Dietary cholesterol influences cardiac β -adrenergic receptor adenylate cyclase activity in the marmoset monkey by changes in membrane cholesterol status (942) 324
- Mellor, I.R., Thomas, D.H. and Sansom, M.S.P.
Properties of ion channels formed by *Staphylococcus aureus* δ -toxin (942) 280
- Milković, S., see Dobrović-Jenik, D. (942) 227
- Mocanu, A., see Tomoaia-Cotisel, M. (942) 295
- Nagle, J.F. and Wiener, M.C.
Structure of fully hydrated bilayer dispersions (942) 1
- Nagy, K.
Conditional open and delay time histograms of sodium channels (942) 209
- Niehrs, C., see Arnold, W.M. (942) 83
- Ojcus, D.M. and Solomon, A.K.
Sites of *p*-chloromercuribenzenesulfonate inhibition of red cell urea and water transport (942) 73
- Ortonne, J.-P., see Verrando, P. (942) 45
- Patten, G.S., see McMurchie, E.J. (942) 324
- Pauli, W., see Arnold, W.M. (942) 83
- Pelletier, X., Freysz, L. and Leray, C.
Topological distribution of choline phospholipid fatty acids in trout intestinal brush-border membrane (942) 125
- Pimplikar, S.W. and Reithmeier, R.A.F.
Studies on the interaction of matrix-bound inhibitor with Band 3, the anion transport protein of human erythrocyte membranes (942) 253
- Pisani, A., see Verrando, P. (942) 45
- Quinn, P.J., Koynova, R.D., Lis, L.J. and Tenchov, B.G.
Lamellar gel-lamellar liquid crystal phase transition of dipalmitoylphosphatidylcholine multilayers freeze-dried from aqueous trehalose solutions. A real-time X-ray diffraction study (942) 315
- Quinn, P.J., see Tenchov, B.G. (942) 305
- Quinn, P.J., see Tomoaia-Cotisel, M. (942) 295
- Reithmeier, R.A.F., see Pimplikar, S.W. (942) 253
- Reithmeier, R.A.F., see Werner, P.K. (942) 19
- Roess, D., see Rosenthal, K.S. (942) 38
- Rosenthal, K.S., Roess, D. and Barisas, B.G.
Herpes simplex virus type 1 penetration initiates mobilization of cell surface proteins (942) 38
- Rosso, J., Zachowski, A. and Devaux, P.F.
Influence of chlorpromazine on the transverse mobility of phospholipids in the human erythrocyte membrane: relation to shape changes (942) 271
- Sansom, M.S.P., see Mellor, I.R. (942) 280
- Saumon, G., see Basset, G. (942) 11
- Schmetterer, G. and Flores, E.
Uptake of fructose by the cyanobacterium *Nostoc* sp. ATCC 29150 (942) 33
- Sepúlveda, F.V., see Giraldez, F. (942) 353
- Sheikh, M.I., see Jessen, H. (942) 262
- Solomon, A.K., see Ojcus, D.M. (942) 73
- Stahl, W.L., see Harris, W.E. (942) 236
- Stampe, P., see Bennekou, P. (942) 179
- Stevens, B.R. and Kneer, C.
Lanthanide-stimulated glucose and proline transport across rabbit intestinal brush-border membranes (942) 205
- Streichman, S., Hertz, E. and Tatarsky, I.
Direct involvement of spectrin thiols in maintaining erythrocyte membrane thermal stability and spectrin dimer self-association (942) 333
- Tanaka, N., see Kitano, H. (942) 131
- Tatarsky, I., see Streichman, S. (942) 333
- Tenchov, B.G., Lis, L.J. and Quinn, P.J.
Structural rearrangements during crystal-liquid-crystal and gel-liquid-crystal phase transitions in aqueous dispersions of dipalmitoylphosphatidylethanolamine. A time-resolved X-ray diffraction study (942) 305
- Tenchov, B.G., see Quinn, P.J. (942) 315
- Thomas, D.H., see Mellor, I.R. (942) 280
- Tomoaia-Cotisel, M., Zsako, J., Mocanu, A., Chifu, E. and Quinn, P.J.
Monolayer properties of membrane lipids of the extreme halophile *Halobacterium cutirubrum*, at the air/water interface (942) 295
- Tsai, A.-l., Vijjeswarapu, H. and Wu, K.K.
Interaction between platelet receptor and iloprost isomers (942) 220
- Valpuesta, J.M., Goñi, F.M., Alonso, A., Arrondo, J.L.R. and Macarulla, J.M.
Lipid-protein interactions. The mitochondrial complex III-phosphatidylcholine-water system (942) 341
- Valverde, M.A., see Giraldez, F. (942) 353
- Venien, C. and Le Grimellec, C.
Phospholipid asymmetry in renal brush-border membranes (942) 159
- Verhallen, P.F.J., Bevers, E.M., Comfurius, P. and Zwaal, R.F.A.
Fluoride-dependent calcium-induced platelet procoagulant activity shows that calpain is involved in increased phospholipid transbilayer movement (942) 150

- Verrando, P., Pisani, A. and Ortonne, J.-P.
The new basement membrane antigen recognized by the monoclonal antibody GB3 is a large size glycoprotein: modulation of its expression by retinoic acid (942) 45
- Vijjeswarapu, H., see Tsai, A.-I. (942) 220
- Vincenzini, M.T., Favilli, F. and Iantomasi, T.
Glutathione-mediated transport across intestinal brush-border membranes (942) 107
- Vorum, H., see Jessen, H. (942) 262
- Wallmark, B., see Brzezinski, P. (942) 215
- Werner, P.K. and Reithmeier, R.A.F.
The mechanisms of inhibition of anion exchange in human erythrocytes by 1-ethyl-3-[3-(trimethylammonio)propyl]carbodiimide (942) 19
- Wiener, M.C., see Nagle, J.F. (942) 1
- Wu, K.K., see Tsai, A.-I. (942) 220
- Zachowski, A., see Rosso, J. (942) 271
- Zhou, L.-X., Jordi, W. and De Kruijff, B.
Influence of heme and importance of the N-terminal part of the protein and physical state of model membranes for the apocytochrome *c*-lipid interaction (942) 115
- Zimmermann, U., see Arnold, W.M. (942) 83
- Zimmermann, U., see Arnold, W.M. (942) 96
- Zsako, J., see Tomoaia-Cotisel, M. (942) 295
- Zwaal, R.F.A., see Verhallen, P.F.J. (942) 150