

Author index

- Akamatsu, Y., see Yoshikawa, W. (944) 321
 Akutsu, H., see Yoshikawa, W. (944) 321
 Allo, S., see Harada, H. (944) 273
 Amit, N., Trung, P.H., Sourbier, P., Marquetty, C. and Hakim, J.
 Role of cytochrome *b*-559 in arachidonic acid activation of resting human neutrophils (944) 437
 Apell, H.-J., see Luger, P. (944) 451
 Armbrrecht, H.J., Doubek, W.G. and Porter, S.B.
 Calcium transport by basal lateral membrane vesicles from rat small intestine decreases with age (944) 367
 Arumugam, S., see Riddell, F.G. (944) 279
 Azuma, J., see Harada, H. (944) 273
 Baemmel, B.P., see Fumero, J. (944) 164
 Barchfeld, G.L. and Deamer, D.W.
 Alcohol effects on lipid bilayer permeability to protons and potassium: relation to the action of general anesthetics (944) 40
 Baumann, U., see Dhathathreyan, A. (944) 265
 Bear, C.E., Davison, J.S. and Shaffer, E.A.
 Intracellular pH influences the resting membrane potential of isolated rat hepatocytes (944) 113
 Beaug, L., see Campos, M. (944) 242
 Birch-Machin, M.A. and Dawson, A.P.
 Ca²⁺ transport by rat liver plasma membranes: the transporter and the previously reported Ca²⁺-ATPase are different enzymes (944) 308
 Bonilla-Marin, M., see Moreno-Bello, M. (944) 97
 Bottega, R., see Epand, R.M. (944) 144
 Brasitus, T.A., see Halline, A.G. (944) 101
 Breitbart, H., see Zarca, A. (944) 351
 Burckhardt, G., see Saboli, I. (944) 191
 Busath, D.D. and Hayon, E.
 Ultraviolet flash photolysis of gramicidin-doped lipid bilayers (944) 73
 Campos, M. and Beaug, L.
 Binding of manganese ions to the Na⁺/K⁺-ATPase during phosphorylation by ATP (944) 242
 Chapman, D., see Jackson, M. (944) 497
 Chiu, D., see Van den Berg, J.J.M. (944) 29
 Cornelius, F. and Skou, J.C.
 The sided action of Na⁺ on reconstituted shark Na⁺/K⁺-ATPase engaged in Na⁺-Na⁺ exchange accompanied by ATP hydrolysis. II. Transmembrane allosteric effects on Na⁺ affinity (944) 223
 Cox, B.C., see Riddell, F.G. (944) 279
 Cragoe, Jr., E.J., see Kapus, A. (944) 383
 Cragoe, Jr., E.J., see Scoble, J.E. (944) 233
 Cruzic-Hansson, L. and Mouritsen, O.G.
 Passive ion permeability of lipid membranes modelled via lipid-domain interfacial area (944) 63
 Csordas, A. and Rybczynska, M.
 Critical temperatures for the interaction of free fatty acids with the erythrocyte membrane (944) 155
 Darszon, A., see Garcia-Soto, J. (944) 1
 Datema, K.P., Spruijt, R.B., Wolfs, C.J.A.M. and Hemminga, M.A.
 Deuterium nuclear magnetic resonance investigation of bacteriophage M13 coat protein in dimyristoylphosphatidylcholine liposomes using palmitic acid as a probe (944) 507
 Davison, J.S., see Bear, C.E. (944) 113
 Dawson, A.P., see Birch-Machin, M.A. (944) 308
 Deamer, D.W., see Barchfeld, G.L. (944) 40
 De De la Torre, L., see Garcia-Soto, J. (944) 1
 DeSimone, J.A., see Persaud, K.C. (944) 49
 DeSimone, S.K., see Persaud, K.C. (944) 49
 Deuticke, B., see Thelen, P. (944) 285
 Deuticke, B., see Thelen, P. (944) 297
 Dhathathreyan, A., Baumann, U., Mller, A. and Mbius, D.
 Characterization of complex gramicidin monolayers by light reflection and Fourier transform infrared spectroscopy (944) 265
 Dobrucki, J.W., see Nettleton, D.O. (944) 315
 Dodd, N.J.F., see Nettleton, D.O. (944) 315
 D'Onofrio, M., see Grimaldi, S. (944) 13
 Doubek, W.G., see Armbrrecht, H.J. (944) 367
 Douen, A.G., Kacem, R. and Jones, M.N.
 Direct interaction of phenylarsine oxide with hexose transporters in isolated rat adipocytes (944) 444
 Dreyfus, H., see Leray, C. (944) 79
 Dudeja, P.K., see Halline, A.G. (944) 101
 Dupeyrat, M., see Saint-Pierre - Chazalet, M. (944) 477
 Dzgne, N., Newton, C., Fisher, K., Fedor, J. and Papa-hadjopoulos, D.
 Monolayer coupling in phosphatidylserine bilayers: distinct phase transitions induced by magnesium interacting with one or both monolayers (944) 391
 Earnest, J.P., see Jones, O.T. (944) 359
 Ebata, H., see Nakao, S.-i. (944) 337
 Enyedi, ., see Magcsi, M. (944) 202
 Epand, R.M. and Bottega, R.
 Determination of the phase behaviour of phosphatidylethanolamine admixed with other lipids and the effects of cholesterol on the phase behaviour of the mixture (944) 144
 Esmann, M. and Skou, J.C.
 Temperature-dependencies of various catalytic activities of membrane-bound Na⁺/K⁺-ATPase from ox brain, ox kidney and shark rectal gland and of C₁₂E₈-solubilized shark Na⁺/K⁺-ATPase (944) 344
 Esposito, G., see Tosco, M. (944) 473

- Essien, H. and Hwang, K.J.
Preparation of liposomes entrapping a high specific activity of $^{111}\text{In}^{3+}$ -bound inulin (944) 329
- Eubanks, J.H., see Jones, O.T. (944) 359
- Facili, A., see Tosco, M. (944) 473
- Fedor, J., see Düzgüneş, N. (944) 391
- Ferret, B., see Leray, C. (944) 79
- Fex, G. and Johannesson, G.
Retinol transfer across and between phospholipid bilayer membranes (944) 249
- Fisher, K., see Düzgüneş, N. (944) 391
- Fonyó, A., see Kapus, A. (944) 383
- Freysz, L., see Leray, C. (944) 79
- Fromherz, P.
Spatio-temporal patterns in the fluid-mosaic model of membranes (944) 108
- Fumero, J., Bammel, B.P., Hopkins, H.P. and Smith, J.C.
The effect of potential-sensitive molecular probes on the thermal phase transition in dimyristoylphosphatidyl choline preparations (944) 164
- Furois-Corbin, S. and Pullman, A.
Conformation and pairing properties of the N-terminal fragments of trichorzianine and alamethicin: a theoretical study (944) 399
- García-Soto, J., Mourelle, M., Vargas, I., De De la Torre, L., Ramírez, E., López-Colomé, A.M. and Darszon, A.
Sea urchin sperm head plasma membranes: characteristics and egg jelly induced Ca^{2+} and Na^{+} uptake (944) 1
- Gárdos, G., see Magócsi, M. (944) 202
- Gary-Bobo, C.M., see Saint-Pierre - Chazalet, M. (944) 477
- Getchell, T.V., see Persaud, K.C. (944) 49
- Giganti, M.G., see Grimaldi, S. (944) 13
- González-Beltrán, C., see Moreno-Bello, M. (944) 97
- Gordon, A.M. and Kanner, B.I.
Partial purification of the sodium- and potassium-coupled L-glutamate transport glycoprotein from rat brain (944) 90
- Grimaldi, S., Pascale, E., Pozzi, D., D'Onofrio, M., Giganti, M.G. and Verna, R.
Effect of ouabain binding on the fluorescent properties of the $\text{Na}^{+}/\text{K}^{+}$ -ATPase (944) 13
- Gruber, H.J. and Low, P.S.
Interaction of amphiphiles with integral membrane proteins. I. Structural destabilization of the anion transport protein of the erythrocyte membrane by fatty acids, fatty alcohols, and fatty amines (944) 414
- Gruber, H.J.
Interaction of amphiphiles with integral membrane proteins. II. A simple, minimal model for the nonspecific interaction of amphiphiles with the anion exchanger of the erythrocyte membrane (944) 425
- Gual, A., see Palés, J. (944) 85
- Haase, W., see Sabolić, I. (944) 191
- Haeflner, E.W., see Seibicke, S. (944) 487
- Hakim, J., see Amit, N. (944) 437
- Halline, A.G., Dudeja, P.K. and Brasitus, T.A.
1,2-Dimethylhydrazine-induced premalignant alterations in the S-adenosylmethionine/S-adenosylhomocysteine ratio and membrane lipid lateral diffusion of the rat distal colon (944) 191
- Hamamoto, T., see Nakao, S.-i. (944) 337
- Harada, H., Allo, S., Viyuoh, N., Azuma, J., Takahashi, K. and Schaffer, S.W.
Regulation of calcium transport in drug-induced taurine-depleted hearts (944) 273
- Haynes, D.H., see Jy, W. (944) 374
- Hayon, E., see Busath, D.D. (944) 73
- Heck, G.L., see Persaud, K.C. (944) 49
- Hemminga, M.A., see Datema, K.P. (944) 507
- Hirata, H., see Nakao, S.-i. (944) 337
- Hopkins, H.P., see Fumero, J. (944) 164
- Horne, W.C., Miettinen, H. and Marchesi, V.T.
Erythrocyte membrane skeleton phosphoproteins: identification of two unrelated phosphoproteins in band 4.9 (944) 135
- Hruska, K.A., see Scoble, J.E. (944) 233
- Hundal, H.S., see Watt, P.W. (944) 213
- Hwang, K.J., see Essien, H. (944) 329
- Inaba, M. and Maede, Y.
Correlation between protein 4.1a/4.1b ratio and erythrocyte life span (944) 256
- Ipsen, J.H. and Mouritsen, O.G.
Modelling the phase equilibria in two-component membranes of phospholipids with different acyl-chain lengths (944) 121
- Issaurat, B. and Teissié, J.
Interaction between a growth-hormone releasing hexapeptide and phospholipids spread as monolayers at the air/water interface (944) 516
- Jackson, M., Johnston, D.S. and Chapman, D.
Differential scanning calorimetric and Fourier transform infrared spectroscopic investigations of cerebroside polymorphism (944) 497
- Jezierski, A., see Kozubek, A. (944) 465
- Johannesson, G., see Fex, G. (944) 249
- Johnston, D.S., see Jackson, M. (944) 497
- Jones, M.N., see Douen, A.G. (944) 444
- Jones, O.T., Eubanks, J.H., Earnest, J.P. and McNamee, M.G.
Reconstitution of the nicotinic acetylcholine receptor using a lipid substitution technique (944) 359
- Jy, W. and Haynes, D.H.
Calcium uptake and release characteristics of the dense tubules of digitonin-permeabilized human platelets (944) 374
- Kacem, R., see Douen, A.G. (944) 444
- Kagawa, Y., see Nakao, S.-i. (944) 337
- Kanner, B.I., see Gordon, A.M. (944) 90
- Kapus, A., Lukács, G.L., Cragoe, Jr., E.J., Ligeti, E. and Fonyó, A.
Characterization of the mitochondrial Na^{+} - H^{+} exchange. The effect of amiloride analogues (944) 383
- Kozubek, A., Jezierski, A. and Sikorski, A.F.
The effect of nonadec(en)ylresorcinol on the fluidity of liposome and erythrocyte membranes (944) 465

- Kuret, C.M., see Watt, P.W. (944) 213
 Kuypers, F.A., see Van den Berg, J.J.M. (944) 29
 Kyogoku, Y., see Yoshikawa, W. (944) 321
- Läuger, P. and Apell, H.-J.
 Transient behaviour of the Na^+/K^+ -pump: Microscopic analysis of nonstationary ion-translocation (944) 451
 Leray, C., Ferret, B., Freysz, L., Dreyfus, H. and Massarelli, R.
 Effect of exogenous gangliosides on the lipid composition of chick neurons in culture (944) 79
 Ligeti, E., see Kapus, A. (944) 383
 Lopes, C.M.B., see Wajnberg, E. (944) 185
 López, A., see Palés, J. (944) 85
 López-Colomé, A.M., see García-Soto, J. (944) 1
 Louro, S.R.W., see Wajnberg, E. (944) 185
 Low, P.S., see Gruber, H.J. (944) 414
 Lubin, B., see Van den Berg, J.J.M. (944) 29
 Lukács, G.L., see Kapus, A. (944) 383
- MacLennan, P.A., see Watt, P.W. (944) 213
 Maede, Y., see Inaba, M. (944) 256
 Magócsi, M., Enyedi, A., Sarkadi, B. and Gárdos, G.
 Effects of phosphoinositides on calcium movements in human platelet membrane vesicles (944) 202
 Marchesi, V.T., see Horne, W.C. (944) 135
 Marquetty, C., see Amit, N. (944) 437
 Massarelli, R., see Leray, C. (944) 79
 McNamee, M.G., see Jones, O.T. (944) 359
 Miettinen, H., see Horne, W.C. (944) 135
 Möbius, D., see Dhathathreyan, A. (944) 265
 Moreno-Bello, M., Bonilla-Marín, M. and González-Beltrán, C.
 Distribution of pore sizes in black lipid membranes treated with nystatin (944) 97
 Morse II, P.D., see Nettleton, D.O. (944) 315
 Mouric, M., see García-Soto, J. (944) 1
 Mouritsen, O.G., see Cruzeiro-Hansson, L. (944) 63
 Mouritsen, O.G., see Ipsen, J.H. (944) 121
 Müller, A., see Dhathathreyan, A. (944) 265
- Nakao, S.-i., Ebatz, H., Hamamoto, T., Kagawa, Y. and Hirata, H.
 Solubilization and reconstitution of voltage-dependent calcium channel from bovine cardiac muscle. Ca^{2+} influx assay using the fluorescent dye Quin2 (944) 337
 Nettleton, D.O., Morse II, P.D., Dobrucki, J.W., Swartz, H.M. and Dodd, N.J.F.
 Distribution of 5-doxyloleic acid in the membranes of mammalian cells (944) 315
 Newton, C., see Düzgüneş, N. (944) 391
 Nussenzweig, P.A., see Wajnberg, E. (944) 185
- Ojcus, D.M., Toon, M.R. and Solomon, A.K.
 Is an intact cytoskeleton required for red cell urea and water transport? (944) 19
 Op den Kamp, J.A.F., see Van den Berg, J.J.M. (944) 29
 Orsenigo, M.N., see Tosco, M. (944) 473
- Palés, J., López, A. and Gual, A.
 Platelet membrane potential as a modulator of aggregating mechanisms (944) 85
 Papahadjopoulos, D., see Düzgüneş, N. (944) 391
 Pascale, E., see Grimaldi, S. (944) 13
 Persaud, K.C., Heck, G.L., DeSimone, S.K., Getchell, T.V. and DeSimone, J.A.
 Ion transport across the frog olfactory mucosa: the action of cyclic nucleotides on the basal and odorant-stimulated states (944) 49
 Porter, S.B., see Armbrrecht, H.J. (944) 367
 Pozzi, D., see Grimaldi, S. (944) 13
 Pullman, A., see Furois-Corbin, S. (944) 399
- Qju, J.H., see Van den Berg, J.J.M. (944) 29
- Ramírez, E., see García-Soto, J. (944) 1
 Rennie, M.J., see Watt, P.W. (944) 213
 Riddell, F.G., Arumugam, S. and Cox, B.G.
 The monensin-mediated transport of Na^+ and K^+ through phospholipid bilayers studied by ^{23}Na - and ^{39}K -NMR (944) 279
 Roeiofsen, B., see Van den Berg, J.J.M. (944) 29
 Rubinstein, S., see Zarca, A. (944) 351
 Rudy, B., see Weiner, J.S. (944) 521
 Rybczynska, M., see Csordas, A. (944) 155
- Sabotić, I., Haase, W. and Burckhardt, G.
 Isolation of rat liver endocytic vesicles using the proton pump as a marker (944) 191
 Saint-Pierre - Chazalet, M., Thomas, C., Dupeyrat, M. and Gary-Bobo, C.M.
 Amphotericin B-sterol complex formation and competition with egg phosphatidylcholine: a monolayer study (944) 477
 Sarkadi, B., see Magócsi, M. (944) 202
 Schaffer, S.W., see Harada, H. (944) 273
 Scoble, J.E., Cragoe, Jr., E.J. and Hruska, K.A.
 $\text{Na}^+-\text{Ca}^{2+}$ exchange and calcium permeability in canine basolateral membrane vesicles: The effects of dibutyl cAMP and specific inhibitors (944) 233
 Seibicke, S., Zimmermann, H.-P. and Haeflner, E.W.
 Fusion of lipid vesicles with ascites tumor cells and their lipid-depleted variants. Studies with radioactive- and fluorescent-labeled vesicles (944) 487
 Sempuku, K.
 Photoinactivation of the thiamin transport system in *Saccharomyces cerevisiae* with azidobenzoyl derivatives of thiamin (944) 177
 Shaffer, E.A., see Bear, C.E. (944) 113
 Sikorski, A.F., see Kozubek, A. (944) 465
 Skou, J.C., see Cornelius, F. (944) 223
 Skou, J.C., see Esmann, M. (944) 344
 Smith, J.C., see Fumero, J. (944) 164
 Solomon, A.K., see Ojcus, D.M. (944) 19
 Sourbier, P., see Amit, N. (944) 437
 Spruijt, R.B., see Datema, K.P. (944) 507
 Swartz, H.M., see Nettleton, D.O. (944) 315

- Tabak, M., see Wajnberg, E. (944) 185
- Takahashi, K., see Harada, H. (944) 273
- Teissié, J., see Issaurat, B. (944) 516
- Thelen, P. and Deuticke, B.
Chemo-mechanical leak formation in human erythrocytes upon exposure to a water-soluble carbodiimide followed by very mild shear stress.I. Basic characteristics of the process (944) 285
- Thelen, P. and Deuticke, B.
Chemo-mechanical leak formation in human erythrocytes upon exposure to a water-soluble carbodiimide followed by very mild shear stress.II. Chemical modifications involved (944) 297
- Thomas, C., see Saint-Pierre - Chazalet, M. (944) 477
- Toon, M.R., see Ojcius, D.M. (944) 19
- Tosco, M., Orsenigo, M.N., Esposito, G. and Facili, A.
 Na^+/H^+ exchange mechanism in the basolateral membrane of the rat enterocyte (944) 473
- Trung, P.H., see Amit, N. (944) 437
- Van den Berg, J.J.M., Kuypers, F.A., Qju, J.H., Chiu, D., Lubin, B., Roelofsen, B. and Op den Kamp, J.A.F.
The use of *cis*-parinaric acid to determine lipid peroxidation in human erythrocyte membranes. Comparison of normal and sickle erythrocyte membranes (944) 29
- Vargas, I., see García-Soto, J. (944) 1
- Verna, R., see Grimaldi, S. (944) 13
- Viyuoh, N., see Harada, H. (944) 273
- Wajnberg, E., Tabak, M., Nussenzweig, P.A., Lopes, C.M.B. and Louro, S.R.W.
pH-dependent phase transition of chlorpromazine micellar solutions in the physiological range (944) 185
- Watt, P.W., MacLennan, P.A., Hundal, H.S., Kuret, C.M. and Rennie, M.J.
 $\text{L}(+)\text{-Lactate}$ transport in perfused rat skeletal muscle: kinetic characteristics and sensitivity to pH and transport inhibitors (944) 213
- Weiner, J.S. and Rudy, B.
Effects of detergent on the binding of solubilized sodium channels to immobilized wheat germ agglutinin: structural implications (944) 521
- Wolfs, C.J.A.M., see Datema, K.P. (944) 507
- Yoshikawa, W., Akutsu, H., Kyogoku, Y. and Akamatsu, Y.
A ^2H -NMR study on the glycerol backbone of phospholipids extracted from *Escherichia coli* grown under high osmotic pressure: evidence for multiconformations of phosphatidylethanolamine (944) 321
- Zarca, A., Rubinstein, S. and Breitbart, H.
Transport mechanism for calcium and phosphate in ram spermatozoa (944) 351
- Zimmermann, H.-P., see Seibicke, S. (944) 487