

Author index

- Alonso-Romanowski, S., Feliz, M.R., Belocopitow, E. and Disalvo, E.A.
Effect of dolichyl monophosphate on the permeability properties of lipid membranes (946) 389
- Alpes, H., Apell, H.-J., Knoll, G., Plattner, H. and Riek, R.
Reconstitution of Na^+/K^+ -ATPase into phosphatidylcholine vesicles by dialysis of nonionic alkyl maltoside detergents (946) 379
- Anchordoguy, T., Carpenter, J.F., Loomis, S.H. and Crowe, J.H.
Mechanisms of interaction of amino acids with phospholipid bilayers during freezing (946) 299
- Andersson, B.-M., see Briving, C. (946) 185
- Apell, H.-J., see Alpes, H. (946) 379
- Aranibar, N., see Glibowicka, M. (946) 345
- Armstrong, M.J., Storch, J. and Dainiak, N.
Structurally distinct plasma membrane regions give rise to extracellular membrane vesicles in normal and transformed lymphocytes (946) 106
- Au, K.S., Hsu, L. and Morrison, M.
 Ca^{2+} -mediated catabolism of human erythrocyte band 3 protein (946) 113
- Ballatori, N., Wondergem, R. and Boyer, J.L.
Effects of L-alanine on membrane potential, potassium (^{86}Rb) permeability and cell volume in hepatocytes from *Raja erinacea* (946) 261
- Beaugé, L., see DiPolo, R. (946) 424
- Belocopitow, E., see Alonso-Romanowski, S. (946) 389
- Bentz, J., see Shavnin, S.A. (946) 405
- Bienvenue, A., see Sune, A. (946) 315
- Blaustein, R.O. and Finkelstein, A.
A hydroxide ion carrier in planar phospholipid bilayer membranes: $(\text{C}_6\text{F}_5)_2\text{Hg}$ (dipentafluorophenylmercury) (946) 221
- Boyer, J.L., see Ballatori, N. (946) 261
- Breier, A., Turi Nagy, L., Ziegelhöffer, A. and Monošíková, R.
Principles of selectivity of sodium and potassium binding sites of the Na^+/K^+ -ATPase. A corollary hypothesis (946) 129
- Brennan Jr., W.A., see Wang, C. (946) 11
- Briving, C., Andersson, B.-M., Nordberg, P. and Wallmark, B.
Inhibition of gastric H^+/K^+ -ATPase by substituted imidazo[1,2-*a*]pyridines (946) 185
- Bursaux, E., see Leclerc, L. (946) 49
- Carpenter, J.F., see Anchordoguy, T. (946) 299
- Chahwala, S.B., see Wilcock, C. (946) 368
- Ciejan, S. and Krulwich, T.A.
Permeability studies of lipid vesicles from alkalophilic *Bacillus firmus* showing opposing effects of membrane isoprenoid and diacylglycerol fractions and suggesting a possible basis for obligate alkalophily (946) 40
- Condrescu, M., Gerardi, A. and DiPolo, R.
 $\text{Na}^+-\text{Ca}^{2+}$ exchange in squid optic nerve membrane vesicles is activated by internal calcium (946) 289
- Crowe, J.H., see Anchordoguy, T. (946) 299
- Crowe, J.H., see Crowe, L.M. (946) 193
- Crowe, L.M. and Crowe, J.H.
Trehalose and dry dipalmitoylphosphatidylcholine revisited (946) 193
- Croxtton, T.L.
A model of the gating of ion channels (946) 19
- Cuppoletti, J., Strasser, J.E. and Dean, G.E.
An immunoreactive 8-azido ATP-labeled protein common to the lysosomal and chromaffin granule membrane (946) 33
- Dainiak, N., see Armstrong, M.J. (946) 106
- Daum, G., see Sperka-Gottlieb, C.D.M. (946) 227
- Dean, G.E., see Cuppoletti, J. (946) 33
- Dean, R.T., see Richards, D.M.C. (946) 281
- De Boeck, H. and Zidovetzki, R.
NMR study of the interaction of retinoids with phospholipid bilayers (946) 244
- De Gier, J., see Tournois, H. (946) 173
- De Kruijff, B., see Tournois, H. (946) 173
- DiPolo, R. and Beaugé, L.
An ATP-dependent $\text{Na}^+/\text{Mg}^{2+}$ countertransport is the only mechanism for Mg extrusion in squid axons (946) 424
- DiPolo, R., see Condrescu, M. (946) 289
- Disalvo, E.A., see Alonso-Romanowski, S. (946) 389
- Dreinhöfer, J., Gögelein, H. and Greger, R.
Blocking kinetics of Cl^- channels in colonic carcinoma cells (HT₂₉) as revealed by 5-nitro-2-(3-phenylpropylamino)benzoic acid (NPPB) (946) 135
- Düzgüneş, N., see Shavnin, S.A. (946) 405
- Fasold, H., see Fuhrmann, G.F. (946) 25
- Fedor, J., see Shavnin, S.A. (946) 405
- Feliz, M.R., see Alonso-Romanowski, S. (946) 389
- Finkelstein, A., see Blaustein, R.O. (946) 221
- Flores Martinez, A. and Schwencke, J.
Chitin synthetase activity is bound to chitosomes and to the plasma membrane in protoplasts of *Saccharomyces cerevisiae* (946) 328

- Franklin, C.C., see Kim, H.D. (946) 397
- Frost, S.J., McGary, C.T., Raja, R.H. and Weigel, P.H.
Specific intracellular hyaluronic acid binding to isolated rat hepatocytes is membrane-associated (946) 66
- Fuhrmann, G.F., Kreutzfeldt, C., Rudolphi, K. and Fasold, H.
The anion-transport inhibitor H₂DIDS cross-links hemoglobin interdimensionally and enhances oxygen unloading (946) 25
- Gerardi, A., see Condrescu, M. (946) 289
- Giménez, C., see Zafra, F. (946) 202
- Glibowicka, M., Winckler, B., Aranibar, N., Schuster, M., Hanssum, H., Rüterjans, H. and Passow, H.
Temperature dependence of anion transport in the human red blood cell (946) 345
- Gögelein, H., see Dreinhöfer, J. (946) 135
- Gorka, C., see Schroeder, F. (946) 85
- Greger, R., see Dreinhöfer, J. (946) 135
- Haensler, J. and Schubert, F.
Preparation of neo-galactosylated liposomes and their interaction with mouse peritoneal macrophages (946) 95
- Haest, C.W.M., see Tournois, H. (946) 173
- Hanssum, H., see Glibowicka, M. (946) 345
- Hatano, Y., see Nakazato, K. (946) 143
- Hayashi, Y., see Urade, R. (946) 151
- Helmkamp, Jr., G.M., see Venuti, S.E. (946) 119
- Henseleit, U., see Tournois, H. (946) 173
- Hermetter, A., see Sperka-Gottlieb, C.D.M. (946) 227
- Hernandez-Borrell, J., see Noé, C. (946) 253
- Hickman, J.A., see Wilcock, C. (946) 359
- Hickman, J.A., see Wilcock, C. (946) 368
- Hirashima, N. and Kirino, Y.
Potassium channels in synaptosomal membrane examined using patch-clamp techniques and reconstituted giant proteoliposomes (946) 209
- Holman, G.D., Karim, A.R. and Karim, B.
Photolabeling of erythrocyte and adipocyte hexose transporters using a benzophenone derivative of bis(D-mannose) (946) 75
- Hsu, L., see Au, K.S. (946) 113
- Huang, C.-h., see Lin, H.-n. (946) 178
- Inoue, T., see Kaminoh, Y. (946) 337
- Jessup, W., see Richards, D.M.C. (946) 281
- Kamaya, H., see Kaminoh, Y. (946) 215
- Kaminoh, Y., Inoue, T., Ma, S.-M., Ueda, I. and Lin, S.H.
Membrane-buffer partition coefficients of tetracaine for liquid-crystal and solid-gel membranes estimated by direct ultraviolet spectrophotometry (946) 337
- Kaminoh, Y., Tashiro, C., Kamaya, H. and Ueda, I.
Depression of phase-transition temperature by anesthetics: nonzero solid membrane binding (946) 215
- Karim, A.R., see Holman, G.D. (946) 75
- Karim, B., see Holman, G.D. (946) 75
- Kim, H.D., Tsai, Y.-S., Franklin, C.C. and Turner, J.T.
Characterization of Na⁺/K⁺/Cl⁻ cotransport in cultured HT29 human colonic adenocarcinoma cells (946) 397
- Kinsky, S.C., see Noé, C. (946) 253
- Kirino, Y., see Hirashima, N. (946) 209
- Kito, M., see Urade, R. (946) 151
- Knoll, G., see Alpes, H. (946) 379
- Konishi, T., see Nakazato, K. (946) 143
- Kreutzfeldt, C., see Fuhrmann, G.F. (946) 25
- Krulwich, T.A., see Clejan, S. (946) 40
- Lang, F., see Völkl, H. (946) 5
- Lawaczek, R.
First direct observation of the water exchange across the membrane of a single-cell green alga on a cellular level (946) 165
- Leclerc, L., Vasseur, C., Bursaux, E., Marden, M. and Poyart, C.
Inhibition of membrane erythrocyte (Ca²⁺ + Mg²⁺)-ATPase by hemin (946) 49
- Le Grimmelc, C., see Vénien, C. (946) 307
- Leserman, L., see Noé, C. (946) 253
- Lin, H.-n. and Huang, C.-h.
Eutectic phase behavior of 1-stearoyl-2-caprylphosphatidylcholine and dimyristoylphosphatidylcholine mixtures (946) 178
- Lin, S.H., see Kaminoh, Y. (946) 337
- Loomis, S.H., see Anchordoguy, T. (946) 299
- Ma, S.-M., see Kaminoh, Y. (946) 337
- Marden, M., see Leclerc, L. (946) 49
- Matsuura, E., see Noé, C. (946) 253
- McGary, C.T., see Frost, S.J. (946) 66
- Medina, M.A., Sánchez-Jiménez, F., Segura, J.A. and Núñez de Castro, I.
Transmembrane ferricyanide reductase activity in Ehrlich ascites tumor cells (946) 1
- Monošiková, R., see Breier, A. (946) 129
- Morin, P., see Sune, A. (946) 315
- Morrison, M., see Au, K.S. (946) 113
- Morrison, W.J., see Schroeder, F. (946) 85
- Mosior, M.
Elastic properties of the erythrocyte membrane and the critical cell volume of erythrocytes (946) 429
- Murakami, N., see Nakazato, K. (946) 143
- Murphy, A.J.
Affinity labeling of the active site of the Ca²⁺-ATPase of sarcoplasmic reticulum (946) 57
- Naftalin, R.J.
Pre-steady-state uptake of D-glucose by the human erythrocyte is inconsistent with a circulating carrier mechanism (946) 431
- Nakazato, K., Murakami, N., Konishi, T. and Hatano, Y.
Membrane potential in liposomes measured by the transmembrane distribution of ⁸⁶Rb⁺, tetraphenylphosphonium or triphenylmethylphosphonium: Effect of cholesterol in the lipid bilayer (946) 143
- Noé, C., Hernandez-Borrell, J., Kinsky, S.C., Matsuura, E. and Leserman, L.
Inhibition of cell proliferation with antibody-targeted liposomes containing methotrexate-γ-dimyristoylphosphatidylethanolamine (946) 253

- Nordberg, P., see Briving, C. (946) 185
 Núñez de Castro, I., see Medina, M.A. (946) 1
- Okamura, E., see Ter-Minassian-Saraga, L. (946) 417
- Paltauf, F., see Sperka-Gottlieb, C.D.M. (946) 227
 Passow, H., see Glibowicka, M. (946) 345
 Pedroso de Lima, M.C., see Shavnin, S.A. (946) 405
 Plattner, H., see Alpes, H. (946) 379
 Poyart, C., see Leclerc, L. (946) 49
- Raja, R.H., see Frost, S.J. (946) 66
 Richards, D.M.C., Dean, R.T. and Jessup, W.
 Membrane proteins are critical targets in free radical mediated cytolysis (946) 281
 Riek, R., see Alpes, H. (946) 379
 Rudolphi, K., see Fuhrmann, G.F. (946) 25
 Rüterjans, H., see Glibowicka, M. (946) 345
- Sainte-Marie, J., see Sune, A. (946) 315
 Sánchez-Jiménez, F., see Medina, M.A. (946) 1
 Schroeder, F., Morrison, W.J., Gorka, C. and Wood, W.G.
 Transbilayer effects of ethanol on fluidity of brain membrane leaflets (946) 85
 Schuber, F., see Haensler, J. (946) 95
 Schuster, M., see Glibowicka, M. (946) 345
 Schwencke, J., see Flores Martinez, A. (946) 328
 Segura, J.A., see Medina, M.A. (946) 1
 Shavnin, S.A., Pedroso de Lima, M.C., Fedor, J., Wood, P., Bentz, J. and Düzgüneş, N.
 Cholesterol affects divalent cation-induced fusion and isothermal phase transitions of phospholipid membranes (946) 405
 Smutzer, G.
 A fluorescent sterol probe study of cholesterol/phospholipid membranes (946) 270
 Sperka-Gottlieb, C.D.M., Hermetter, A., Paltauf, F. and Daum, G.
 Lipid topology and physical properties of the outer mitochondrial membrane of the yeast, *Saccharomyces cerevisiae* (946) 227
 Storch, J., see Armstrong, M.J. (946) 106
 Strasser, J.E., see Cuppoletti, J. (946) 33
 Sune, A., Vidal, M., Morin, P., Sainte-Marie, J. and Bienvenue, A.
 Evidence for bidirectional transverse diffusion of spin-labeled phospholipids in the plasma membrane of guinea pig blood cells (946) 315
- Takenaka, T., see Ter-Minassian-Saraga, L. (946) 417
 Tashiro, C., see Kaminoh, Y. (946) 215
 Ter-Minassian-Saraga, L., Okamura, E., Umemura, J. and Takenaka, T.
 Fourier transform infrared-attenuated total reflection spectroscopy of hydration of dimyristoylphosphatidylcholine multibilayers (946) 417
 Thomas, P.G., Zimmermann, A.G. and Verkleij, A.J.
 Prevention of calcium-induced membrane structural alterations in erythrocyte membranes by flunarizine (946) 439
- Tournois, H., Henseleit, U., De Gier, J., De Kruijff, B. and Haest, C.W.M.
 Relationship between gramicidin conformation dependent induction of phospholipid transbilayer movement and hexagonal H_{II} phase formation in erythrocyte membranes (946) 173
 Tsai, Y.-S., see Kim, H.D. (946) 397
 Turi Nagy, L., see Breier, A. (946) 129
 Turner, J.T., see Kim, H.D. (946) 397
- Ueda, I., see Kaminoh, Y. (946) 215
 Ueda, I., see Kaminoh, Y. (946) 337
 Umemura, J., see Ter-Minassian-Saraga, L. (946) 417
 Urade, R., Hayashi, Y. and Kito, M.
 Endosomes differ from plasma membranes in the phospholipid molecular species composition (946) 151
- Vasseur, C., see Leclerc, L. (946) 49
 Vénien, C. and Le Grimelec, C.
 The involvement of cytoskeletal proteins in the maintenance of phospholipid topology in renal brush-border membranes (946) 307
 Venuti, S.E. and Helmkamp, Jr., G.M.
 Tissue distribution, purification and characterization of rat phosphatidylinositol transfer protein (946) 119
 Verkleij, A.J., see Thomas, P.G. (946) 439
 Vidal, M., see Sune, A. (946) 315
 Völkl, H. and Lang, F.
 Effect of amiloride on cell volume regulation in renal straight proximal tubules (946) 5
- Wallmark, B., see Briving, C. (946) 185
 Wang, C. and Brennan Jr., W.A.
 Rat skeletal muscle, liver and brain have different fetal and adult forms of the glucose transporter (946) 11
 Weigel, P.H., see Frost, S.J. (946) 66
 Wilcock, C. and Hickman, J.A.
 Characterisation of a Na⁺/K⁺/Cl⁻ cotransporter in alkylating agent-sensitive L1210 murine leukemia cells (946) 359
 Wilcock, C., Chahwala, S.B. and Hickman, J.A.
 Selective inhibition by bis(2-chloroethyl)methylamine (nitrogen mustard) of the Na⁺/K⁺/Cl⁻ cotransporter of murine L1210 leukemia cells (946) 368
 Winckler, B., see Glibowicka, M. (946) 345
 Wondergem, R., see Ballatori, N. (946) 261
 Wood, P., see Shavnin, S.A. (946) 405
 Wood, W.G., see Schroeder, F. (946) 85
- Zafra, F. and Giménez, C.
 Efflux and exchange of glycine by plasma membrane vesicles isolated from glioblastoma cells (946) 202
 Zasadzinski, J.A.N.
 Effect of stereoconfiguration on ripple phases (P_{B'}) of dipalmitoylphosphatidylcholine (946) 235
 Zidovetzki, R., see De Boeck, H. (946) 244
 Ziegelhöffer, A., see Breier, A. (946) 129
 Zimmermann, A.G., see Thomas, P.G. (946) 439