

Cumulative Contents

<i>Editorial</i>	vii	Squalene promotes the formation of non-bilayer structures in phospholipid model membranes <i>K. Lohner, G. Degovics, P. Laggner, E. Gnamusch and F. Paltauf (Austria)</i>	69
<i>Information for Contributors</i>	ix	Permeation of superoxide anion through the bilayer of vesicles of a synthetic amphiphile <i>L.F. Gomes, I.M. Cuccovia, H. Chaimovich, D.H.G.P. Barbieri and M.J. Politi (Brazil)</i>	78
<i>Regular Papers</i>		Optical imaging of Cl ⁻ permeabilities in normal and CFTR-expressing mouse L cells <i>S. Dho and J.K. Foskett (Canada)</i>	83
A 56 kDa binding protein for <i>Escherichia coli</i> heat-stable enterotoxin isolated from the cytoskeleton of rat intestinal membranes does not possess guanylate cyclase activity <i>S. Hakki, D.C. Robertson and S.A. Waldman (USA)</i>	1	Altered expression of unidirectional extrusion routes for methotrexate and cholate in an efflux variant of L1210 cells <i>G.B. Henderson and T.R. Hughes (USA)</i>	91
The transport mechanisms of organic cations and their zwitterionic derivatives across rat intestinal brush-border membrane. II. Comparison of the membrane potential effect on the uptake by membrane vesicles <i>K. Iseki, M. Sugawara, N. Saitoh and K. Miyazaki (Japan)</i>	9	Fusion of dioleoylphosphatidylcholine vesicles induced by an amphiphilic cationic peptide and oligophosphates at neutral pH <i>M. Murata, Y. Shirai, R. Ishiguro, S. Kagiwada, Y. Tahara, S.-i. Ohnishi and S. Takahashi (Japan)</i>	99
Reconstituted Sendai virus envelopes as biological carriers: dual role of F protein in binding and fusion with liver cells <i>S. Bagai and D.P. Sarkar (India)</i>	15	Effects of exogenous phospholipids on platelet activation <i>L.S. Brunauer and W.H. Huestis (USA)</i>	109
Cadmium ion is a non-competitive inhibitor of red cell Ca ²⁺ -ATPase activity <i>G.J. Visser, P.H.J. Peters and A.P.R. Theuvsen (Netherlands)</i>	26	The initial association of a truncated form of the <i>Neurospora</i> plasma membrane H ⁺ -ATPase and of the precursor of yeast invertase with microsome are distinct processes <i>R. Addison (USA)</i>	119
Association probabilities between the single-chain amphiphiles into a binary mixture in planar monolayers (II) <i>D. Popescu (Romania)</i>	35	Structural requirements for the inhibition of membrane fusion by carbobenzoxy-D-Phe-Phe-Gly <i>R.M. Epand, R.F. Epand, C.D. Richardson and P.L. Yeagle (Canada, USA)</i>	128
Phospholipase C activity in membranes and a soluble fraction isolated from frog skeletal muscle <i>M.A. Carrasco, J. Sierralta and C. Hidalgo (Chile)</i>	44	Phase equilibria and local structure in binary lipid bilayers <i>K. Jørgensen, M.M. Sperotto, O.G. Mouritsen, J.H. Ipsen and M.J. Zuckermann (USA, Denmark, Canada)</i>	135
Thermodynamic stability and osmotic sensitivity of small unilamellar phosphatidylcholine vesicles <i>B. Lerebours, E. Wehrli and H. Hauser (Switzerland)</i>	49	Isolation of a Ca ²⁺ or Mg ²⁺ -activated ATPase (ecto-ATPase) from bovine brain synaptic membranes <i>J. Hohmann, H. Kowalewski, M. Vogel and H. Zimmermann (Germany)</i>	146
The α -D-glucosyl C-2 hydroxyl is required for binding to the H ⁺ -sucrose transporter in phloem <i>S.D.J. Griffin, K.D. Buxton and I.A. Donaldson (UK)</i>	61	Effect of ultrasound on the pH profiles in the unstirred layers near planar bilayer lipid membranes measured by microelectrodes	

- P. Pohl, Y.N. Antonenko and E. Rosenfeld*
(Germany, Russia) 155
- Intramitochondrial distribution and transport of phosphatidylserine and its decarboxylation product, phosphatidylethanolamine. Application of pyrene-labeled species
R. Jasińska, J. Zborowski and P. Somerharju
(Poland, Finland) 161
- The macroscopic organization of reconstituted M13 coat protein-phospholipid systems. An EPR spectroscopy and polarizing microscope study
M.F. Ottaviani, H. Huinink, J.C. Sanders and M.A. Hemminga (Italy, Netherlands) 171
- The effects of tetrahexyl ammonium cations (THA⁺) on inositol 1,4,5-trisphosphate-induced calcium release from porcine cerebellar microsomes: THA⁺ can induce calcium release selectively from the InsP₃-sensitive calcium stores
L.G. Sayers and F. Michelangeli (UK) 177

Rapid Reports

- Temperature effects on the aggregation state and activity of Amphotericin B
H.E. Lambing, B.D. Wolf and S.C. Hartsel (USA) 185
- The effect of amphotericin B on the K-channel activity of MDCK cells
S.-F. Hsu and R.R. Burnette (USA) 189

Short Sequence-Papers

- Isolation and characterization of cDNA clones and a genomic clone encoding rat mitochondrial adenine nucleotide translocator
Y. Shinohara, M. Kamida, N. Yamazaki and H. Terada (Japan) 192
- Cloning and analysis of the 5' flanking sequence of the rat N-methyl-D-aspartate receptor 1 (NMDAR1) gene
G. Bai and J.W. Kusiak (USA) 197

Regular Papers

- Kinetic parameters of monovalent cation uptake in yeast calculated on accounting for the mutual interaction of cation uptake and membrane potential
G.W.F.H. Borst-Pauwels (The Netherlands) 201
- Electrical properties of cell pellets and cell electrofusion in a centrifuge
I.G. Abidor, A.I. Barbul, D.V. Zhelev, P. Doinov, I.N. Bandrina, E.M. Osipova and S.I. Sukharev (Russia, Bulgaria) 207

- Comparison between sodium-hydrogen ion and lithium-hydrogen ion exchange in human platelets
O.A. Gende and H.E. Cingolani (Argentina) 219
- Demonstration of two isoforms of the SERCA-2b type Ca²⁺,Mg²⁺-ATPase in pancreatic endoplasmic reticulum
R.L. Dormer, D.E. Capurro, R. Morris and R. Webb (UK) 225
- The targeting of immunoliposomes to tumour cells (A431) and the effects of encapsulated methotrexate
M.N. Jones and M.J.H. Hudson (UK) 231
- Effect of cerulenin on the synthesis of very-long-chain fatty acids in microsomes from leek seedlings
F. Schneider, R. Lessire, J.-J. Bessoule, H. Juguelin and C. Cassagne (France) 243
- Optimization of the retention properties of vincristine in liposomal systems
N.L. Boman, L.D. Mayer and P.R. Cullis (Canada) 253
- Ca²⁺-induced lateral phase separation in black lipid membranes and its coupling to the ion translocation by gramicidin
S. Mittler-Neher and W. Knoll (Germany) 259
- Dicarboxylate transport at the vacuolar membrane of the CAM plant *Kalanchoë daigremontiana*: sensitivity to protein-modifying and sulphhydryl reagents
M. Bettey and J.A.C. Smith (UK) 270
- The effect of long-chain N-acyl ethanolamines on some membrane-associated functions of neuroblastoma C1300 N18 cells
N.M. Gulaya, A.A. Melnik, D.I. Balkov, G.L. Volkov, M.V. Vysotskiy and V.E. Vaskovsky (Ukraine, Russian Federation) 280
- Na⁺/K⁺/2Cl⁻ cotransport in medullary thick ascending limb cells: kinetics and bumetanide binding
D.M. Kaji (USA) 289
- Plasma membrane vesicles from BHK and HL60 cells treated with merocyanine 540 and iodoacetamide
J. Whatmore, P. Quinn and D. Allan (UK) 300
- Concerning stimulation by injected fluoroaluminate of the sodium efflux in barnacle muscle fibers
E.E. Bittar and Y.-P. Huang (USA) 307
- Editing ¹³C-NMR spectra of membranes
B. Montez, E. Oldfield, J.A. Urbina, S. Pekerar, C. Husted and J. Patterson (USA, Venezuela) 314
- ATP-regulated chloride conductance in endoplasmic reticulum (ER)-enriched pig pancreas microsomes

		337
<i>B. Bégault, T. Anagnostopoulos and A. Edelman</i> (France)	319	<i>Cumulative Contents, Vol. 1152</i> 335
Glucuronidation of all- <i>trans</i> -retinoic acid in liposomal membranes		<i>Author Index</i> 338
<i>K.L. Salyers, M.E. Cullum and M.H. Zile (USA)</i>	328	