

Author Index

- Abidor, I.G., Barbul, A.I., Zhelev, D.V., Doinov, P., Bandrina, I.N., Osipova, E.M. and Sukharev, S.I.
Electrical properties of cell pellets and cell electrofusion in a centrifuge (1152) 207
- Addison, R.
The initial association of a truncated form of the *Neurospora* plasma membrane H⁺-ATPase and of the precursor of yeast invertase with microsomes are distinct processes (1152) 119
- Allan, D., see Whatmore, J. (1152) 300
- Anagnostopoulos, T., see Bégault, B. (1152) 319
- Antonenko, Y.N., see Pohl, P. (1152) 155
- Bagai, S. and Sarkar, D.P.
Reconstituted Sendai virus envelopes as biological carriers: dual role of F protein in binding and fusion with liver cells (1152) 15
- Bai, G. and Kusiak, J.W.
Cloning and analysis of the 5' flanking sequence of the rat N-methyl-D-aspartate receptor 1 (NMDAR1) gene (1152) 197
- Balkov, D.I., see Gulaya, N.M. (1152) 280
- Bandrina, I.N., see Abidor, I.G. (1152) 207
- Barbieri, D.H.G.P., see Gomes, L.F. (1152) 78
- Barbul, A.I., see Abidor, I.G. (1152) 207
- Bégault, B., Anagnostopoulos, T. and Edelman, A.
ATP-regulated chloride conductance in endoplasmic reticulum (ER)-enriched pig pancreas microsomes (1152) 319
- Bessoule, J.-J., see Schneider, F. (1152) 243
- Betty, M. and Smith, J.A.C.
Dicarboxylate transport at the vacuolar membrane of the CAM plant *Kalanchoë daigremontiana*: sensitivity to protein-modifying and sulphhydryl reagents (1152) 270
- Bittar, E.E. and Huang, Y.-P.
Concerning stimulation by injected fluoroaluminate of the sodium efflux in barnacle muscle fibers (1152) 307
- Boman, N.L., Mayer, L.D. and Cullis, P.R.
Optimization of the retention properties of vincristine in liposomal systems (1152) 253
- Borst-Pauwels, G.W.F.H.
Kinetic parameters of monovalent cation uptake in yeast calculated on accounting for the mutual interaction of cation uptake and membrane potential (1152) 201
- Brunauer, L.S. and Huestis, W.H.
Effects of exogenous phospholipids on platelet activation (1152) 109
- Burnette, R.R., see Hsu, S.-F. (1152) 189
- Buxton, K.D., see Griffin, S.D.J. (1152) 61
- Capurro, D.E., see Dormer, R.L. (1152) 225
- Carrasco, M.A., Sierralta, J. and Hidalgo, C.
Phospholipase C activity in membranes and a soluble fraction isolated from frog skeletal muscle (1152) 44
- Cassagne, C., see Schneider, F. (1152) 243
- Chaimovich, H., see Gomes, L.F. (1152) 78
- Cingolani, H.E., see Gende, O.A. (1152) 219
- Cuccovia, I.M., see Gomes, L.F. (1152) 78
- Cullis, P.R., see Boman, N.L. (1152) 253
- Cullum, M.E., see Salyers, K.L. (1152) 328
- Degovics, G., see Lohner, K. (1152) 69
- Dho, S. and Foskett, J.K.
Optical imaging of Cl⁻ permeabilities in normal and CFTR-expressing mouse L cells (1152) 83
- Doinov, P., see Abidor, I.G. (1152) 207
- Donaldson, I.A., see Griffin, S.D.J. (1152) 61
- Dormer, R.L., Capurro, D.E., Morris, R. and Webb, R.
Demonstration of two isoforms of the SERCA-2b type Ca²⁺,Mg²⁺-ATPase in pancreatic endoplasmic reticulum (1152) 225
- Edelman, A., see Bégault, B. (1152) 319
- Epand, R.F., see Epand, R.M. (1152) 128
- Epand, R.M., Epand, R.F., Richardson, C.D. and Yeagle, P.L.
Structural requirements for the inhibition of membrane fusion by carbobenzoxy-D-Phe-Phe-Gly (1152) 128
- Foskett, J.K., see Dho, S. (1152) 83
- Gende, O.A. and Cingolani, H.E.
Comparison between sodium-hydrogen ion and lithium-hydrogen ion exchange in human platelets (1152) 219
- Gnamusch, E., see Lohner, K. (1152) 69
- Gomes, L.F., Cuccovia, I.M., Chaimovich, H., Barbieri, D.H.G.P. and Politi, M.J.
Permeation of superoxide anion through the bilayer of vesicles of a synthetic amphiphile (1152) 78
- Griffin, S.D.J., Buxton, K.D. and Donaldson, I.A.
The α -D-glucosyl C-2 hydroxyl is required for binding to the H⁺-sucrose transporter in phloem (1152) 61
- Gulaya, N.M., Melnik, A.A., Balkov, D.I., Volkov, G.L., Vysotskiy, M.V. and Vaskovsky, V.E.
The effect of long-chain N-acyl ethanolamines on some membrane-associated functions of neuroblastoma C1300 N18 cells (1152) 280
- Hakki, S., Robertson, D.C. and Waldman, S.A.
A 56 kDa binding protein for *Escherichia coli* heat-stable enterotoxin isolated from the cytoskeleton of rat intestinal membranes does not possess guanylate cyclase activity (1152) 1
- Hartsel, S.C., see Lambing, H.E. (1152) 185
- Hauser, H., see Lerebours, B. (1152) 49
- Hemminga, M.A., see Ottaviani, M.F. (1152) 171
- Henderson, G.B. and Hughes, T.R.
Altered expression of unidirectional extrusion routes for methotrexate and cholate in an efflux variant of L1210 cells (1152) 91
- Hidalgo, C., see Carrasco, M.A. (1152) 44
- Hohmann, J., Kowalewski, H., Vogel, M. and Zimmermann, H.
Isolation of a Ca²⁺ or Mg²⁺-activated ATPase (ecto-ATPase) from bovine brain synaptic membranes (1152) 146
- Hsu, S.-F. and Burnette, R.R.
The effect of amphotericin B on the K-channel activity of MDCK cells (1152) 189
- Huang, Y.-P., see Bittar, E.E. (1152) 307
- Hudson, M.J.H., see Jones, M.N. (1152) 231
- Huestis, W.H., see Brunauer, L.S. (1152) 109

- Hughes, T.R., see Henderson, G.B. (1152) 91
 Huinink, H., see Ottaviani, M.F. (1152) 171
 Husted, C., see Montez, B. (1152) 314
- Ipsen, J.H., see Jørgensen, K. (1152) 135
- Iseki, K., Sugawara, M., Saitoh, N. and Miyazaki, K.
 The transport mechanisms of organic cations and their zwitterionic derivatives across rat intestinal brush-border membrane. II. Comparison of the membrane potential effect on the uptake by membrane vesicles (1152) 9
 Ishiguro, R., see Murata, M. (1152) 99
- Jasińska, R., Zborowski, J. and Somerharju, P.
 Intramitochondrial distribution and transport of phosphatidylserine and its decarboxylation product, phosphatidylethanolamine. Application of pyrene-labeled species (1152) 161
 Jones, M.N. and Hudson, M.J.H.
 The targeting of immunoliposomes to tumour cells (A431) and the effects of encapsulated methotrexate (1152) 231
 Jørgensen, K., Sperotto, M.M., Mouritsen, O.G., Ipsen, J.H. and Zuckermann, M.J.
 Phase equilibria and local structure in binary lipid bilayers (1152) 135
 Juguelin, H., see Schneider, F. (1152) 243
- Kagiwada, S., see Murata, M. (1152) 99
- Kaji, D.M.
 $\text{Na}^+/\text{K}^+/\text{2Cl}^-$ cotransport in medullary thick ascending limb cells: kinetics and bumetanide binding (1152) 289
 Kamida, M., see Shinohara, Y. (1152) 192
 Knoll, W., see Mittler-Neher, S. (1152) 259
 Kowalewski, H., see Hohmann, J. (1152) 146
 Kusiak, J.W., see Bai, G. (1152) 197
- Laggner, P., see Lohner, K. (1152) 69
- Lambing, H.E., Wolf, B.D. and Hartsel, S.C.
 Temperature effects on the aggregation state and activity of Amphotericin B (1152) 185
- Lerebours, B., Wehrli, E. and Hauser, H.
 Thermodynamic stability and osmotic sensitivity of small unilamellar phosphatidylcholine vesicles (1152) 49
- Lessire, R., see Schneider, F. (1152) 243
- Lohner, K., Degovics, G., Laggner, P., Gnamusch, E. and Paltauf, F.
 Squalene promotes the formation of non-bilayer structures in phospholipid model membranes (1152) 69
- Mayer, L.D., see Boman, N.L. (1152) 253
- Melnik, A.A., see Gulaya, N.M. (1152) 280
- Michelangeli, F., see Sayers, L.G. (1152) 177
- Mittler-Neher, S. and Knoll, W.
 Ca^{2+} -induced lateral phase separation in black lipid membranes and its coupling to the ion translocation by gramicidin (1152) 259
- Miyazaki, K., see Iseki, K. (1152) 9
- Montez, B., Oldfield, E., Urbina, J.A., Pekerar, S., Husted, C. and Patterson, J.
 Editing ^{13}C -NMR spectra of membranes (1152) 314
- Morris, R., see Dormer, R.L. (1152) 225
- Mouritsen, O.G., see Jørgensen, K. (1152) 135
- Murata, M., Shirai, Y., Ishiguro, R., Kagiwada, S., Tahara, Y., Ohnishi, S.-i. and Takahashi, S.
 Fusion of dioleoylphosphatidylcholine vesicles induced by an amphiphilic cationic peptide and oligophosphates at neutral pH (1152) 99
- Ohnishi, S.-i., see Murata, M. (1152) 99
- Oldfield, E., see Montez, B. (1152) 314
- Osipova, E.M., see Abidor, I.G. (1152) 207
- Ottaviani, M.F., Huinink, H., Sanders, J.C. and Hemminga, M.A.
 The macroscopic organization of reconstituted M13 coat protein-phospholipid systems. An EPR spectroscopy and polarizing microscope study (1152) 171
- Paltauf, F., see Lohner, K. (1152) 69
- Patterson, J., see Montez, B. (1152) 314
- Pekerar, S., see Montez, B. (1152) 314
- Peters, P.H.J., see Visser, G.J. (1152) 26
- Pohl, P., Antonenko, Y.N. and Rosenfeld, E.
 Effect of ultrasound on the pH profiles in the unstirred layers near planar bilayer lipid membranes measured by microelectrodes (1152) 155
- Politi, M.J., see Gomes, L.F. (1152) 78
- Popescu, D.
 Association probabilities between the single-chain amphiphiles into a binary mixture in plan monolayers (II) (1152) 35
- Quinn, P., see Whatmore, J. (1152) 300
- Richardson, C.D., see Epand, R.M. (1152) 128
- Robertson, D.C., see Hakki, S. (1152) 1
- Rosenfeld, E., see Pohl, P. (1152) 155
- Saitoh, N., see Iseki, K. (1152) 9
- Salyers, K.L., Cullum, M.E. and Zile, M.H.
 Glucuronidation of all-*trans*-retinoic acid in liposomal membranes (1152) 328
- Sanders, J.C., see Ottaviani, M.F. (1152) 171
- Sarkar, D.P., see Bagai, S. (1152) 15
- Sayers, L.G. and Michelangeli, F.
 The effects of tetrahexyl ammonium cations (THA^+) on inositol 1,4,5-trisphosphate-induced calcium release from porcine cerebellar microsomes: THA^+ can induce calcium release selectively from the InsP_3 -sensitive calcium stores (1152) 177
- Schneider, F., Lessire, R., Bessoule, J.-J., Juguelin, H. and Cassagne, C.
 Effect of cerulenin on the synthesis of very-long-chain fatty acids in microsomes from leek seedlings (1152) 243
- Shinohara, Y., Kamida, M., Yamazaki, N. and Terada, H.
 Isolation and characterization of cDNA clones and a genomic clone encoding rat mitochondrial adenine nucleotide translocator (1152) 192
- Shirai, Y., see Murata, M. (1152) 99
- Sierralta, J., see Carrasco, M.A. (1152) 44
- Smith, J.A.C., see Bettley, M. (1152) 270
- Somerharju, P., see Jasińska, R. (1152) 161
- Sperotto, M.M., see Jørgensen, K. (1152) 135
- Sugawara, M., see Iseki, K. (1152) 9
- Sukharev, S.I., see Abidor, I.G. (1152) 207
- Tahara, Y., see Murata, M. (1152) 99
- Takahashi, S., see Murata, M. (1152) 99
- Terada, H., see Shinohara, Y. (1152) 192
- Theuvenet, A.P.R., see Visser, G.J. (1152) 26
- Urbina, J.A., see Montez, B. (1152) 314
- Vaskovsky, V.E., see Gulaya, N.M. (1152) 280
- Visser, G.J., Peters, P.H.J. and Theuvenet, A.P.R.
 Cadmium ion is a non-competitive inhibitor of red cell Ca^{2+} -ATPase activity (1152) 26
- Vogel, M., see Hohmann, J. (1152) 146
- Volkov, G.L., see Gulaya, N.M. (1152) 280
- Vysotskiy, M.V., see Gulaya, N.M. (1152) 280

- Waldman, S.A., see Hakki, S. (1152) 1
Webb, R., see Dormer, R.L. (1152) 225
Wehrli, E., see Lerebours, B. (1152) 49
Whatmore, J., Quinn, P. and Allan, D.
 Plasma membrane vesicles from BHK and HL60 cells treated
 with merocyanine 540 and iodoacetamide (1152) 300
Wolf, B.D., see Lambing, H.E. (1152) 185

Yamazaki, N., see Shinohara, Y. (1152) 192
Yeagle, P.L., see Epand, R.M. (1152) 128

Zborowski, J., see Jasińska, R. (1152) 161
Zhelev, D.V., see Abidor, I.G. (1152) 207
Zile, M.H., see Salyers, K.L. (1152) 328
Zimmermann, H., see Hohmann, J. (1152) 146
Zuckermann, M.J., see Jørgensen, K. (1152) 135