

Cumulative Contents

Information for Contributors

vii

Regular Papers

Interaction of sphingosine and stearylamine with phosphatidylserine as studied by DSC and NMR

F. López-García, V. Micol, J. Villalaín and J.C. Gómez-Fernández (Spain)

1

The influence of size and composition on the cholesterol mobilizing properties of liposomes in vivo

W.V. Rodriguez, P.H. Pritchard and M.J. Hope (Canada)

9

A fluorescence anisotropy study of stabilizing effect of tri- and tetra- nitrovasodilatory drugs on DPPC liposomal membrane

A.K. Ghosh, J. Mukherjee, R. Basu, M. Chatterjee and P. Nandy (India)

20

Hepatoselective carrier-mediated sodium-independent uptake of pravastatin and pravastatin-lactone

K. Ziegler and S. Hummelsiepe (Germany)

23

Kinetic characterization of Na⁺/D-mannose cotransport in dog kidney: comparison with Na⁺/D-glucose cotransport

M. Silverman and L. Ho (Canada)

34

Identification of two unique polypeptides from dog kidney outer cortex and outer medulla that exhibit different Na⁺/D-glucose cotransport functional properties

M. Silverman, P. Speight and L. Ho (Canada)

43

Ionic factors regulating the interaction of *Gardnerella vaginalis* hemolysin with red blood cells

S. Cauci, R. Monte, F. Quadrioglio, M. Ropele and G. Menestrina (Italy)

53

Quantitative analysis of proton movements associated with the uptake of weak carboxylic acids. The yeast *Candida utilis* as a model

F. Cássio, M. Côrte-Real and C. Leão (Portugal)

59

Inhibition of the Ca pump of intact red blood cells by *t*-butyl hydroperoxide: importance of glutathione peroxidase

T.T. Rohn, T.R. Hinds and F.F. Vincenzi (USA)

67

Frequency domain electrical conductivity measurements of the passive electrical properties of human lymphocytes

F. Bordi, C. Cametti, A. Rosi and A. Calcabrini (Italy)

77

Membrane disorganization induced by perfringolysin O (theta-toxin) of *Clostridium perfringens* – effect of toxin binding and self-assembly on liposomes

M. Iwamoto, M. Nakamura, K.-i. Mitsui, S. Ando and Y. Ohno-Iwashita (Japan)

89

Phenylarsine oxide and hydrogen peroxide stimulate glucose transport via different pathways in isolated cardiac myocytes

Y. Fischer, H. Rose, J. Thomas, B. Deuticke and H. Kammermeier (Germany)

97

Effects of vasopressin on single Cl⁻ channels in the apical membrane of distal nephron cells (A6)

Y. Marunaka and H. Tohda (Canada)

105

Functional and biochemical characterization of the human potassium channel Kv1.5 with a transplanted carboxyl-terminal epitope in stable mammalian cell lines

L.H. Philipson, A. Malayev, A. Kuznetsov, C. Chang and D.J. Nelson (USA)

111

Chloride transport by human placental microvillous membrane vesicles

S. Byrne, J.D. Glazier, S.L. Greenwood, D. Mahendran and C.P. Sibley (UK)

122

Stabilization of egg phosphatidylcholine liposomes by the insertion of sulfatide

H. Noda, M. Kurono, N. Ohishi and K. Yagi (Japan)

127

Rapid Report

A 46 kDa NTPase common to rat liver nuclear envelope, mitochondria, plasma membrane, and endoplasmic reticulum

G.P. Sabbatini, P.J. Smith and C. Von Holt (South Africa)

132

Regular Papers

Characterization of 5-fluorouracil loaded liposomes prepared by reverse-phase evaporation or freezing-thawing extrusion methods: study of drug release

B. Elorza, M.A. Elorza, G. Frutos and J.R. Chantres (Spain)

135

- Absence of lipid gel-phase domains in seven mammalian cell lines and in four primary cell types
T. Parasassi, M. Loiero, M. Raimondi, G. Ravagnan and E. Gratton (Italy, USA) 143
- Partitioning of gramicidin A' between coexisting fluid and gel phospholipid phases
A.R.G. Dibble, M.D. Yeager and G.W. Feigenson (USA) 155
- Amino acid substitutions in the membrane-binding domain of cytochrome *b₅* alter its membrane-binding properties
V.G. Tretyachenko-Ladokhina, A.S. Ladokhin, L. Wang, A.W. Stegges and P.W. Holloway (USA) 163
- Kinetics of incorporation of porphyrins into small unilamellar vesicles
C. Vever-Bizet and D. Brault (France) 170
- A membrane-bound form of protein disulfide isomerase (PDI) and the hepatic uptake of organic anions
W. Honscha, M. Ottallah, A. Kistner, H. Platte and E. Petzinger (Germany) 175
- Rabbit skeletal muscle sarcoplasmic reticulum Ca^{2+} -ATPase activity: stimulation in vitro by thyroid hormone analogues and bipyridines
P.R. Warnick, P.J. Davis, F.B. Davis, V. Cody, J. Galindo, Jr. and S.D. Blas (USA) 184
- Membrane orientation of transmembrane segments 11 and 12 of MDR- and non-MDR-associated P-glycoproteins
J.-T. Zhang and V. Ling (Canada) 191
- Static and dynamic studies of the potential-sensitive membrane probe RH421 in dimyristoylphosphatidylcholine vesicles
A. Zouni, R.J. Clarke, A.J.W.G. Visser, N.V. Visser and J.F. Holzwarth (Germany, The Netherlands) 203
- Intracellular pH regulation in cecal epithelial cells from the chick
M.L. Calonge, M.J. Peral and A. Ilundáin (Spain) 213
- Deregulation by zinc of the sodium efflux in barnacle muscle fibers
H. Xie and E.E. Bittar (USA) 219
- The role of drug-lipid interactions in the biological activity of modulators of multi-drug resistance
R.M. Wadkins and P.J. Houghton (USA) 225
- Transport of choline by Madin-Darby canine kidney cells
P. Zlatkine, G. Moll, A. Blais, A. Loiseau and C. Le Grimellec (France) 237
- Electrical impedance and erythrocyte sedimentation rate (ESR) of blood
T.-X. Zhao and D. Lockner (Sweden) 243
- A voltage-dependent and a voltage-independent potassium channel in brown adipocytes of the rat
U. Ruß, T. Ringer and D. Siemen (Germany) 249
- The membrane potential has no detectable effect on the phosphocholine headgroup conformation in large unilamellar phosphatidylcholine vesicles as determined by ^2H -NMR
J.M. Leenhouts, V. Chupin, J. De Gier and B. De Kruijff (The Netherlands) 257
- Determination of the intracellular free chloride concentration in rat brain synaptoneurosome using a chloride-sensitive fluorescent indicator
A.C. Engblom and K.E.O. Åkerman (Finland) 262
- Overexpression of the ER-membrane protein P-450 CYP52A3 mimics *sec* mutant characteristics in *Saccharomyces cerevisiae*
B. Wiedmann, P. Silver, W.-H. Schunck and M. Wiedmann (USA, Germany) 267
- Heteroacid phosphatidylcholines with different amounts of unsaturation respond differently to cholesterol
J. Hernandez-Borrell and K.M.W. Keough (Canada) 277
- ATP activation of plasma membrane yeast H^{+} -ATPase shows complex kinetics independently of the degree of purification
G. Berberían, G. Helguera and L. Beaugé (Argentina) 283
- Enhanced permeation and stratum corneum structural alterations in the presence of dithiothreitol
C.Y. Goates and K. Knutson (USA) 289
- Ontogeny of Na^{+}/D -glucose cotransport in guinea-pig jejunal vesicles: only one system is involved at both 20°C and 35°C
C. Malo (Canada) 299
- The active metabolite hydroxytamoxifen of the anticancer drug tamoxifen induces structural changes in membranes
J.B.A. Custódio, L.M. Almeida and V.M.C. Madeira (Portugal) 308
- Direct observation of differential UV photolytic degradation among the tryptophan residues of gramicidin A in sodium dodecyl sulfate micelles
S. McKim and J.F. Hinton (USA) 315
- A model of mitochondrial creatine kinase binding to membranes: adsorption constants, essential amino acids and the effect of ionic strength
S.N. Fedosov, L.V. Belousova and I.W. Plesner (Denmark, Russia) 322
- Ion velocity distributions in gramicidin channels determined with laser Doppler velocimetry
F. Macias and M.E. Starzak (USA) 331

Interactions of liposomes and hydrophobically-modified poly-(*N*-isopropylacrylamides): an attempt to model the cytoskeleton
H. Ringsdorf, E. Sackmann, J. Simon and F.M. Winnik (Germany, Canada)

335

Short Sequence-Paper

An *Escherichia coli* gene showing a potential ancestral relationship to the genes for the

mitochondrial import site proteins ISP42 and MOM38

P. Cartwright, M. Timms, T. Lithgow, P. Høj and N. Hoogenraad (Australia)

345

Cumulative Contents, Vol. 1153

349

Author Index

352