



ELSEVIER

Biomembranes

Vol. 1190, 1994

BBA
 Biochimica
 et Biophysica Acta

Cumulative Contents

Information for Contributors

vii

Regular Papers

Time-resolved polarized fluorescence studies of the temperature adaptation in *Bacillus subtilis* using DPH and TMA-DPH fluorescent probes
P. Heřman, I. Konopásek, J. Plášek and J. Svobodová (Czech Republic)

Convex-concave curvatures in bilayers of dipalmitoylphosphatidylcholine and cholesterol induced by amphotericin B/deoxycholate after prolonged storage
H.W. Meyer, W. Richter and G. Brezesinski (Germany)

Involvement of essential histidine residue(s) in the activity of Ehrlich cell plasma membrane NADH-ferricyanide oxidoreductase
M.A. Medina, A. Del Castillo-Olivares, J. Márquez and I. Núñez de Castro (Spain)

Polymorphic phase behavior of perfluoroalkylated phosphatidylcholines
C. Santaella, P. Vierling, J.G. Riess, T. Gulik-Krzywicki, A. Gulik and B. Monasse (France)

Specific changes in nucleotide and lipid synthesis are linked to growth defects in intramitochondrial energy-depleted yeast cells
I. Hapala, B. Hunáková, G. Gerzaničová and P. Butko (Slovak Republic, Canada)

Small lipid-soluble cations are not membrane voltage probes for *Neurospora* or *Saccharomyces*
A. Ballarin-Denti, C.L. Slayman and H. Kuroda (USA)

Cation effluxes associated with the uptake of TPP^+ , TPA^+ , and TPMP^+ by *Neurospora*: evidence for a predominantly electroneutral influx process
C.L. Slayman, H. Kuroda and A. Ballarin-Denti (USA)

Interaction of multidrug-resistant Chinese hamster ovary cells with the peptide ionophore gramicidin D
D.W. Loe and F.J. Sharom (Canada)

- Changes in the permeation rate of organic anions through the intestinal brush-border membrane with membrane surface potential
M. Sugawara, A. Hashimoto, T. Toda, M. Takahashi, M. Kobayashi, K. Iseki and K. Miyazaki (Japan) 85
- Arrangement of phosphatidylethanolamine molecular species in *Escherichia coli* membranes and reconstituted lipids as determined by dimethyl suberimidate cross-linking of nearest neighbor lipids
M.R. Roth and R. Welti (USA) 91
- Effect of liposome size on the circulation time and intraorgan distribution of amphipathic poly(ethylene glycol)-containing liposomes
D.C. Litzinger, A.M.J. Buiting, N. Van Rooijen and L. Huang (USA, The Netherlands) 99
- Different sensitivities of the Na^+/K^+ -ATPase isoforms to oxidants
W.-h. Huang, Y. Wang, A. Askari, N. Zolotarjova and M. Ganjeizadeh (USA) 108
- Polymorphism in stratum corneum lipids
B. Ongpipattanakul, M.L. Francoeur and R.O. Potts (USA) 115
- Free radical reactions of MTDQ and its effect on biological membrane
J. Belágyi, B. Török and L. Póto (Hungary) 123
- Membrane admittance of cloned muscle cells in culture: use of a micropipet technique
K. Asami and S. Takashima (USA) 129
- Regulation by gangliosides and sulfatides of phospholipase A_2 activity against dipalmitoyl- and dilauroylphosphatidylcholine in small unilamellar bilayer vesicles and mixed monolayers
B. Maggio, I.D. Bianco, G.G. Montich, G.D. Fidelio and R.K. Yu (USA, Argentina) 137
- Effects of parathion on membrane organization and its implications for the mechanisms of toxicity
M.C. Antunes-Madeira, R.A. Videira and V.M.C. Madeira (Portugal) 149

- Electropermeabilization of cells in tissues assessed by the qualitative and quantitative electroloading of bleomycin
J. Belehradek Jr., S. Orlowski, L.H. Ramirez, G. Pron, B. Poddevin and L.M. Mir (France) 155
- In vitro oxygenation of soybean biomembranes by lipoxygenase-2
M. Maccarrone, P.G.M. Van Aarle, G.A. Veldink and J.F.G. Vliegthart (Netherlands) 164
- Release of GPI-anchored membrane aminopeptidase P by enzymes and detergents has some peculiarities
R. Koelsch, S. Gottwald and J. Lasch (Germany) 170

Rapid Reports

- Endogenous heparin A₃, produced under short duration of high shear-stress, inhibits thrombin-induced aggregation in human platelets
A. Margalit and Y. Granot (Israel) 173
- Phospholipase-like myotoxins induce rapid membrane leakage of non-hydrolyzable ether-lipid liposomes
J.Z. Pedersen, B.F. De Arcuri, R.D. Morero and S. Rufini (Italy, Argentina) 177
- Cooperative membrane insertion of magainin correlated with its cytolytic activity
S.J. Ludtke, K. He, Y. Wu and H.W. Huang (USA) 181
- The in situ size of the dopamine transporter is a tetramer as estimated by radiation inactivation
H.E. Milner, R. Béliveau and S.M. Jarvis (UK, Canada) 185

Short Sequence-Papers

- Primary structure of avian H⁺/K⁺-ATPase β -subunit
H. Yu, T. Ishii, W.R. Pearson and K. Takeyasu (USA) 189
- Cloning, sequencing and expression of cDNA encoding an insect V-ATPase subunit E
R. Gräf, W.R. Harvey and H. Wiczorek (Germany, USA) 193
- Erratum 197

Regular Papers

- Modulation of GTP-dependent fusion by linoleic and arachidonic acid in derivatives of rough endoplasmic reticulum from rat liver
J. Paiement, C. Lavoie, G.R. Gavino and V.C. Gavino (Canada) 199

- Purification of the rat-liver mitochondrial dicarboxylate carrier by affinity chromatography on immobilized malate dehydrogenase
J. Lançar-Benba, B. Foucher and M. Saint-Macary (France) 213
- Correlation between inhibition of cytoskeleton proteolysis and anti-vesiculation effect of calpeptin during A23187-induced activation of human platelets: are vesicles shed by filopod fragmentation?
F. Bassé, P. Gaffet and A. Bienvenüe (France) 217
- Transport properties of Asp-51 $\rightarrow$ Glu and Asp-120 $\rightarrow$ Glu mutants of the melibiose carrier of *Escherichia coli*
D.M. Wilson and T.H. Wilson (USA) 225
- Influence of the lipid matrix on incorporation and function of LPS-free porin from *Paracoccus denitrificans*
A. Wiese, G. Schröder, K. Brandenburg, A. Hirsch, W. Welte and U. Seydel (Germany) 231
- Phosphatidylserine headgroup diastereomers translocate equivalently across human erythrocyte membranes
M.P. Hall and W.H. Huestis (USA) 243
- Activation of osmotically-activated potassium transporters after injection of mRNA from A6 cells in *Xenopus* oocytes
F.G. Ratcliff and J. Ehrenfeld (France) 248
- Internal Ca²⁺ ions inactivate and modify ATP-sensitive potassium channels in adult mouse skeletal muscle
S. Hehl, C. Moser, R. Weik and B. Neumcke (Germany) 257
- Diacylglycerol, phosphatidylserine and Ca²⁺: a phase behavior study
F. López-García, J. Villalán and J.C. Gómez-Fernández (Spain) 264
- Mutational analysis of the COOH-terminal hydrophobic domain of bovine liver 5'-nucleotidase as a signal for glycosylphosphatidylinositol (GPI) anchor attachment
Y. Furukawa, H.-o. Tamura and H. Ikezawa (Japan) 273
- A comparative study on the uptake of α -aminoisobutyric acid by normal and immortalized human embryonic kidney cells from proximal tubule
H. Jessen, H. Røigaard, S. Riahi-Esfahani and C. Jacobsen (Denmark) 279
- Immunodetection and characterization of proteins implicated in renal sodium/phosphate cotransport
M.-C. Delisle, C. Boyer, V. Vachon, S. Giroux and R. Béliveau (Canada) 289

- Binding of naturally occurring antibodies to oxidatively and nonoxidatively modified erythrocyte band 3
F. Turrini, F. Mannu, M. Cappadoro, D. Ulliers, G. Giribaldi and P. Arese (Italy) 297
- Effect of mitochondrial protein concentration on the efficiency of outer membrane removal by the cholesterol-selective detergent digitonin
C.S. Boyer, E.P.A. Neve, G.A. Moore and P. Moldéus (Sweden) 304
- Oleic acid inhibition of Na^+/D -glucose transport in isolated renal brush-border membranes: role of lipid physical parameters and *trans* Na^+ -inhibition
S. Wagner, K. Wenzel-Seifert, L. Volbracht, D. Sorgenfrei and H. Ebel (Germany) 309
- Charge- and pH-dependent binding sites for dibucaine in ionic micelles: a fluorescence study
S.R.W. Louro, O.R. Nascimento and M. Tabak (Brazil) 319
- Regulation of calmodulin binding to the ATP extractable 110 kDa protein (myosin I) from chicken duodenal brush border by $1,25\text{-(OH)}_2\text{D}_3$
R. Kaune, S. Munson and D.D. Bikle (USA) 329
- Induction of secondary structure in the peptide hormone motilin by interaction with phospholipid vesicles
B.-M. Backlund, G. Wikander, T.L. Peeters and A. Gräslund (Sweden, Belgium) 337
- Accelerated net efflux of 3-O-methylglucose from rat adipocytes: a reevaluation
T.J. Wheeler (USA) 345
- In situ hybridization of mRNA for the gastric H^+, K^+ -ATPase in rat oxyntic mucosa
K. Bamberg, S. Nylander, K.G. Helander, L.G. Lundberg, G. Sachs and H.F. Helander (Sweden, USA) 355
- On the validity of lipid dequenching assays for estimating virus fusion kinetics
A. Arbuzova, T. Korte, P. Müller and A. Herrmann (Germany) 360
- Acyl chain length effects related to glycosphingolipid crypticity in phospholipid membranes: probed by ^2H -NMR
K.S. Hamilton, K. Briere, H.C. Jarrell and C.W.M. Grant (Canada, Canada) 367
- Behaviour of complex oligosaccharides at a bilayer membrane surface: probed by ^2H -NMR
K.R. Barber, K.S. Hamilton, A.C. Rigby and C.W.M. Grant (Canada) 376
- The structural differences between the embryos of viable and nonviable wheat seeds as studied with the EPR spectroscopy of lipid-soluble spin labels
E.A. Golovina and A.N. Tikhonov (Russia) 385
- Interaction of merocyanine 540 with nicotinic acetylcholine receptor membranes from *Discopyge tschudii* electric organ
H.R. Arias, S. Alonso-Romanowski, E.A. Disalvo and F.J. Barrantes (Argentina) 393
- Potent and reversible interaction of silver with pure Na, K -ATPase and Na, K -ATPase-liposomes
S. Hussain, E. Meneghini, M. Moosmayer, D. Lacotte and B.M. Anner (Switzerland) 402
- Lipid and protein composition of exovesicles released from human erythrocytes following treatment with amphiphiles
H. Hägerstrand and B. Isomaa (Finland) 409
- Packing of a triacylglycerolipid from the membrane of *Acholeplasma laidlawii* strain A at the air/water interface
R. Demel, G. Lindblom and L. Rilfors (The Netherlands, Sweden) 416
- Local anesthetics destabilize lipid membranes by breaking hydration shell: infrared and calorimetry studies
I. Ueda, J.-S. Chiou, P.R. Krishna and H. Kamaya (USA) 421
- Tripeptide transport in rat lung
P.A. Helliwell, D. Meredith, C.A.R. Boyd, J.R. Bronk, N. Lister and P.D. Bailey (UK) 430
- Effect of sterol side-chain structure on sterol-phosphatidylcholine interactions in monolayers and small unilamellar vesicles
J.P. Slotte, M. Jungner, C. Vilchèze and R. Bittman (Finland, USA) 435
- Inhibition by cyclic AMP and phorbol esters of sodium-dependent uptake of phosphate by rat hepatocytes
M.J. Younus, K. Jouhal and P.J. Butterworth (UK) 444
- Differential effects of brefeldin A on hormonally regulated Na^+ transport in a model renal epithelial cell line
B. Coupaye-Gerard, H.J. Kim, A. Singh and B.L. Blazer-Yost (USA) 449
- The effects of drugs on the incorporation of a conformationally-sensitive, hydrophobic probe into the ion channel of the nicotinic acetylcholine receptor
M.A. Moore and M.P. McCarthy (USA) 457

Short Sequence-Papers

Cloning and sequencing of an Na ⁺ /H ⁺ antiporter gene from the marine bacterium <i>Vibrio alginolyticus</i> <i>T. Nakamura, Y. Komano, E. Itaya, K. Tsukamoto, T. Tsuchiya and T. Unemoto (Japan)</i>	465	cDNA sequence for rkST1, a novel member of the sodium ion-dependent glucose cotransporter family <i>K. Hitomi and N. Tsukagoshi (Japan)</i>	469
		<i>Cumulative Contents, Vol. 1190</i>	473
		<i>Author Index</i>	477