



Cumulative Contents

Information for Contributors

vii

Regular Papers

Cation-sensitive pore formation in rehydrated erythrocytes

S.V. Rudenko and S.V. Patelaros (Ukraine)

1

Neutral polymers elicit, and antibodies to spectrin, band 4.1 protein and cytoplasmic domain of band 3 protein inhibit the concanavalin A-mediated agglutination of human erythrocytes

K.N. Pestonjamas and N.G. Mehta (India)

10

Na/K competitive transport selectivity of (221)C₁₀-cryptand: effects of pH and carrier concentration

A. Loiseau, M. Hill, G. Mulliert and M. Castaing (France)

21

Differential signal transduction pathways regulating interleukin-2 synthesis and interleukin-2 receptor expression in stimulated human lymphocytes

M. Szamel, H. Leufgen, R. Kurrle and K. Resch (Germany)

33

The effect of dimethylsulfoxide on the substrate site of Na⁺/K⁺-ATPase studied through phosphorylation by inorganic phosphate and ouabain binding

C.F.L. Fontes, H.M. Scofano, H. Barrabin and J.G. Nørby (Brazil, Denmark)

43

Effect of the kinetics of temperature variation on *Saccharomyces cerevisiae* viability and permeability

P. Gervais and I. Martinez de Marañon (France)

52

Steady-state nonmonotonic concentration profiles in the unstirred layers of bilayer lipid membranes

Y.N. Antonenko and P. Pohl (Germany)

57

Rotational dynamics of luteinizing hormone receptors and MHC Class I antigens on murine Leydig cells

C.J. Philpott, N.A. Rahman, N. Kenny, T.R. Londo, R.M. Young, B.G. Barisas and D.A. Roess (USA)

62

Solubilization of glycosyl-phosphatidylinositol-anchored proteins in quiescent and stimulated neutrophils

T.J. Cain, Y. Liu, T. Takizawa and J.M. Robinson (USA)

69

Lysosomal sulfate transport: inhibitor studies

P.J. Koettters, H.-F. Chou and A.J. Jonas (USA)

79

IGF-II receptors in luminal and basolateral membranes isolated from pars convoluta and pars recta of rabbit proximal tubule

C. Jacobsen, H. Jessen and A. Flyvbjerg (Denmark)

85

Transport of glycine and lysine on the chloride-dependent β -alanine (B^{0,+}) carrier in rabbit small intestine

L.K. Munck and B.G. Munck (Denmark)

93

Generation, modulation and maintenance of the plasma membrane asymmetric phospholipid composition in yeast cells during growth: their relation to surface potential and membrane protein activity

J. Cerbón and V. Calderón (Mexico)

100

The possible self-down-regulation of calpain triggered by cell membranes

M. Inomata and S. Kawashima (Japan)

107

The high-conductance channel of porin-less yeast mitochondria

I. Szabó, G. Báthori, D. Wolff, T. Starc, C. Cola and M. Zoratti (Italy)

115

Design of immunoliposomes directed against human ovarian carcinoma

U.K. Nässander, P.A. Steerenberg, W.H. De Jong, W.O.W.M. Van Overveld, C.M.E. Te Boekhorst, L.G. Poels, P.H.K. Jap and G. Storm (The Netherlands)

126

Recognition and clearance of liposomes containing phosphatidylserine are mediated by serum opsonin

D. Liu, F. Liu and Y.K. Song (USA)

140

Colocalization of Rh polypeptides and the aminophospholipid transporter in dilauroylphosphatidylcholine-induced erythrocyte vesicles

E.M. Bruckheimer, K.D. Gillum and A.J. Schroit (USA)

147

Rapid Report

Effects of magnesium plus vanadate on partial reactions of the Ca²⁺-ATPase from human red cell membranes

P.J. Romero and A.F. Rega (Venezuela, Argentina)

155

Corrigendum

Regular Papers

- Conformation, pore-forming activity, and antigenicity of synthetic peptide analogues of a spiralin putative amphipathic α helix
C. Brenner, H. Duclohier, V. Krchňák and H. Wróblewski (France, Czech Republic) 161
- Solution structure determination by NMR spectroscopy of a synthetic peptide corresponding to a putative amphipathic α -helix of spiralin: resonance assignment, distance geometry and simulated annealing
A. Bondon, P. Berthault, I. Segalas, B. Perly and H. Wróblewski (France) 169
- Effects of peroxisomal β -oxidation antagonist on 2',3'-cyclic-nucleotide 3'-phosphohydrolase, membrane lipid compositions, and membrane fluidity in C-6 glial cells
M. Saito, Y. Iimori, S. Kamoshita, M. Yanagisawa and Y. Sakakihara (Japan) 178
- Hydrophobic ion interaction on Na^+ activation and dephosphorylation of reconstituted Na^+, K^+ -ATPase
F. Cornelius (Denmark) 183
- Phosphorylation/dephosphorylation of reconstituted shark Na^+, K^+ -ATPase: one phosphorylation site per $\alpha\beta$ protomer
F. Cornelius (Denmark) 197
- Cholesterol modulation of molecular activity of reconstituted shark Na^+, K^+ -ATPase
F. Cornelius (Denmark) 205
- A study of carbobenzoxy-D-phenylalanine-L-phenylalanine-glycine, an inhibitor of membrane fusion, in phospholipid bilayers with multinuclear magnetic resonance
A.R. Dentino, P.W. Westerman and P.L. Yeagle (USA) 213
- Gel phase preference of ganglioside GM1 at low concentration in two-component, two-phase phosphatidylcholine bilayers depends upon the ceramide moiety
P. Palestini, M. Allietta, S. Sonnino, G. Tettamanti, T.E. Thompson and T.W. Tillack (Italy, USA) 221
- Hypothyroid state and membrane fatty acid composition influence cardiac mitochondrial pyruvate oxidation
D.J. Pehowich (Canada) 231
- Glycosphingolipid acyl chain order profiles: substituent effects
M.R. Morrow, D. Singh and C.W.M. Grant (Canada) 239
- Changes in plasma membrane fluidity of *Bryonia dioica* internodes during thigmomorphogenesis
C. Mathieu, C. Motta, M.-A. Hartmann, C. Thonat and N. Boyer (France) 249
- Interaction of *N*-(2-hydroxybenzyl)- ω -amino carbonic acids, novel amphipathic fatty acid derivatives, with membrane: partition coefficients
E. Lurie, A. Kaplun, I. Vassilenko, P. Dubovskii and V. Shvets (Russian Federation) 256
- Liposomes coated with crystalline bacterial cell surface protein (S-layer) as immobilization structures for macromolecules
S. Küpcü, M. Sára and U.B. Sleytr (Austria) 263
- Ethanol-induced aggregation and fusion of small phosphatidylcholine liposome: participation of interdigitated membrane formation in their processes
H. Komatsu and S. Okada (Japan) 270
- N*-Palmitoylphosphatidylethanolamine stabilizes liposomes in the presence of human serum: effect of lipidic composition and system characterization
M. Mercadal, J.C. Domingo, M. Bermudez, M. Mora and M.A. De Madariaga (Spain) 281
- The role of dioleoyl phosphatidylethanolamine in cationic liposome mediated gene transfer
H. Farhood, N. Serbina and L. Huang (USA) 289
- Fusion of cationic liposomes with mammalian cells occurs after endocytosis
I. Wrobel and D. Collins (USA) 296
- Complexes between cationic liposomes and DNA visualized by cryo-TEM
J. Gustafsson, G. Arvidson, G. Karlsson and M. Almgren (Sweden) 305
- Na^+/H^+ exchange activity in brush-border membrane vesicles isolated from chick small intestine
M.I. Ferrero, M. Cano and A. Ilundáin (Spain) 313
- Modification of erythrocyte Na^+/Li^+ countertransport kinetics by two types of thiol group
T.H. Thomas, I.C. West and R. Wilkinson (UK) 317
- Enhancement of rates of H^+ , Na^+ and K^+ transport across phospholipid vesicular membrane by the combined action of carbonyl cyanide *m*-chlorophenylhydrazone and valinomycin: temperature-jump studies
B.S. Prabhananda and M.H. Kombrabail (India) 323
- Snake venom toxins, unlike smaller antagonists, appear to stabilize a resting state conformation of the nicotinic acetylcholine receptor
M.A. Moore and M.P. McCarthy (USA) 336
- Cholesterol effect on the physical state of lipid multibilayers from the platelet plasma membrane by time-resolved fluorescence
M. Vélez, M.P. Lillo, A.U. Acuña and J. González-Rodríguez (Spain) 343

Substrate-specific regulation of the taurine transporter in human placental choriocarcinoma cells (JAR) <i>L.D. Jayanthi, S. Ramamoorthy, V.B. Mahesh, F.H. Leibach and V. Ganapathy (USA)</i>	351	erythrocytes. A comparison with the binding to leukemia cells <i>J.W.M. Lagerberg, K.-J. Kallen, C.W.M. Haest, J. VanSteveninck and T.M.A.R. Dubbelman (The Netherlands, Germany)</i>	428
Heterogeneous distribution of acetylcholine receptors in chick myocytes induced by cholesterol enrichment <i>J.A. Lasalde, A. Colom, E. Resto and C. Zuazaga (USA)</i>	361	Ethanol- and acetonitrile-induced inhibition of water diffusional permeability across bovine red blood cell membrane <i>G. Lahajnar, P. Maček, P. Šmid and I. Zupančič (Slovenia)</i>	437
The cell membrane of <i>Mycoplasma penetrans</i> : lipid composition and phospholipase A ₁ activity <i>M. Salman and S. Rottem (Israel)</i>	369	Aldosterone interaction on sodium transport and chloride permeability: influence of epithelial structure <i>O. Devuyst, V. Beaujean and J. Crabbé (Belgium)</i>	443
Shape of the potential energy barrier of the iodine-mediated halide transport <i>K.-H. Klotz and R. Benz (Germany)</i>	378	Study of vesicle leakage induced by melittin <i>T. Benachir and M. Lafleur (Canada)</i>	452
Organization of the transcortin-binding domain on placental plasma membranes <i>S.A. Krupenko, O.I. Kolesnik, N.I. Krupenko and O.A. Strel'chyonok (Belarus)</i>	387		
Phospholipase A ₂ domain formation in hydrolyzed asymmetric phospholipid monolayers at the air/water interface <i>K.M. Maloney, M. Grandbois, D.W. Grainger, C. Salesse, K.A. Lewis and M.F. Roberts (USA, Canada)</i>	395	Rapid Report	
Adaptive changes in lipid composition of skeletal sarcoplasmic reticulum membranes associated with aging <i>A.G. Krainev, D.A. Ferrington, T.D. Williams, T.C. Squier and D.J. Bigelow (USA)</i>	406	Molecular cloning of PEPT 2, a new member of the H ⁺ /peptide cotransporter family, from human kidney <i>W. Liu, R. Liang, S. Ramamoorthy, Y.-J. Fei, M.E. Ganapathy, M.A. Hediger, V. Ganapathy and F.H. Leibach (USA)</i>	461
Lateral domain formation in mixed monolayers containing cholesterol and dipalmitoylphosphatidylcholine or <i>N</i> -palmitoylsphingomyelin <i>J.P. Slotte (Finland)</i>	419	Short Sequence-Paper	
Factors affecting the amount and the mode of mero-cyanine 540 binding to the membrane of human		Molecular cloning of a fish gene encoding a novel seven-transmembrane receptor related distantly to catecholamine, histamine, and serotonin receptors <i>A. Yasuoka, K. Abe, K. Saigo, S. Arai and Y. Emori (Japan)</i>	467
		<i>Cumulative Contents, Vol. 1235</i>	471
		<i>Author Index</i>	475