



Biomembranes

Vol. 1282, 1996

Author index



- Alfonzo, M.J., see Pacheco, G. (1282) 182
 Andersson, L., see Haneskog, L. (1282) 39
 Auger, M., see Bouchard, M. (1282) 233
- Bakala, H., see Verbeke, P. (1282) 93
 Becker, F.F., see Huang, Y. (1282) 76
 Benz, R., see Wiesner, P. (1282) 216
 Bhatia, J.S., see Roque, A.S. (1282) 274
 Bischof, G., Cosentini, E., Hamilton, G., Riegler, M., Zacherl, J., Teleky, B., Feil, W., Schiessel, R., Machen, T.E. and Wenzl, E.
 Effects of extracellular pH on intracellular pH-regulation and growth in a human colon carcinoma cell-line (1282) 131
 Bok, D., see Ruiz, A. (1282) 174
 Bouchard, M., Boudreau, N. and Auger, M.
 Membrane fluidity response to odorants as seen by ^2H -NMR and infrared spectroscopy (1282) 233
 Boudreau, N., see Bouchard, M. (1282) 233
 Boyan, B.D., see Schwartz, Z. (1282) 1
 Brekkan, E., see Haneskog, L. (1282) 39
 Byus, C.V., see Fukumoto, G.H. (1282) 48
- Calvert, D.T., see Millar, I.D. (1282) 200
 Catmull, J. and Miller, D.J.
 cDNAs from *Onchocerca* sp. encoding members of the MRS3/MRS4 class of mitochondrial solute carriers (1282) 179
 Christoforidis, S., Papamarcaki, T. and Tsolas, O.
 Human placental ATP diphosphohydrolase is a highly *N*-glycosylated plasma membrane enzyme (1282) 257
 Cosentini, E., see Bischof, G. (1282) 131
- Dean, D.D., see Schwartz, Z. (1282) 1
 Devasagayam, T.P.A., Kamat, J.P., Mohan, H. and Kesavan, P.C.
 Caffeine as an antioxidant: inhibition of lipid peroxidation induced by reactive oxygen species (1282) 63
 Dudenhausen, E.E., see Handlogten, M.E. (1282) 107
- Englund, A.-K., see Haneskog, L. (1282) 39
 Epand, R.M., see Kraayenhof, R. (1282) 293
 Eriksson, J.W., see Yu, Z.-W. (1282) 57
- Feil, W., see Bischof, G. (1282) 131
 Fischbarg, J., see Haneskog, L. (1282) 39
 Franco, P.J. and Wilson, T.H.
 Alteration of Na^+ -coupled transport in site-directed mutants of the melibiose carrier of *Escherichia coli* (1282) 240
 Fujita, T., see Tachikawa, E. (1282) 140
 Fukumoto, G.H. and Byus, C.V.
 A kinetic characterization of putrescine and spermidine uptake and export in human erythrocytes (1282) 48
- Ganapathy, V., see Roque, A.S. (1282) 274
 Gascoyne, P.R.C., see Huang, Y. (1282) 76
 Gates, P.A., see Schwartz, Z. (1282) 1
 Giocondi, M.-C., see Mamdouh, Z. (1282) 171
 Gómez de Aranda, I., see Martí, E. (1282) 17
 Gonzalez de Alfonso, R., see Pacheco, G. (1282) 182
 Grassl, S.M.
 Sulfate transport in human placental brush-border membrane vesicles (1282) 115
 Greijer, E., see Haneskog, L. (1282) 39
 Greiner, J., see Guillod, F. (1282) 283
 Guillod, F., Greiner, J. and Riess, J.G.
 Vesicles made of glycopospholipids with homogeneous (two fluorocarbon or two hydrocarbon) or heterogeneous (one fluorocarbon and one hydrocarbon) hydrophobic double chains (1282) 283
- Haest, C.W.M., see Serra, M.V. (1282) 263
 Hamilton, G., see Bischof, G. (1282) 131
 Handlogten, M.E., Dudenhausen, E.E., Yang, W. and Kilberg, M.S.
 Association of hepatic system A amino acid transporter with the membrane-cytoskeletal proteins ankyrin and fodrin (1282) 107
 Haneskog, L., Andersson, L., Brekkan, E., Englund, A.-K., Kameyama, K., Liljas, L., Greijer, E., Fischbarg, J. and Lundahl, P.
 Monomeric human red cell glucose transporter (Glut1) in non-ionic detergent solution and a semi-elliptical torus model for detergent binding to membrane proteins (1282) 39
 Harvey, W.R., see Liu, Z. (1282) 25
 Harvey, W.R., see Liu, Z. (1282) 32
 Hockings, P.D. and Rogers, P.J.
 The measurement of transmembrane electrical potential with lipophilic cations (1282) 101
 Huang, Y., Wang, X.-B., Becker, F.F. and Gascoyne, P.R.C.
 Membrane changes associated with the temperature-sensitive P85^{gag-mos}-dependent transformation of rat kidney cells as determined by dielectrophoresis and electrorotation (1282) 76
- Iida, A., see Tachikawa, E. (1282) 140
 Imanishi, Y., see Zhao, J. (1282) 249
 Itoh, K., see Tachikawa, E. (1282) 140
- Jacobsen, C., see Jessen, H. (1282) 225
 Jakobs, K.H., see Piacentini, L. (1282) 11
 Jessen, H., Røigaard, H. and Jacobsen, C.
 Uptake of neutral α - and β -amino acids by human proximal tubular cells (1282) 225
 Jørgensen, K., see Sabra, M.C. (1282) 85
- Kamat, J.P., see Devasagayam, T.P.A. (1282) 63
 Kameyama, K., see Haneskog, L. (1282) 39
 Kamp, D., see Serra, M.V. (1282) 263
 Kashimoto, T., see Tachikawa, E. (1282) 140
 Kayser, H., see Wiesner, P. (1282) 216
 Kesavan, P.C., see Devasagayam, T.P.A. (1282) 63
 Kilberg, M.S., see Handlogten, M.E. (1282) 107
 Kimura, S., see Zhao, J. (1282) 249
 Kinev, A.V., see Negulyaev, Yu.A. (1282) 156
 Kinne, R.K.H., see Kipp, H. (1282) 124
 Kipp, H., Lin, J.-T. and Kinne, R.K.H.
 Interactions of alkylglucosides with the renal sodium/D-glucose co-transporter (1282) 124
 Kombrabail, M.H., see Prabhananda, B.S. (1282) 193
 Kraayenhof, R., Sterk, G.J., Wong Fong Sang, H.W., Krab, K. and Epand, R.M.

- Monovalent cations differentially affect membrane surface properties and membrane curvature, as revealed by fluorescent probes and dynamic light scattering (1282) 293
- Krab, K., see Kraayenhof, R. (1282) 293
- Kristiansen, S., Youn, J. and Richter, E.A.
Effect of vanadate on glucose transporter (GLUT4) intrinsic activity in skeletal muscle plasma membrane giant vesicles (1282) 71
- Laprade, R., see Mamdouh, Z. (1282) 171
- Le Grimmelc, C., see Mamdouh, Z. (1282) 171
- Leibach, F.H., see Roque, A.S. (1282) 274
- Liljas, L., see Haneskog, L. (1282) 39
- Lin, J.-T., see Kipp, H. (1282) 124
- Lippo de Bécemberg, I., see Pacheco, G. (1282) 182
- Liu, Z. and Harvey, W.R.
Arginine uptake through a novel cationic amino acid:K⁺ symporter, System R⁺, in brush border membrane vesicles from larval *Manduca sexta* midgut (1282) 25
- Liu, Z. and Harvey, W.R.
Cationic lysine uptake by System R⁺ and zwitterionic lysine uptake by System B in brush border membrane vesicles from larval *Manduca sexta* midgut (1282) 32
- Lomax, M.A., see Millar, I.D. (1282) 200
- Lundahl, P., see Haneskog, L. (1282) 39
- Machen, T.E., see Bischof, G. (1282) 131
- Mamdouh, Z., Giocondi, M.-C., Laprade, R. and Le Grimmelc, C.
Temperature dependence of endocytosis in renal epithelial cells in culture (1282) 171
- Martí, E., Gómez de Aranda, I. and Solsona, C.
Inhibition of ATP-diphosphohydrolase (apyrase) of *Torpedo* electric organ by 5'-p-fluorosulfonylbenzoyl adenosine (1282) 17
- Mendez, J., see Schwartz, Z. (1282) 1
- Millar, I.D., Calvert, D.T., Lomax, M.A. and Shennan, D.B.
The mechanism of L-glutamate transport by lactating rat mammary tissue (1282) 200
- Miller, D.J., see Catmull, J. (1282) 179
- Mizuma, K., see Tachikawa, E. (1282) 140
- Mohan, H., see Devasagayam, T.P.A. (1282) 63
- Morgan, E.H., see Stonell, L.M. (1282) 163
- Mouritsen, O.G., see Sabra, M.C. (1282) 85
- Mura, R., see Piacentini, L. (1282) 11
- Nagaoka, Y., see Tachikawa, E. (1282) 140
- Nasatzky, E., see Schwartz, Z. (1282) 1
- Negulyaev, Yu.A., Vedernikova, E.A., Kinev, A.V. and Voronin, A.P.
Exogenous heat shock protein hsp70 activates potassium channels in U937 cells (1282) 156
- Niroomand, F., see Piacentini, L. (1282) 11
- Nogimori, K., see Tachikawa, E. (1282) 140
- Pacheco, G., Lippo de Bécemberg, I., Gonzalez de Alfonso, R. and Alfonso, M.J.
Biochemical characterization of a V-ATPase of tracheal smooth muscle plasma membrane fraction (1282) 182
- Papamarcaki, T., see Christoforidis, S. (1282) 257
- Perichon, M., see Verbeke, P. (1282) 93
- Piacentini, L., Mura, R., Jakobs, K.H. and Niroomand, F.
Stable GDP analog-induced inactivation of G_i proteins promotes cardiac adenyl cyclase inhibition by guanosine 5'-(β -imino)triphosphate and muscarinic acetylcholine receptor (1282) 11
- Popp, B., see Wiesner, P. (1282) 216
- Prabhananda, B.S. and Kombrabail, M.H.
H⁺, K⁺, and Na⁺ transport across phospholipid vesicular membrane by the combined action of proton uncoupler 2,4-dinitrophenol and valinomycin (1282) 193
- Prasad, P.D., see Roque, A.S. (1282) 274
- Rettinger, J.
Characteristics of Na⁺/K⁺-ATPase mediated proton current in Na⁺- and K⁺-free extracellular solutions. Indications for kinetic similarities between H⁺/K⁺-ATPase and Na⁺/K⁺-ATPase (1282) 207
- Richter, E.A., see Kristiansen, S. (1282) 71
- Riegler, M., see Bischof, G. (1282) 131
- Riess, J.G., see Guillod, F. (1282) 283
- Rogers, P.J., see Hockings, P.D. (1282) 101
- Røigaard, H., see Jessen, H. (1282) 225
- Roque, A.S., Prasad, P.D., Bhatia, J.S., Leibach, F.H. and Ganapathy, V.
Sodium-dependent high-affinity binding of carnitine to human placental brush border membranes (1282) 274
- Rosen, A.D.
Inhibition of calcium channel activation in GH3 cells by static magnetic fields (1282) 149
- Ruiz, A. and Bok, D.
Characterization of the 3' UTR sequence encoded by the AQP-1 gene in human retinal pigment epithelium (1282) 174
- Sabra, M.C., Jørgensen, K. and Mouritsen, O.G.
Lindane suppresses the lipid-bilayer permeability in the main transition region (1282) 85
- Savigni, D.L., see Stonell, L.M. (1282) 163
- Schaevebeke, J., see Verbeke, P. (1282) 93
- Schiessel, R., see Bischof, G. (1282) 131
- Schmid, A., see Wiesner, P. (1282) 216
- Schwartz, Z., Gates, P.A., Nasatzky, E., Sylvia, V.L., Mendez, J., Dean, D.D. and Boyan, B.D.
Effect of 17 β -estradiol on chondrocyte membrane fluidity and phospholipid metabolism is membrane-specific, sex-specific, and cell maturation-dependent (1282) 1
- Serra, M.V., Kamp, D. and Haest, C.W.M.
Pathways for flip-flop of mono- and di-anionic phospholipids in the erythrocyte membrane (1282) 263
- Shennan, D.B., see Millar, I.D. (1282) 200
- Solsona, C., see Martí, E. (1282) 17
- Sterk, G.J., see Kraayenhof, R. (1282) 293
- Stonell, L.M., Savigni, D.L. and Morgan, E.H.
Iron transport into erythroid cells by the Na⁺/Mg²⁺ antiport (1282) 163
- Sylvia, V.L., see Schwartz, Z. (1282) 1
- Tachikawa, E., Nogimori, K., Takahashi, S., Mizuma, K., Itoh, K., Kashimoto, T., Nagaoka, Y., Iida, A. and Fujita, T.
Pathway for Ca²⁺ influx into cells by trichosporin-B-VIA, an α -aminoisobutyric acid-containing peptide, from the fungus *Trichoderma polysporum* (1282) 140
- Takahashi, S., see Tachikawa, E. (1282) 140
- Teleky, B., see Bischof, G. (1282) 131
- Tsolas, O., see Christoforidis, S. (1282) 257
- Vedernikova, E.A., see Negulyaev, Yu.A. (1282) 156
- Verbeke, P., Perichon, M., Schaevebeke, J. and Bakala, H.
Effect of glycation of albumin on its binding to renal brush-border membrane vesicles: influence of aging in rats (1282) 93
- Voronin, A.P., see Negulyaev, Yu.A. (1282) 156
- Wang, X.-B., see Huang, Y. (1282) 76
- Wenzl, E., see Bischof, G. (1282) 131
- Wickman, A., see Yu, Z.-W. (1282) 57
- Wiesner, P., Popp, B., Schmid, A., Benz, R. and Kayser, H.
Isolation of mitochondrial porin of the fly *Protophormia*: porin modification by the pesticide CGA 140/408 studied in lipid bilayer membranes (1282) 216
- Wilson, T.H., see Franco, P.J. (1282) 240
- Wong Fong Sang, H.W., see Kraayenhof, R. (1282) 293

Yang, W., see Handlogten, M.E. (1282) 107

Youn, J., see Kristiansen, S. (1282) 71

Yu, Z.-W., Wickman, A. and Eriksson, J.W.

Cryptic receptors for insulin-like growth factor II in the plasma membrane of rat adipocytes – a possible link to cellular insulin resistance (1282) 57

Zacherl, J., see Bischof, G. (1282) 131

Zhao, J., Kimura, S. and Imanishi, Y.

Receptor affinity of neurotensin message segment immobilized on liposome (1282) 249