

Biomembranes

Cumulative Contents

Self-assembled vesicles of monocarboxylic acids and alcohols: conditions for stability and for the encapsulation of biopolymers <i>C.L. Apel, D.W. Deamer and M.N. Mautner (New Zealand, USA)</i>	1	Anchor-dependent lipofection with non-glycerol based cytofectins containing single 2-hydroxyethyl head groups <i>G. Venkata Srilakshmi, J. Sen, A. Chaudhuri, Y. Ramadas and N. Madhusudhana Rao (India)</i>	87
Entrainment in solution of an oscillating NADH oxidase activity from the bovine milk fat globule membrane with a temperature-compensated period length suggestive of an ultradian time-keeping (clock) function <i>D.J. Morré, J. Lawler, S. Wang, T.W. Keenan and D.M. Morré (USA)</i>	10	Conformational mapping of the N-terminal peptide of HIV-1 gp41 in membrane environments using ¹³ C-enhanced Fourier transform infrared spectroscopy <i>L.M. Gordon, P.W. Mobley, R. Pilpa, M.A. Sherman and A.J. Waring (USA)</i>	96
P-glycoprotein inserted in planar lipid bilayers formed by liposomes opened on amorphous carbon and Langmuir–Blodgett monolayer <i>M. Diociaiuti, A. Molinari, I. Ruspantini, M.C. Gaudiano, R. Ippoliti, E. Lendaro, F. Bordin, P. Chistolini and G. Arancia (Italy)</i>	21	Mutual inhibition of the dimerized Na/Ca-K exchanger in rod photoreceptors <i>P.J. Bauer and H. Schaaf (Germany)</i>	121
Utilizing temperature-sensitive association of Pluronic F-127 with lipid bilayers to control liposome–cell adhesion <i>P. Chandaroy, A. Sen, P. Alexandridis and S.W. Hui (USA)</i>	32	Role of the choline exchanger in Na ⁺ -independent Mg ²⁺ efflux from rat erythrocytes <i>H. Ebel, M. Hollstein and T. Günther (Germany)</i>	135
The complex of band 3 protein of the human erythrocyte membrane and glyceraldehyde-3-phosphate dehydrogenase: stoichiometry and competition by aldolase <i>B. von Rückmann and D. Schubert (Germany)</i>	43	Modes of membrane interaction of a natural cysteine-rich peptide: viscotoxin A3 <i>A. Coulon, E. Berkane, A.-M. Sautereau, K. Urech, P. Rougé and A. Lopez (France, Switzerland)</i>	145
Characterization of a novel pH-sensitive peptide that enhances drug release from folate-targeted liposomes at endosomal pHs <i>M.J. Turk, J.A. Reddy, J.A. Chmielewski and P.S. Low (USA)</i>	56	Translocation of proteoglycan I through phospholipid membranes: role of peptide folding <i>G. Drin and J. Temsamani (France)</i>	160
Low-affinity Ca ²⁺ and Ba ²⁺ binding sites in the pore of α7 nicotinic acetylcholine receptors <i>L.K. Lyford, J.W. Lee and R.L. Rosenberg (USA)</i>	69	Inhibition of Mrp2- and Ycf1p-mediated transport by reducing agents: evidence for GSH transport on rat Mrp2 <i>J.F. Rebbeor, G.C. Connolly and N. Ballatori (USA)</i>	171
Potentiation of liposome-induced complement activation by surface-bound albumin <i>S. Savay, J. Szebeni, L. Baranyi and C.R. Alving (USA)</i>	79	Regulation of jejunal glucose transporter expression by forskolin <i>M. Williams and P. Sharp (UK)</i>	179
		<i>Author Index</i>	186
		<i>Cumulative Contents</i>	188