

AUTHOR INDEX

- Abdel-Latif, A.A., see Akhtar, R.A. (527) 159
- Akhtar, R.A. and Abdel-Latif, A.A.
Studies of the properties of triphosphoinositide phosphomonoesterase and phosphodiesterase of rabbit iris smooth muscle (527) 159
- Asryants, R.A., see Nagradova, N.K. (527) 319
- Baden, H.P., see Kubilus, J. (527) 221
- Bailey, G.S., see Khilji, M.A. (527) 282
- Barth, R., Wolf, D.H. and Holzer, H.
Studies on the carboxypeptidase Y-inhibitor complex of yeast (527) 63
- Beaugé, L.
Activation by lithium ions of the inside sodium sites in $(\text{Na}^+ + \text{K}^+)\text{-ATPase}$ (527) 472
- Benkevich, N.V., see Nagradova, N.K. (527) 319
- Blagoev, B., see Raykova, D. (527) 108
- Boggaram, V., Larson, K. and Mannervik, B.
Characterization of glutathione reductase from porcine erythrocytes (527) 337
- Bongaerts, G.P.A., Uitzetter, J., Brouns, R. and Vogels, G.D.
Uricase of *Bacillus fastidiosus*. Properties and regulation of synthesis (527) 348
- Brouns, R., see Bongaerts, G.P.A. (527) 348
- Bunting, J.W. and Kabir, S.H.
The pH-dependence of the non-specific esterase activity of carboxypeptidase A (527) 98
- Burnell, J.N. and Roy, A.B.
Purification and properties of the ATP sulphurylase of rat liver (527) 239
- Burris, R.H., see Emerich, D.W. (527) 359
- Carvajal, N., Martinez, J., De Oca, F.M., Rodriguez, J. and Fernandez, M.
Subunit interactions and immobilised dimers of human liver arginase (527) 1
- Cestaro, B., see Venerando, B. (527) 17
- Chapman, S.K. and Maren, T.H.
A search for the function of human carbonic anhydrase B (527) 272
- Christova, E., see Petkov, D. (527) 131
- Colas, B.
Some physiochemical and structural properties of two β -fucosidases from *Achatina balteata* (527) 150
- Conroy, C.W. and Erman, J.E.
Proton stoichiometry of the cytochrome c peroxidase mechanism as a function of pH (527) 370
- David, A., see Durand, P. (527) 277
- De Jonge, A., see Schram, A.W. (527) 456
- Delaunay, J., Fischer, S., Piau, J.-P., Tortolero, M. and Schapira, G.
Properties of a non-specific nucleotidase in the membrane of rabbit red cells (527) 425
- De Oca, F.M., see Carvajal, N. (527) 1
- Dodgson, K.S., see Rogers, K.M. (527) 70
- Dorovska-Taran, V., see Raykova, D. (527) 108
- Durand, P., David, A. and Thomas, D.
An enzyme electrode for acetylcholine (527) 277
- Emerich, D.W., Ljones, T. and Burris, R.H.
Nitrogenase: Properties of the catalytically inactive complex between the *Azotobacter vinelandii* MoFe protein and the *Clostridium pasteurianum* Fe protein (527) 359
- Ensinger, H.A., Pauly, H.E., Pfeleiderer, G. and Stiefel, T.
The role of Zn(II) in calf intestinal alkaline phosphatase studied by the influence of chelating agents and chemical modification of histidine residues (527) 432
- Epstein, P.M., Pledger, W.J., Gardner, E.A., Stancel, G.M., Thompson, W.J. and Strada, S.J.
Activation of mammalian cyclic AMP phosphodiesterases by trypsin (527) 442
- Erman, J.E., see Conroy, C.W. (527) 370

- Fernandez, M., see Carvajal, N. (527) 1
- Figarella, C., see Lombardo, D. (527) 142
- Fischer, S., see Delaunay, J. (527) 425
- Fletcher, S., see Wood, T. (527) 249
- Frey, J. and Röhm, K.-H.
Subcellular localization and levels of aminopeptidases and dipeptidase in *Saccharomyces cerevisiae* (527) 31
- Friedman, M.E., see Otwell, H.B. (527) 309
- Fujisawa, H., see Nakata, H. (527) 171
- Gams, R.A., see Ostroy, F. (527) 56
- Gardner, E.A., see Epstein, P.M. (527) 442
- Geis, A. and Plapp, R.
Phospho-N-acetylmuramoyl-pentapeptide transferase of *Escherichia coli* K12. Properties of the membrane-bound and the extracted and partially purified enzyme (527) 414
- Gertler, A., see Shechter, Y. (527) 42
- Glickson, J.D., see Ostroy, F. (527) 56
- Guy, O., see Lombardo, D. (527) 142
- Hamers, M.N., see Schram, A.W. (527) 456
- Holzer, H., see Barth, R. (527) 63
- Hopkins, T.R., see Sharma, S.K. (527) 465
- Hsie, A.W., see Li, A.P. (527) 403
- Huth, W., see Jonas, R. (527) 379
- Jonas, R. and Huth, W.
Acetyl-CoA acetyltransferase from bovine liver mitochondria. Molecular properties of multiple forms (527) 379
- Kabir, S.H., see Bunting, J.W. (527) 98
- Kagabe, K., see Nakazawa, K. (527) 391
- Karlish, S.J.D. and Yates, D.W.
Tryptophan fluorescence of ($\text{Na}^+ + \text{K}^+$)-ATPase as a tool for study of the enzyme mechanism (527) 115
- Khilji, M.A. and Bailey, G.S.
The purification of a bovine kidney enzyme which cleaves melanocyte-stimulating hormone-release inhibiting factor (527) 282
- Kimura, A., see Lee, L. (527) 301
- Koester, M.K., Register, A.M. and Noltmann, E.A.
Identification of pseudoisoenzymic subforms of muscle carbonic anhydrase (527) 256
- Kosow, D.P., see Moroff, G. (527) 327
- Kreuzberg, K.
Interaction of D-fructose and fructose 1-phosphate with yeast phosphofructokinase and its influence on glycolytic oscillations (527) 229
- Kubilus, J., Lee, L.D. and Baden, H.P.
Purification of thymidine phosphorylase from human amniochorion (527) 221
- Larson, K., see Boggaram, V. (527) 337
- Lee, C.-Y.
Kinetics of enzyme-coenzyme interactions by NMR spectroscopy (527) 289
- Lee, L., Kimura, A. and Tochikura, T.
Presence of a single enzyme catalyzing the pyrophosphorolysis of UDPglucose and UDPgalactose in *Bifidobacterium bifidum* (527) 301
- Lee, L.D., see Kubilus, J. (527) 221
- Lenkinski, R.E., see Ostroy, F. (527) 56
- Li, A.P. and Hsie, A.W.
Characterization of two adenosine 3':5'-phosphate-dependent protein kinase species from Chinese hamster ovary cells (527) 403
- Ljones, T., see Emerich, D.W. (527) 359
- Lombardo, A., see Venerando, B. (527) 17
- Lombardo, D., Guy, O. and Figarella, C.
Purification and characterization of a carboxyl ester hydrolase from human pancreatic juice (527) 142
- MacQuarrie, R., see McLoughlin, D.J. (527) 193
- MacQuarrie, R., see McLoughlin, D.J. (527) 204
- Mannervik, B., see Boggaram, V. (527) 337
- Maren, T.H., see Chapman, S.K. (527) 272
- Martinez, J., see Carvajal, N. (527) 1
- McLoughlin, D.J. and MacQuarrie, R.
Purification and properties of the major isozymic form of cytoplasmic glycerol-3-phosphate dehydrogenase from rabbit liver (527) 204
- McLoughlin, D.J., Shahied, I.I. and MacQuarrie, R.
The interaction of fatty acids with rabbit liver and muscle glycerol-3-phosphate dehydrogenase (527) 193
- Moroff, G. and Kosow, D.P.
Characterization of human platelet glutathione reductase (527) 327
- Morris, B.J.
Properties of the activation by pepsin of inactive renin in human amniotic fluid (527) 86
- Nagradova, N.K., Asryants, R.A. and Benkevich, N.V.
The role of arginine residues in the function of D-glyceraldehyde-3-phosphate dehydrogenase (527) 319

- Nakata, H., Yamauchi, T. and Fujisawa, H.
Studies on the reaction intermediate of protocatechuate 3,4-dioxygenase. Formation of enzyme-product complex (527) 171
- Nakazawa, K. and Kagabe, K.
Galactose-6-sulfatase from *Actinobacillus* sp. IFO-13310 and its action on sulfated oligosaccharides from keratan sulfate (527) 391
- Nicholas, D.J.D., see Sawhney, S.K. (527) 485
- Noltmann, E.A., see Koester, M.K. (527) 256
- Oldenbroek-Haverkamp, E., see Schram, A.W. (527) 456
- Olsen, L.F.
The oscillating peroxidase-oxidase reaction in an open system. Analysis of the reaction mechanism (527) 212
- Ostroy, F., Gams, R.A., Glickson, J.D. and Lenkinski, R.E.
Inhibition of lysozyme by polyvalent metal ions (527) 56
- Otten, L.A.B.M. and Schilperoort, R.A.
A rapid micro scale method for the detection of lysopine and nopaline dehydrogenase activities (527) 497
- Otwell, H.B., Yung-Ho Tan, A. and Friedman, M.E.
Implication of a tyrosyl residue at the active site of mitochondrial L-malate: NAD⁺ oxidoreductase (527) 309
- Pauly, H.E., see Ensinger, H.A. (527) 432
- Petkov, D., Christova, E. and Stoineva, I.
Catalysis and leaving group binding in anilide hydrolysis by chymotrypsin (527) 131
- Pfleiderer, G., see Ensinger, H.A. (527) 432
- Piau, J.-P., see Delaunay, J. (527) 425
- Plapp, R., see Geis, A. (527) 414
- Pledger, W.J., see Epstein, P.M. (527) 442
- Preti, A., see Venerando, B. (527) 17
- Raykova, D., Stambolieva, N., Dorovska-Taran, V. and Blagoev, B.
A study of the alkaline mesentericopeptidase active site by means of peptide chloromethyl ketones (527) 108
- Register, A.M., see Koester, M.K. (527) 256
- Roberts, J., see Schmer, G. (527) 264
- Rodriguez, J., see Carvajal, N. (527) 1
- Rogers, K.M., White, G.F. and Dodgson, K.S.
Purification and properties of bovine liver lysosomal adenosine 5'-phosphosulphate sulphohydrolase. A non-specific enzyme with pyrophosphatase and phosphodiesterase activities (527) 70
- Röhm, K.-H., see Frey, J. (527) 31
- Roy, A.B., see Burnell, J.N. (527) 239
- Saleemuddin, M. and Zimmermann, U.
Use of glyceraldehyde-3-phosphate dehydrogenase-depleted human erythrocyte ghosts as specific high affinity adsorbents for the purification of glyceraldehyde-3-phosphate dehydrogenase from various tissues (527) 182
- Sawhney, S.K. and Nicholas, D.J.D.
Effects of amino acids, adenine nucleotides and inorganic pyrophosphate on glutamine synthetase from *Anabaena cylindrica* (527) 485
- Schapira, G., see Delaunay, J. (527) 425
- Schilperoort, R.A., see Otten, R.A. (527) 497
- Schmer, G. and Roberts, J.
Purification of indolyl-3-alkane α -hydroxylase by affinity chromatography on indolyl-agarose columns (527) 264
- Schram, A.W., Hamers, M.N., Oldenbroek-Haverkamp, E., Strijland, A., De Jonge, A., Van den Bergh, F.A.J.T.M. and Tager, J.M.
Properties of immobilized fig α -galactosidase and effect on ceramide-3 content of plasma from patients with Fabry's disease (527) 456
- Shahied, I.I., see McLoughlin, D.J. (527) 193
- Sharma, S.K. and Hopkins, T.R.
On the activation of bovine chymotrypsinogen A. Preparation of alanine-neo-chymotrypsinogen and its activation to α -chymotrypsin (527) 465
- Shechter, Y. and Gertler, A.
Enhancement of α -chymotrypsin-catalyzed hydrolysis of specific p-nitroanilide substrates by 4-phenylbutylamine derivative of hen egg-white lysozyme (527) 42
- Stambolieva, N., see Raykova, D. (527) 108
- Stancel, G.M., see Epstein, P.M. (527) 442
- Stiefel, T., see Ensinger, H.A. (527) 432
- Stoineva, I., see Petkov, D. (527) 131
- Strada, S.J., see Epstein, P.M. (527) 442
- Strijland, A., see Schram, A.W. (527) 456
- Tager, J.M., see Schram, A.W. (527) 456
- Tettamanti, G., see Venerando, B. (527) 17
- Thomas, D., see Durand, P. (527) 277
- Thompson, W.J., see Epstein, P.M. (527) 442

- Tochikura, T., see Lee, L. (527) 301
Tortolero, M., see Delaunay, J. (527) 425
Uitzetter, J., see Bongaerts, G.P.A. (527) 348
Van den Bergh, F.A.J.T.M., see Schram, A.W. (527) 456
Venerando, B., Preti, A., Lombardo, A., Cesarò, B. and Tettamanti, G.
Studies on brain cytosol neuraminidase. II. Extractability, solubility and intraneuronal distribution of the enzyme in pig brain (527) 17
Vogels, G.D., see Bongaerts, G.P.A. (527) 348
White, G.F., see Rogers, K.M. (527) 70
Wiseman, A., see Woodward, J. (527) 8
Wolf, D.H., see Barth, R. (527) 63
Wood, T. and Fletcher, S.
The affinity chromatography of transketolase (527) 249
Woodward, J. and Wiseman, A.
The involvement of salt links in the stabilization of baker's yeast invertase. Evidence from immobilization and chemical modification studies (527) 8
Yamauchi, T., see Nakata, H. (527) 171
Yates, D.W., see Karlsh, S.J.D. (527) 115
Yung-Ho Tan, A., see Ottwell, H.B. (527) 309
Zimmermann, U., see Saleemuddin, M. (527) 182